

## PIG® Oil-Only Spill Kit in 65-Gallon Overpack Salvage Drum



KIT443 Absorbs up to 39 gal., Absorbs Oils, Fuels, Other Oil-Based Liquids Only, UN1H2/X200/S

Strong enough to earn a UN rating for shipping spill cleanup waste.

- Comply with Spill Plan regs, avoid fines and be ready to respond with the #1 kit for oil-based spills
- Overpack drum container is UN Rated for shipping waste after oil spill cleanup
- Lift-out, prepacked baskets speed access and guard contents from UV
- PIG Oil-Only Booms stop spreading spills; PIG Stat-Mat absorbs quickly
- Absorbents meet NFPA 99 standards for static decay to allow use with fuels and flammables
- Overpack is X-rated in Packing Groups I, II and III for shipping spill cleanup waste by land, sea or rail
- Lightweight, polyethylene container resists chemicals and keeps contents clean and dry
- Leakproof, twist-on lid is notched for easy removal or tightening with a 2x4 or pole
- Bold "Spill Kit" lettering for quick identification
- Ledges molded into container make kit easy to move by forklift
- Tamperproof seals help prevent pilfering of spill response supplies
- Note: A PIG Overpack Protection Cover (available separately) is suggested for outdoor storage to protect container from UV degradation and weathering
- Only PIG Spill Kits feature PIG Absorbents - the world's #1 selling brand
- For information on custom spill kits, just call 1-800-HOT-HOGS (468-4647)
- Spill Kit dimensions are approximate



### Specifications

|                        |                                           |
|------------------------|-------------------------------------------|
| <b>Wheels Included</b> | No                                        |
| <b>Container Type</b>  | Overpack                                  |
| <b>Fluid Absorbed</b>  | Oils, Fuels, Other Oil-Based Liquids Only |

|                        |                             |
|------------------------|-----------------------------|
| <b>Color</b>           | White                       |
| <b>Dimensions</b>      | ext. dia. 27.75" x 37.75" H |
| <b>Absorbency</b>      | Up to 39 gal.               |
| <b>High Visibility</b> | No                          |
| <b>See-Through</b>     | No                          |
| <b>Sold as</b>         | 1 each                      |
| <b>Weight</b>          | 87 lbs.                     |
| <b># per Pallet</b>    | 2                           |

|                    |                                                                                                                                                                                                                                                                                                                                                                                                       |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Composition</b> | Overpack - Polyethylene (MDPE)<br>Booms - Co-Poly Outer Skin w/ Polypropylene Inner Skin & Filler<br>Mats - Polypropylene                                                                                                                                                                                                                                                                             |
| <b>Includes</b>    | 2 - ext. dia. 5" x 10' L PIG® Oil-Only Absorbent Boom (BOM405)<br>9 - ext. dia. 3" x 10' L PIG® Oil-Only Absorbent Boom (BOM406)<br>40 - 15" W x 20" L PIG® STAT-MAT® Absorbent Pad (MAT214)<br>10 - 36" W x 60" H Polyethylene Disposal Bags (BAG201-L)<br>6 - 2" W x 6" L Tamperproof Seal Label (LBL100)<br>1 - Instructions<br>1 - ext. dia. 27.75" x 37.5" H PIG® Overpack Salvage Drum (PAK384) |

|                     |          |
|---------------------|----------|
| <b>UNSPSC</b>       | 47131905 |
| <b>UV Resistant</b> | Yes      |

|                             |                 |
|-----------------------------|-----------------|
| <b>Pigalog® Page Number</b> | <u>Page 102</u> |
|-----------------------------|-----------------|

## Metric Equivalent

|                   |                             |
|-------------------|-----------------------------|
| <b>Absorbency</b> | Up to 147.6 L               |
| <b>Dimensions</b> | ext. dia. 70.5cm x 95.9cm H |
| <b>Weight</b>     | 39.5 kg                     |

## Technical Information

### Certifications, Approvals and Ratings

UN1H2/X200/S

### Technical Documents

[PIG Spill Kits](#)

[LDPE Products](#)

[White paper – Spills Happen. 10 Things you need to know about Spill Kits](#)

[Instructions for PIG Spill Kits](#)

[PIG® Oil-Only Absorbents](#)

29 CFR 1910.120(j)(1)(vii)

40 CFR 112.7

49 CFR 173.3(c)(1)



**One Pork Avenue • Tipton, PA 16684-0304**

1-855-493-4647 • Fax: 1-800-621-7447 • [newpig.com](http://newpig.com) • [hothogs@newpig.com](mailto:hothogs@newpig.com)