

PIG® Oil-Only Spill Kit in High-Visibility Caddy

KIT444 Absorbs up to 15 gal., Absorbs Oils, Fuels, Other Oil-Based Liquids Only

Swing-out front doors on this fully stocked wheeled mobile cart make it easy to get the oil spill kit supplies you need.

- Swing-out doors, prepacked shelves and compartments make cart easy to inventory and access
- 8" wheels help you speed to the scene of the spill
- Narrow width fits easily through doors and aisles
- Cart holds and dispenses a 60' roll of PIG Rip-&Fit Oil-Only Mat for tearing off pads or sections as needed
- PIG Skimmer Socks stop spreading spills; PIG Rip-&Fit Oil-Only Mat and Pillows absorb; PIG Repair Putty plugs or patches leaks and cracks
- Includes gloves and goggles to guard against splashes
- Lockable for added security
- Highly visible yellow cart is easy to locate in the event of a spill
- Ideal for maintenance crews, labs and other areas prone to small spills
- Note: Not for outdoor storage
- Spill Kit dimensions are approximate



Specifications

Wheels Included	Yes
Container Type	Cart
Fluid Absorbed	Oils, Fuels, Other Oil-Based Liquids Only
Color	Hi-Viz Yellow
Dimensions	23" W x 16" D x 38" H
Absorbency	Up to 15 gal.
High Visibility	Yes
See-Through	No
Sold as	1 each
Weight	50 lbs.

# per Pallet	8
Composition	<p>Cart - Polyethylene</p> <p>Socks - Polypropylene</p> <p>Mat Roll - Polypropylene</p> <p>Pillows - Polypropylene</p> <p>Putty - Epoxy Resin</p>
Includes	<p>5 - ext. dia. 3" x 48" L PIG® Skimmer Oil-Only Absorbent Sock (104PS)</p> <p>1 - 15" W x 60' L PIG® Rip-&-Fit® Oil-Only Absorbent Mat Roll in Dispenser Box (MAT442)</p> <p>4 - 12" W x 12" L x 1" H PIG® Skimmer Oil-Only Absorbent Pillow (PIL405)</p> <p>1 - 7" L PIG™ Multi-Purpose Epoxy Putty (PTY201)</p> <p>1 - 13" L SHOWA Nitri-Solve® Nitrile Gloves (WPL588-09)</p> <p>1 - Economy Goggle (GLS290-AF)</p> <p>5 - 18" W x 30" H Polyethylene Disposal Bags (BAG201-S)</p> <p>1 - Instructions</p> <p>1 - 23" W X 16" D X 38" H PIG® Empty High-Visibility Caddy (PAK968)</p>

Shelf Life	2 years
------------	---------

UNSPSC	47131905
--------	----------

UV Resistant	No
--------------	----

Wheels	(2) 8" HDPE Wheels w/ FPVC Tires
--------	----------------------------------

Pigalog® Page Number	Page 107
----------------------	--------------------------

Metric Equivalent

Absorbency	Up to 56.8 L
------------	--------------

Dimensions	58.4cm W x 40.6cm D x 96.5cm H
------------	--------------------------------

Weight	22.7 kg
--------	---------

Technical Information

CountryNoShip	
---------------	--

This product is subject to export restrictions and cannot be shipped to Canada or the European Union.

Technical Documents

[PIG Spill Kits](#)

[Best® Nitri-Solve® Gloves](#)

[PIG® Repair Putty](#)

[White paper – Spills Happen. 10 Things you need to know about Spill Kits](#)

[Instructions for PIG Multi-Purpose Epoxy Putty](#)

[Instructions for PIG Spill Kits](#)

[PIG® Multi-Purpose Repair Putty](#)

[PIG® Oil-Only Absorbents](#)



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com