

## PIG® Oil Absorbent Filter Mat Roll

MAT1205 18" x 25', 2 rolls

Unroll our Filter Mat to absorb oils for fast outdoor cleanup. Water passes right through!



- Clean up oily leaks, drips and spills on land - rain or shine
- Absorbent mat allows water to pass through as they capture oils
- Mats absorb hydraulic fluid, motor oil and other oil-based liquids
- High performance mat for demanding tasks and large-volume cleanups
- Ideal for stormwater applications and general filtration of oily water
- Great for use near storm drains, pipes, outflows, storage tanks, roll-offs, vehicles and other oily equipment; can also be used as a pour-through filter for mop buckets and other containers of oily water
- UV resistant and perfect for outdoor use
- 25-foot roll covers large applications
- Contains 85% recycled fibers; ideal where green products are desired or required
- Can be incinerated after use to reduce waste or for fuels blending
- Mats take on the properties of absorbed liquids
  - always take proper precautions when handling saturated absorbents
- Not for use on bodies of water - mat does not float



### Specifications

<b>Static-Dissipative</b>	No
<b>Indoor/Outdoor</b>	Indoor Use; Long-Term Outdoor Use
<b>Floating</b>	No
<b>UV Resistance Time</b>	Up to 12 months
<b>Incinerable</b>	Yes
<b>Flammability Specifications</b>	Flame Resistant - Will melt and self-extinguish
<b>Fluid Absorbed</b>	Oils, Filters Water
<b>Style</b>	Oil, Water Separator
<b>Color</b>	Gray

<b>Dimensions</b>	18" W x 25' L
<b>Mat Weight</b>	Heavyweight
<b>Recycled Content</b>	85% Post-Consumer Recycled Synthetic Fibers
<b>Absorbency</b>	Up to 25 gal. per bag
<b>Absorbency per</b>	Up to 12.5 gal. per roll
<b>Brand</b>	PIG
<b>Category</b>	Oil Absorbent Filter Mat
<b>Core Diameter</b>	No Core
<b>Perforated</b>	No
<b>Substance Filtered</b>	Oil
<b>Sold as</b>	2 rolls per bag
<b>Weight</b>	13.82 lbs.
<b># per Pallet</b>	13
<b>Composition</b>	Polyester and Polypropylene
<b>UNSPSC</b>	47101514
<b>UV Resistant</b>	Yes
<b>Pigalog® Page Number</b>	<u><a href="#">Page 57</a></u>

## Metric Equivalent

<b>Absorbency per</b>	Up to 47.3 L per roll
<b>Absorbency</b>	Up to 94.6 L per bag
<b>Dimensions</b>	45.7cm W x 8m L
<b>Weight</b>	6.3 kg

## Technical Information

### Technical Documents

[PIG® Oily Water Filter Mat Pads](#)

[40 CFR 112.7](#)

[40 CFR 122.26](#)

### Disclaimers

#### Corrosive Liquids Notice

Not recommended for acids, bases or other corrosive liquids.

#### Safety Instructions Regarding Flammable Liquids for Flame Resistant Mats

Pig Absorbent Mats are flame resistant in their unused state, but take on the properties of flammable liquids they absorb. Always take proper precautions against potential ignition in handling and disposal of these mats if they have absorbed flammable liquids. For further assistance, please call Technical Services.

