

# PIG® Oil Absorbent Filter Mat Strip in Vac-Pack

MAT1207 4" x 48", 25 strips

Use our Filter Mat Strips as a sock to confine and filter oils from outdoor spills and to help protect your outdoor drains.

- Clean up oily leaks, drips and spills on land - rain or shine
- Narrow strips are designed to line the perimeter around your drains to help prevent oil and fuel spills from entering the stormwater system
- Mats absorb hydraulic fluid, motor oil and other oil-based liquids
- Absorbent mat strips help confine the spill and allow water to pass through as oil is captured
- UV resistant and perfect for outdoor use
- Space-saving vac-pack bags can be stored on your vehicle or inside a spill kit for emergency response
- Contains 85% recycled fibers; ideal where green products are desired or required
- Can be incinerated after use to reduce waste or for fuels blending
- Mats take on the properties of absorbed liquids
  - always take proper precautions when handling saturated absorbents
- Not for use on bodies of water - mat does not float



## Specifications

Static-Dissipative	No
Indoor/Outdoor	Indoor Use; Long-Term Outdoor Use
Floating	No
UV Resistance Time	Up to 12 months
Incinerable	Yes
Flammability Specifications	Flame Resistant - Will melt and self-extinguish
Fluid Absorbed	Oils, Filters Water
Style	Oil, Water Separator
Color	Gray
Dimensions	4" W x 48" L
Mat Weight	Heavyweight

<b>Recycled Content</b>	85% Post-Consumer Recycled Synthetic Fibers
<b>Absorbency</b>	Up to 12 gal. per case
<b>Absorbency per</b>	Up to 61 oz. per strip
<b>Brand</b>	PIG
<b>Category</b>	Oil Absorbent Filter Mat
<b>Perforated</b>	No
<b>Substance Filtered</b>	Oil
<b>Sold as</b>	25 strips (5 packages of 5 each)
<b>Weight</b>	8.25 lbs.
<b># per Pallet</b>	40
<b>Composition</b>	Polyester and Polypropylene
<b>UNSPSC</b>	47101514
<b>UV Resistant</b>	Yes
<b>Pigalog® Page Number</b>	<a href="#">Page 57</a>

## Metric Equivalent

<b>Absorbency per</b>	Up to 1.8 L per strip
<b>Absorbency</b>	Up to 45.4 L per case
<b>Dimensions</b>	10.2cm W x 121.9cm L
<b>Weight</b>	3.7 kg

## Technical Information

### Technical Documents

[PIG® Oily Water Filter Mat Pads](#)

[40 CFR 112.7](#)

[40 CFR 122.26](#)

### Disclaimers

#### Corrosive Liquids Notice

Not recommended for acids, bases or other corrosive liquids.

#### Safety Instructions Regarding Flammable Liquids for Flame Resistant Mats

Pig Absorbent Mats are flame resistant in their unused state, but take on the properties of flammable liquids they absorb. Always take proper precautions against potential ignition in handling and disposal of these mats if they have absorbed flammable liquids. For further assistance, please call Technical Services.

