

## **PIG® Barrel Top Absorbent Mat**

MAT208 Heavyweight, For 55 gal. drums with 2 bungs (.75" Dia. and 2" Dia.), 25 pads

Shaped to fit on drum tops to soak up pump drips and keep barrel tops clean.

- Heavyweight construction is highly durable and absorbent to handle pump drips and dispensing spills
- Soaks up pump drips from barrel tops without cluttering up your work space with dirty rags!
- Fits 55-gallon steel drum tops; pre-cut with holes for 3/4" and 2" bungs to provide a perfect fit
- PIG Mat lasts 2x longer than competitive mats and won't rip, tear or fray even when saturated; liquids absorb quickly for faster, easier cleanups and safer workplaces
- Wall-mountable dispenser box makes it easy to dispense and store your mat
- Absorbs most common industrial liquids - oils, coolants, solvents, water and more
- Can be wrung out and incinerated after use to reduce waste or for fuels blending
- Mats take on the properties of absorbed liquids
  - always take proper precautions when handling saturated absorbents



### Specifications

<b>Static-Dissipative</b>	No
<b>Indoor/Outdoor</b>	Indoor Use
<b>Floating</b>	No
<b>Reusable</b>	No
<b>Wringable</b>	Yes
<b>Incinerable</b>	Yes
<b>Flammability Specifications</b>	Flame Resistant - Will melt and self-extinguish
<b>Fluid Absorbed</b>	Oils, Coolants, Solvents, Water – Universal
<b>Use With</b>	55 gal. drums with 2 bungs (.75" Dia. and 2" Dia.)
<b>Color</b>	Gray
<b>Dimensions</b>	ext. dia. 22"
<b>Mat Weight</b>	Heavyweight

<b>Recycled Content</b>	25% or more Recycled Content
<b>Absorbency</b>	Up to 6.9 gal. per box
<b>Absorbency per</b>	Up to 35.32 oz. per pad
<b>Brand</b>	PIG
<b>Category</b>	Barrel Top Absorbent Mat
<b>Drum Type</b>	Steel Drum
<b>Perforated</b>	No
<b>Sold as</b>	25 pads per box
<b>Weight</b>	6.2 lbs.
<b>NSN (National Stock Number)</b>	4235-01-415-1449
<b># per Pallet</b>	72
<b>Composition</b>	Polypropylene
<b>UNSPSC</b>	47131901
<b>UV Resistant</b>	No
<b>Pigalog® Page Number</b>	<a href="#">Page 28</a>

## Metric Equivalent

<b>Absorbency per</b>	Up to 1 L per pad
<b>Absorbency</b>	Up to 26.1 L per box
<b>Dimensions</b>	ext. dia. 55.9cm
<b>Weight</b>	2.8 kg

## Technical Information

### Technical Documents

[PIG Universal Absorbent Mats](#)

[PIG® Universal Absorbents](#)

[29 CFR 1910.22\(a\)\(2\)](#)

### Disclaimers

#### [Safety Instructions Regarding Flammable Liquids for Flame Resistant Mats](#)

Pig Absorbent Mats are flame resistant in their unused state, but take on the properties of flammable liquids they absorb. Always take proper precautions against potential ignition in handling and disposal of these mats if they have absorbed flammable liquids. For further assistance, please call Technical Services.



**One Pork Avenue • Tipton, PA 16684-0304**

1-855-493-4647 • Fax: 1-800-621-7447 • [newpig.com](http://newpig.com) • [hothogs@newpig.com](mailto:hothogs@newpig.com)

