

# PIG® Oil-Only Railroad Absorbent Mat

MAT466 Heavyweight, 19" x 100', 2 rolls

Specially made to absorb oils and fuels around railroad tracks during railcar maintenance.



- 19" width roll can be used on the outside of rails; 59" width roll (MAT465, sold separately) fits right between standard rails
- This heavy-duty three-ply mat is designed specifically to absorb oils and fuels, not water, from railcars during railyard maintenance
- Top layer is constructed with a tough geotextile fabric for added durability; UV resistant for outdoor use
- Highly absorbent polypropylene middle layer traps oils but allows rainwater to evaporate; bottom barrier film prevents liquids from leaching into the ground
- Border along outside edge provides for convenient tacking and prevents leakage
- Won't rip, tear or fray even when saturated; liquids absorb quickly for faster, easier cleanups and safer workplaces
- Mat rolls can be cut with a utility knife or scissors
- Mats take on the properties of absorbed liquids
  - always take proper precautions when handling saturated absorbents



## Specifications

Traffic	Heavy Foot Traffic; Carts & Equipment
Backing Material	Poly-Backed
Static-Dissipative	No
Indoor/Outdoor	Long-Term Outdoor Use
Floating	Yes
Reusable	No
UV Resistance Time	Up to 12 months
Wringable	Yes
Incinerable	Yes
Flammability Specifications	Flame Resistant - Will melt and self-extinguish
Fluid Absorbed	Oils, Fuels, Other Oil-Based Liquids Only

<b>Color</b>	Black
<b>Dimensions</b>	19" W x 100' L
<b>Mat Weight</b>	Heavyweight
<b>Absorbency</b>	Up to 41 gal. per bag
<b>Absorbency per</b>	Up to 20.5 gal. per roll
<b>Brand</b>	PIG
<b>Category</b>	Oil-Only Railroad Absorbent Mat
<b>Core Diameter</b>	3"
<b>Perforated</b>	No
<b>Sold as</b>	2 rolls per bag
<b>Weight</b>	42.3 lbs.
<b># per Pallet</b>	9
<b>Composition</b>	Absorbent - Polypropylene Backing - Polyethylene
<b>UNSPSC</b>	47131901
<b>UV Resistant</b>	Yes
<b>Pigalog® Page Number</b>	<a href="#">Page 55</a>

## Metric Equivalent

<b>Absorbency per</b>	Up to 77.6 L per roll
<b>Absorbency</b>	Up to 155.2 L per bag
<b>Dimensions</b>	48.3cm W x 30m L
<b>Weight</b>	19.2 kg

## Technical Information

### Technical Documents

[PIG® Absorbent Ground Mat](#)

[40 CFR 112.7](#)

[40 CFR 122.26](#)

### Disclaimers

#### [Safety Instructions Regarding Flammable Liquids for Flame Resistant Mats](#)

Pig Absorbent Mats are flame resistant in their unused state, but take on the properties of flammable liquids they absorb. Always take proper precautions against potential ignition in handling and disposal of these mats if they have absorbed flammable liquids. For further assistance, please call Technical Services.

