



PLR264 Ideal For Long-Term Custom Containment, 5.5" x 15' x 2"

Build a semi-permanent barrier around your machinery or storage areas with our crush-resistant spill berms.

- Barriers can be constructed into a semipermanent, high-visibility barrier that's exactly the size and shape you need - indoors or out
- Pliable open-cell foam barrier springs back into shape after you walk or roll over it with light, wheeled equipment
- Durable, 18-oz. all-vinyl covering resists oils, coolants and most chemicals
- Cut to length with utility knife; for best installation results, secure to a smooth, sealed surface with sealant and join seams with vinyl cement
- Contain leaks and spills around your machinery without building expensive concrete curbs or cutting and installing angle iron
- High-visibility yellow color draws attention to barrier for increased safety
- Easy removal requires only a flat-bladed shovel
- Great for use around battery charging stations, machinery or any other leak-prone areas



Specifications

•	
Traffic	Foot Traffic
Color	Yellow
Dimensions	5.5" W x 15' L x 2" H
Ideal For	Long-Term Custom Containment
Install/Deploy Type	Glued In Place Barrier
Temperature Limit	Works from -22°F to 160°F
Sold as	1 each
Weight	6 lbs.
New Pig Patent	5,820,297
# per Pallet	20
Composition	Cover - 18 oz. Vinyl-Coated Fabric

Core - Open-Cell Polyurethane Foam

UNSPSC	24101907
Pigalog® Page Number	Page 169

Metric Equivalent

Weight

Dimensions	14cm W x 4.6m L x 5.1cm H

2.7 kg

Technical Information

Technical Documents

PIG Build-A-Berm® Barrier

Instructions for Using PIG® Build-A-Berm® Barrier

White paper – Should I be Worried about SPCC? 8 Things you need to know.

40 CFR 112.7

40 CFR 122.26

40 CFR 264.175



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com