



LUNA

Mass per unit area m² EN 12127:2017: 370 g/m² ±5%

Composition: 100% Polyester

Usable width of roll: min. 140 cm

Type of fabric: Velvet

FULL TESTS ACCORDING TO DIN EN 14465:2006

Tensile Strength (EN ISO 13934-1:2013)

- 971–1073 N WARP
- 401–440 N WEFT
Result: A/B

Abrasion resistance (Martindale) (EN ISO 12947-2:2017)

- Yarn breakage 70,000–80,000
Result: A

Tear growth resistance (EN ISO 13937-3:2002)

- 73–80 N WARP
- 63–70 N WEFT
Result: A/A

Resistance to seam slippage (EN ISO 13936-2:2004, 180 N load)

- 1.4–1.6 mm WARP
- 1.4–1.6 mm WEFT
Result: A/A

Pilling resistance (EN ISO 12945-2:2002, 2000 cycles): 5

Result: A

Colour fastness to light (EN ISO 105-B02:2014-11): 4

Result: C

Fastness to rubbing dry (EN ISO 105-X12:2016): 5

Result: A

Fastness to rubbing wet (EN ISO 105-X12:2016): 4–5

Result: A

Ignitability (EN 1021-1, BS 5852 Part 1:1979, CAL TB 117): Passed

Fire Protection (BS 5852 Part 1:1979, Ignition source 1, EN 1021-2): Passed

Care Instructions / Additional Information

1. Easy Clean technology allows the removal of stains with water or water and soap. Stains such as ketchup, coffee, and ink can be easily removed.
 - Remove excess dirt with a spoon (e.g., ketchup)
 - Soak the stain with water and blot with a paper towel
 - Leave to dry
2. Pilling of fabrics is a natural process and cannot be fully eliminated.
3. If caught on sharp objects, yarn may pull out.
4. Dye migration from dark or intensive colours to light colours is unavoidable and natural.
5. UV light and heat sources may cause colour changes, especially in intensive shades.
6. Freshly unrolled fabric may show creases or waviness, which is normal.
7. To avoid creasing, store horizontally in one direction. Long-term storage under pressure may cause irreversible marks, especially in pile fabrics such as velvet.
8. Shimmering and shading are natural phenomena, particularly in velvet.
9. Avoid strong point tension on fabric surface to prevent splitting, stretching, or tearing.
10. Due to technological reasons, the shade may differ from the catalogue sample by one tone. The catalogue is not a commercial offer.
11. Fabric complaint terms are available at www.ckhomeandfabrics.co.uk.



12. All numerical values are averages from multiple fabric samples unless specified otherwise.
13. Furniture manufacturer is responsible for correct seam and needle choice for the fabric and furniture construction.
14. Fabrics meet EU Regulation (REACH) No. 1907/2006 Annex XVII requirements.