

# Certificate of Analysis

**Customer:** Organifi  
**Product:** Organic Organifi Green Juice 12/279g (90plt)

**Lot #** SIGJ25021 EXP 09/2023  
**Date:** 10-01-21

<u>Physical Evaluation</u>	<u>Specifications</u>	<u>Test Method</u>	<u>Results</u>
Appearance	Dark Green	Visual	Conforms
Odor	Grassy, minty	Visual	Conforms
Texture	Powder	Sensory Evaluation	Conforms
Taste	Green, minty and sweet	Sensory Evaluation	Conforms

Lot# SIGJ25021- (6-10)

<u>Microbiological Analysis</u>	<u>Specifications</u>	<u>Test Method</u>	<u>Results</u>
Total Plate Counts	NMT50,000cfu/g	Modified USP61	7.0x10 <sup>2</sup> cfu/g
Yeast/ Mold	NMT1000cfu/g	Modified USP 61	<10cfu/g
Coliforms	NMT 1000cfu/g	Modified USP 62	<10cfu/g
E. coli	Absent	Modified USP 62	Absent
Salmonella	Absent	Modified USP 62	Absent
S.aureus	Absent	Modified USP62	Absent

Lot# SIGJ25021- (6-10)

<u>Heavy Metals Analysis</u>	<u>Specifications</u>	<u>Test Method</u>	<u>Results</u>
Lead	0.5 mcg/serving	ICP-MS	*1.52 mcg/serving
Arsenic	10 mcg/serving	ICP-MS	1.02 mcg/serving
Cadmium	4.1 mcg/serving	ICP-MS	0.31 mcg/serving
Mercury	0.3 mcg/serving	ICP-MS	0.13 mcg/serving

Lot# SIGJ25021- (11-15)

<u>Microbiological Analysis</u>	<u>Specifications</u>	<u>Test Method</u>	<u>Results</u>
Total Plate Counts	NMT50,000cfu/g	Modified USP61	1.1x10 <sup>3</sup> cfu/g
Yeast/ Mold	NMT1000cfu/g	Modified USP 61	<10cfu/g
Coliforms	NMT 1000cfu/g	Modified USP 62	<10cfu/g
E. coli	Absent	Modified USP 62	Absent
Salmonella	Absent	Modified USP 62	Absent
S.aureus	Absent	Modified USP62	Absent

# Certificate of Analysis

**Customer:** Organifi  
**Product:** Organic Organifi Green Juice 12/279g (90plt)

**Lot #** SIGJ25021 EXP 09/2023  
**Date:** 10-01-21

Lot# SIGJ25021- (11-15)

<u>Heavy Metals Analysis</u>	<u>Specifications</u>	<u>Test Method</u>	<u>Results</u>
Lead	0.5 mcg/serving	ICP-MS	*0.74 mcg/serving
Arsenic	10 mcg/serving	ICP-MS	0.70 mcg/serving
Cadmium	4.1 mcg/serving	ICP-MS	0.19 mcg/serving
Mercury	0.3 mcg/serving	ICP-MS	0.074 mcg/serving

Lot# SIGJ25021- (16-17)

<u>Microbiological Analysis</u>	<u>Specifications</u>	<u>Test Method</u>	<u>Results</u>
Total Plate Counts	NMT50,000cfu/g	Modified USP61	1.2x10 <sup>3</sup> cfu/g
Yeast/ Mold	NMT1000cfu/g	Modified USP 61	10cfu/g
Coliforms	NMT 1000cfu/g	Modified USP 62	<10cfu/g
E. coli	Absent	Modified USP 62	Absent
Salmonella	Absent	Modified USP 62	Absent
S.aureus	Absent	Modified USP62	Absent

Lot# SIGJ25021- (16-17))

<u>Heavy Metals Analysis</u>	<u>Specifications</u>	<u>Test Method</u>	<u>Results</u>
Lead	0.5 mcg/serving	ICP-MS	*0.91 mcg/serving
Arsenic	10 mcg/serving	ICP-MS	0.74 mcg/serving
Cadmium	4.1 mcg/serving	ICP-MS	0.22 mcg/serving
Mercury	0.3 mcg/serving	ICP-MS	0.074 mcg/serving

Quality Signature: *Shahrzad Shahvand*