

# Certificate of Analysis

**Customer:** Organifi  
**Date:** 05-02-23

**Lot #** SIGA10223 EXP 04/2025  
**Product:** Green Juice Crisp Apple 20/270g

<u>Physical Evaluation</u>	<u>Specifications</u>	<u>Test Method</u>	<u>Results</u>
Appearance	Green	Visual	Conforms
Odor	Grassy	Visual	Conforms
Texture	Powder	Sensory Evaluation	Conforms
Taste	Green, Sweet apple flavor	Sensory Evaluation	Conforms

<u>Microbiological Analysis</u>	<u>Specifications</u>	<u>Test Method</u>	<u>Results</u>
Total Plate Counts	NMT50,000cfu/g	Modified USP61	2.2x10 <sup>3</sup> cfu/g
Yeast/ Mold	NMT1000cfu/g	Modified USP 61	30cfu/g
Coliforms	NMT 1000cfu/g	Modified USP 62	<10cfu/g
E. coli	Absent	Modified USP 62	Absent
Salmonella	Absent	Modified USP 62	Absent
S.aureus	Absent	Modified USP62	Absent

<u>Heavy Metals Analysis</u>	<u>Specifications</u>	<u>Test Method</u>	<u>Results</u>
Lead	0.5 mcg/serving	ICP-MS	*0.86 mcg/serving
Arsenic	10 mcg/serving	ICP-MS	0.58 mcg/serving
Cadmium	4.1 mcg/serving	ICP-MS	0.27 mcg/serving
Mercury	0.3 mcg/serving	ICP-MS	0.036 mcg/serving

Comment: \_\_\_\*Lead level obtained is higher than California Prop 65 limit, however Prop 65 warning statement is on the label. \_\_\_\_\_

Quality Signature: *Shahzad Shahvand*