

PAGE 1	inch 1 cm 1	\mathcal{S}	. \$75 NYLON WASHER . \$1" ROUND END CAP	. 50X75 FOOT CAP (92	50X75 NYLON BU	U	C1. M10 (I.D) WASHER — C2. 5/16" (I.D) WASHER —	B2. M8 NYLON LOCK NUT	M8x45 HEX HEAD I	M10x20	Al. M12x100 HEX HEAD BOLT	GRCH-322	ANAMAS SERVICE
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	(9260-021) — — — [2PCS] E (9310-036) — — [1PCS] 23) — — — — — — [2PCS])) — — — —	(9212-031) — — $[4FCS]$			[2PCS]	AD BOLT — — — — [4PCS] T — — — — — — [2PCS]	<u></u>	Qty.	HARDWARE ILI	
	5 11 12 13			0	D7 D8		D1 D2	8	B1 B2	A CONTRACTOR OF THE PARTY OF TH	A1 A2	JUSTR	
	6 14 15 16			0	D9		D3	0	C1	Gia Gia	A3	STRATION	
	7 8 17 18 19 20			9	D10	0	D5	<i>⊙</i>	C2 C3	9	A4	SHEET	
	≥ ± 8					()	D6	0	C4				
											1	1	

GRCH-322 PARTS ILLUSTRATION SHEET

F [1PCS] Left 9132-011 A [1PCS] C [1PCS] H [1PCS] Right 9132-012 D [1PCS] E [1PCS] B [1PCS] G [1PCS]

GRCH-322

THERE IS A RISK ASSUMED BY INDIVIDUALS WHO USE THIS TYPE OF EQUIPMENT. TO MINIMIZE RISK, YOU MUST FOLLOW THESE RULES:

- 1. Inspect equipment before each workout. Checke that all nuts, bolts, screws and pop pins are in place and fully tightened. Also, before use, check cables for signs of wear. Replace all worn parts immediately. Never use machine if any parts are damaged or missing. Failure to follow these rules may result in serious injury.
- 2. Keep clear of the cables and all moving parts when the machine is in use.
- 3. Always make sure all Snap Links are closed when doing any cable/pulley exercises.
- 4. Exercise with care. Perform your exercises at a smooth moderate pace; never perform jerky or uncoordinated movements that may cause injury.
- 5. It is recommended that you should workout with a training partner.6. Do not allow children or minors to play on or around this equipment.
- 7. If unsure of proper use of equipment, call your local Body-Solid distributor or the Body-Solid customer service department at 1-800-556-3113.
- WARNING: Consult your physician before starting your exercise program.
 For your own safety. do not begin any exercise program without proper instruction. D1 RAL2-11-98 D1 D2 D1 D2 D5X2 E D8X2 D6X2 D2X2 D7X2 D2X2 СЗХ A3X2 C2X2 C3X2 -B A2X2 SXEA C1X2 D9 B2X2 C4X2 D10X2 C4X2 B1X2 A4X2

D1

D3X4

AIX2