IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 - USA • 909-472-4100 • 909-472-4244 • www.japmort.org









FICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Void After: April 2024 Effective Date: April 2019

Product: Water Treatment Product - Health Effects File No. W-9981

Issued To: Enpress Llc.

> 34899 Curtis Blvd. Eastlake, OH 44095

Identification:

The product or packaging shall be marked with the model number, name and address of manufacturer, functional description of system, max operating temperature, max working pressure, a statement noting that the system conforms to NSF/ANSI 53 for the specific performance claims verified and substantiated by test data, as well as the IAPMO UPC® Shield certification mark.

In the case of private labelling, the product packaging shall be marked with the model number and the name, trademark, or other mark of the customer for whom the fitting was manufactured.

Characteristics: The point-of-use and point-of-entry systems addressed by this Standard are designed to be used for the reduction of specific substances that may be present in drinking water (public or private) which are considered health hazards.

> Certification demonstrates that all materials safety and structural integrity (as applicable) requirements have been met.

Chairman, Product Certification Committee

CEO, The IAPMO Group

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.





IAPMO RESEARCH AND TESTING, INC. CERTIFICATE OF LISTING

Void After: April 2024

Product: Water Treatment Product - Health Effects File No. W-9981

Issued To: Enpress Llc.

To be used in accordance with the manufacturer's instructions

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following standard(s): NSF/ANSI 53-2017



IAPMO RESEARCH AND TESTING, INC. CERTIFICATE OF LISTING

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Void After: April 2024

Product: Water Treatment Product - Health Effects

File No. W-9981

Issued To: Enpress Llc.

MODELS:

<u>Model Number</u>	Replacement Component	Capacity (Gallons)	Flow Rate (GPM)	Reduction Claims
Product Type: Point-of-Entry				
CTA0838BBxxP5-04Cyyy ¹	CT-05-CB-AMCYL-38	93,250	4.21	Lead, Cyst
CTA0840BBxxP5-04Cyyy 1	CT-05-CB-AMCYL	100,000	4.51	Lead, Cyst
CTA0842BBxxP5-04Cyyy ¹	CT-05-CB-AMCYL-42	106,750	4.82	Lead, Cyst

 $1~\rm xx$ can be any combination of numbers and letters and references the outer tank color. yyy can be any combination of numbers and letters and references an internal designation not related to certification.