

Material Safety Data Sheet

PRODUCT AND COMPANY IDENTIFICATION

Product Name: Country Chic Paint - Image Transfer Medium

Product Use: Image transfer medium is used to transfer images to furniture or as a decoupage glue

Supplier Details: Country Chic Paint Ltd., #4-5 - 2994 Boys Road, Duncan BC V9L 6W4, Canada

Telephone: 1-888-523-2360 (9am - 5pm PST)

HAZARDS IDENTIFICATION AND COMPOSITION

No hazardous ingredients are present in this product.

FIRST AID MEASURES

SKIN: Wash exposed area with soap and water.

EYES: Flush with large amounts of water. Get medical attention if discomfort persists.

INGESTION: Drink a glass of water to dilute. Do not induce vomiting. If spontaneous vomiting occurs, have victim lean forward with head down to avoid breathing in of vomit. Rinse mouth, administer more water. Contact a physician immediately.

FIRE FIGHTING MEASURES

Flash Point: Not Applicable

Method Used: Not Applicable

Extinguishing Media: Use extinguishing media appropriate to surrounding fire

Firefighting Procedures: Handle as a non-flammable liquid

Unusual Fire and Explosion Hazards: Closed containers may explode when exposed to extreme heat

ACCIDENTAL RELEASE MEASURES

Stop spill at source, dike area of spill to prevent spreading, pump liquid to salvage tank. Remaining liquid may be taken up on sand, clay, earth, floor absorbent, or other absorbent material and shoveled into containers. Spill area can be cleaned with soap and water.

HANDLING AND STORAGE

Store in a cool, dry area. Keep from freezing. Keep away from heat sources. Clean rim of container after each use and keep containers closed when not in use.

Other Precautions: Containers of this material may be hazardous when emptied. Since emptied containers may retain product residues (vapor, liquid, and/or solid), all precautions given in this data sheet must be observed.

EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory Protection: Not normally required when applying by brush or roller. When spraying, wear a mist/dust particulate respirator. In cases of poor or no ventilation, wear a respirator NIOSH approved for organic vapours and particulates.

Ventilation: General (dilution) ventilation is required during use. Local exhaust ventilation is required during operations where this material is heated.

Protective Gloves: Wear resistant gloves such as: BUNA-N

Eye Protection: Chemical splash goggles in compliance with OSHA regulations are advised, when risk of splattering exists, unless full facepiece respirator is worn.

Other Protective Clothing or Equipment: Use impermeable aprons and protective clothing to prevent skin contact.

Work / Hygienic Practices: Wash hands with soap and water after handling this product.

PHYSICAL AND CHEMICAL PROPERTIES

Coating Volatile Organic Compounds (VOC): 0 grams / liter

Boiling Range: 100 °C / 212 °F

Specific Gravity (H₂O=1): 1.05

Vapor Density: Heavier than air

Evaporation Rate: Slower than Butyl Acetate

Physical State: paste

Solubility in Water: Soluble

Appearance and Odor: moderately thick paste with low odor

Freezing Point: 0 °C / 32 °F

STABILITY AND REACTIVITY

Stability: Stable

Hazardous Polymerization: Will not occur

Conditions to Avoid: Excessive temperatures, poor ventilation, and corrosive atmospheres. Avoid all heat sparks and sources of ignition.

Incompatibility (Materials to Avoid): Strong oxidizing agents

Hazardous Decomposition or Byproducts: None known

TOXICOLOGICAL INFORMATION

Health Hazards (Acute and Chronic): Not considered a carcinogen by IARC, NTP or OSHA. No chronic health hazards.

Health Hazards of Previous Coatings:

WARNING! If you scrape, sand, or remove old paint, you may release lead dust. LEAD IS TOXIC. EXPOSURE TO LEAD DUST CAN CAUSE SERIOUS ILLNESS, SUCH AS BRAIN DAMAGE, ESPECIALLY IN CHILDREN.

PREGNANT WOMEN SHOULD ALSO AVOID EXPOSURE. Wear a NIOSH-approved respirator to control lead exposure. Clean up carefully with a HEPA vacuum and a wet mop. For additional information, Canadian customers contact the Product Safety division of Health Canada at 1-800-0-CANADA. US customers contact the U.S. EPA/Lead Information Hot Line at 1-800-424-LEAD or log on to www.epa.gov/lead.

Inhalation Health Risks And Symptoms Of Exposure: Excessive exposure to spray mists may cause minor irritation to the eyes, nose and throat.

Skin And Eye Contact Health Risks And Symptoms Of Exposure: Excessive exposure may cause mild skin and eye irritation.

Skin Absorption Health Risks And Symptoms Of Exposure: none known

Ingestion Health Risks and Symptoms of Exposure: Can cause gastrointestinal irritation, nausea, vomiting, and diarrhea. No effects known in ordinary use of product.

Medical Conditions Generally Aggravated by Exposure: none known

DISPOSAL CONSIDERATIONS

Waste Disposal Method: Material may be deposited in an approved landfill in accordance with local, state, and federal regulations.

TRANSPORT INFORMATION

Product should be kept from freezing during transportation and appropriate protective packaging should be used to avoid leaks.

REGULATORY INFORMATION

This MSDS has been prepared to meet the requirements of the CPR and contains all of the information required.

OTHER INFORMATION

This information provided as a resource only. It should not be taken as a warranty or representation for which Country Chic Paint Ltd. assumes legal responsibility. The information contained herein is believed to be accurate and obtained from sources believed to be reliable. It is the responsibility of the user to investigate and verify its validity. The user assumes all responsibility of using and handling the product in accordance with applicable federal, state, and local regulations. Country Chic Paint Ltd. will not be held liable for claims relating to use of this information or recommendations.

Date: October 7, 2014

Prepared by: Country Chic Paint Ltd. - 1-888-523-2360