

Material Safety Data Sheet

PRODUCT AND COMPANY IDENTIFICATION

Product Name: Country Chic Paint - Clear Bonding Primer

HMIS Codes: H-1 F-0 R-0 P-B

Product Description: Clear base coat to improve adhesion

Supplier Details: Country Chic Paint Ltd., #4-6 - 2994 Boys Road, Duncan BC V9L 6W4, Canada

Telephone: 1-888-523-2360 (8:00 am - 4:30 pm PST)

HAZARDS IDENTIFICATION AND COMPOSITION

Reportable Components	CAS Number	Weight Percent
-----------------------	------------	----------------

No toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present.

FIRST AID MEASURES

SKIN: Wash exposed area with mild soap and water.

EYES: Flush with large amounts of water for 15 minutes. Seek medical attention.

INGESTION: Drink one or two glasses of water to dilute. Contact a physician immediately.

INHALATION OVEREXPOSURE: Move person to fresh air. If breathing stops, apply artificial respiration and seek immediate medical attention.

FIRE FIGHTING MEASURES

Flash Point: Not Applicable **Method Used:** Not Applicable

Extinguishing Media: Use extinguishing media appropriate to surrounding fire.

Firefighting Procedures: Handle as a non-flammable liquid.

Unusual Fire and Explosion Hazards: Closed containers may explode when exposed to extreme heat.

ACCIDENTAL RELEASE MEASURES

Clean up with water before allowing to dry. Sodium chloride can be sprinkled on the spill, which may facilitate cleaning with water. Place coagulated waste in a closed container. Flush area with water.

HANDLING AND STORAGE

Store in a cool, dry area. Keep from freezing. Keep away from heat sources. Clean rim of container after each use and keep containers closed when not in use. Store in a well ventilated area out of direct sunlight. Avoid prolonged or repeated inhalation of heated vapours or spray mist. Avoid prolonged or repeated skin contact. Wear adequate personal protective equipment.

Other Precautions: None known.

EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory Protection: Not normally required when applying by brush or roller. When spraying, wear a mist/dust particulate respirator. In cases of poor or no ventilation, wear a respirator NIOSH approved for organic vapours and particulates.

Ventilation: General (dilution) ventilation is required during use. Local exhaust ventilation is required during operations where this material is heated.

Protective Gloves: Rubber.

Eye Protection: Chemical safety glasses, goggles or face shield.

Other Protective Clothing or Equipment: Use impermeable aprons and protective clothing whenever possible to prevent skin contact.

Work / Hygienic Practices: Eye washes and safety showers in the workplace are recommended.

PHYSICAL AND CHEMICAL PROPERTIES

Coating Volatile Organic Compounds (VOC): < 5 grams / liter

Boiling Range: 100 Deg C

Specific Gravity (H₂O=1): 1.02

Vapor Density: Heavier than air

Evaporation Rate: Slower than n-Butyl Acetate

Physical State: Liquid

Solubility in Water: Soluble

Appearance and Odor: moderately thick liquid with low odor

Freezing Point: 0 °C / 32 °F

STABILITY AND REACTIVITY

Stability: Stable

Hazardous Polymerization: Will not occur

Conditions to Avoid: Excessive temperatures, poor ventilation, and corrosive atmospheres, excessive aging.

Incompatibility (Materials to Avoid): Alkaline materials, strong acids and oxidizing agents

Hazardous Decomposition or Byproducts: None known

TOXICOLOGICAL INFORMATION

Health Hazards (Acute and Chronic): No chronic health hazards.

Health Hazards of Previous Coatings:

WARNING! If you scrape, sand, or remove old paint, you may release lead dust. **LEAD IS TOXIC. EXPOSURE TO LEAD DUST CAN CAUSE SERIOUS ILLNESS, SUCH AS BRAIN DAMAGE, ESPECIALLY IN CHILDREN. PREGNANT WOMEN SHOULD ALSO AVOID EXPOSURE.** Wear a NIOSH-approved respirator to control lead exposure. Clean up carefully with a HEPA vacuum and a wet mop. For additional information, Canadian customers contact the Product Safety division of Health Canada at 1-800-0-CANADA. US

customers contact the U.S. EPA/Lead Information Hot Line at 1-800-424-LEAD or log on to www.epa.gov/lead.

Carcinogenicity: NTP Carcinogen: No **IARC Monographs:** No **OSHA REGULATED:** No
Not available.

Inhalation Health Risks And Symptoms Of Exposure: Excessive exposure to vapors or spray mists may cause minor irritation to the eyes, nose and throat.

Skin And Eye Contact Health Risks And Symptoms Of Exposure: Eye contact: May cause minor irritation, tearing, redness or blurred vision. Skin contact: May cause minor irritation.

Skin Absorption Health Risks And Symptoms Of Exposure: May dry and defat skin causing cracks, irritation and dermatitis.

Ingestion Health Risks and Symptoms of Exposure: May cause gastrointestinal irritation, nausea, vomiting, and diarrhea.

Medical Conditions Generally Aggravated by Exposure: Anesthesia, respiratory tract irritation, dermatitis, nausea, vomiting.

DISPOSAL CONSIDERATIONS

Waste Disposal Method: Reclaim or dispose of through a licensed waste disposal company according to local, state, and federal regulations.

TRANSPORT INFORMATION

Product should be kept from freezing during transportation and appropriate protective packaging should be used to avoid leaks.

REGULATORY INFORMATION

This MSDS has been prepared to meet the requirements of the CPR and contains all of the information required.

OTHER INFORMATION

This information provided as a resource only. It should not be taken as a warranty or representation for which Country Chic Paint Ltd. assumes legal responsibility. The information contained herein is believed to be accurate and obtained from sources believed to be reliable. It is the responsibility of the user to investigate and verify its validity. The user assumes all responsibility of using and handling the product in accordance with applicable federal, state, and local regulations. Country Chic Paint Ltd. will not be held liable for claims relating to use of this information or recommendations.

Date: March 15, 2017

Prepared by: Country Chic Paint Ltd. - 1-888-523-2360