

# Material Safety Data Sheet

## PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Country Chic Paint - Tough Coat

HMIS Codes: H-1 F-0 R-0 P-B

**Product Use:** Satin Finish Top Coat for Table Tops and Kitchen Cabinets

**Supplier Details:** Country Chic Paint Ltd., #4-5 - 2994 Boys Road, Duncan BC V9L 6W4, Canada

**Telephone:** 1-888-523-2360 (9am - 5pm PST)

## HAZARDS IDENTIFICATION AND COMPOSITION

No toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present.

## FIRST AID MEASURES

**SKIN:** Wash exposed area with soap and water.

**EYES:** Flush with large amounts of water.

**INGESTION:** Drink a glass of water to dilute. Do not induce vomiting. If spontaneous vomiting occurs, have victim lean forward with head down to avoid breathing in of vomit. Rinse mouth, administer more water. Contact a physician immediately.

## FIRE FIGHTING MEASURES

**Flash Point:** Not Applicable

**Method Used:** Not Applicable

**Extinguishing Media:** Use extinguishing media appropriate to surrounding fire

**Firefighting Procedures:** Handle as a non-flammable liquid

**Unusual Fire and Explosion Hazards:** Closed containers may explode when exposed to extreme heat

## ACCIDENTAL RELEASE MEASURES

Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Stop spill at source, dike area of spill to prevent spreading, pump liquid to salvage tank. Remaining liquid may be taken up on sand, clay, earth, floor absorbent, or other absorbent material and shoveled into containers. Prevent run-off sewers, streams, or other bodies of water.

## HANDLING AND STORAGE

Store in a cool, dry area. Keep from freezing. Keep away from heat sources. Clean rim of container after each use and keep containers closed when not in use. Use only with adequate ventilation. Avoid prolonged or repeated

inhalation of heated vapors or spray mist. Avoid prolonged skin contact.

**Other Precautions:** Containers of this material may be hazardous when emptied. Since emptied containers may retain product residues (vapor, liquid, and/or solid), all precautions given in this data sheet must be observed.

## EXPOSURE CONTROLS / PERSONAL PROTECTION

**Respiratory Protection:** Not normally required when applying by brush or roller. When spraying, wear a mist/dust particulate respirator. In cases of poor or no ventilation, wear a respirator NIOSH approved for organic vapours and particulates.

**Ventilation:** General (dilution) ventilation is required during use. Local exhaust ventilation is required during operations where this material is heated.

**Protective Gloves:** Wear resistant gloves such as: BUNA-N

**Eye Protection:** Chemical splash goggles in compliance with OSHA regulations are advised, when risk of splattering exists, unless full facepiece respirator is worn.

**Other Protective Clothing or Equipment:** Use impermeable aprons and protective clothing to prevent skin contact.

**Work / Hygienic Practices:** Wash hands with soap and water after handling this product.

## PHYSICAL AND CHEMICAL PROPERTIES

**Coating Volatile Organic Compounds (VOC):** < 192 grams / liter

**Boiling Range:** 100 °C / 212 °F

**Specific Gravity (H<sub>2</sub>O=1):** 1.03

**Vapor Density:** Heavier than air

**Evaporation Rate:** Slower than Butyl Acetate

**Physical State:** Liquid

**Solubility in Water:** Soluble

**Appearance and Odor:** moderately thick liquid with slight ammonia odor

**Freezing Point:** 0 °C / 32 °F

## STABILITY AND REACTIVITY

**Stability:** Stable

**Hazardous Polymerization:** Will not occur

**Conditions to Avoid:** Excessive temperatures, poor ventilation, and corrosive atmospheres. Avoid all heat sparks and sources of ignition.

**Incompatibility (Materials to Avoid):** Strong oxidizing agents, strong acids, alkaline materials

**Hazardous Decomposition or Byproducts:** None known

## TOXICOLOGICAL INFORMATION

**Health Hazards (Acute and Chronic):** Not considered a carcinogen by IARC, NTP or OSHA. No chronic health hazards.

**Health Hazards of Previous Coatings:**

**WARNING!** If you scrape, sand, or remove old paint, you may release lead dust. **LEAD IS TOXIC. EXPOSURE TO LEAD DUST CAN CAUSE SERIOUS ILLNESS, SUCH AS BRAIN DAMAGE, ESPECIALLY IN CHILDREN. PREGNANT WOMEN SHOULD ALSO AVOID EXPOSURE.** Wear a NIOSH-approved respirator to control lead exposure. Clean up carefully with a HEPA vacuum and a wet mop. For additional information, Canadian customers contact the Product Safety division of Health Canada at 1-800-0-CANADA. US customers contact the U.S. EPA/Lead Information Hot Line at 1-800-424-LEAD or log on to [www.epa.gov/lead](http://www.epa.gov/lead).

**Carcinogenicity:** NTP Carcinogen: No Iarc Monographs: No OSHA REGULATED: No

**Inhalation Health Risks And Symptoms Of Exposure:** Excessive exposure to vapors or spray mists may cause minor irritation to the eyes, nose and throat.

**Skin And Eye Contact Health Risks And Symptoms Of Exposure:** Exposure may cause drying of the skin with mild irritation. Exposure with material may cause minor eye irritation. Symptoms may include: tearing, redness, and blurred vision.

**Skin Absorption Health Risks And Symptoms Of Exposure:** May dry and defat skin causing cracks, irritation and dermatitis.

**Ingestion Health Risks and Symptoms of Exposure:** Excessive breathing of vapors can cause nasal and respiratory irritation, dizziness, weakness, fatigue, nausea, headache, possible unconsciousness, and asphyxiation. Can cause gastrointestinal irritation, nausea, vomiting, and diarrhea. Aspiration of material into lungs and cause chemical pneumonitis which can be fatal. No effects known in ordinary use of product.

**Medical Conditions Generally Aggravated by Exposure:** Anesthesia, respiratory tract irritation, dermatitis, nausea, vomiting

## DISPOSAL CONSIDERATIONS

**Waste Disposal Method:** Destroy by liquid incineration. Material collected on absorbent material may be deposited in an approved landfill in accordance with local, state, and federal regulations.

## TRANSPORT INFORMATION

Product should be kept from freezing during transportation and appropriate protective packaging should be used to avoid leaks.

## REGULATORY INFORMATION

This MSDS has been prepared to meet the requirements of the CPR and contains all of the information required.

## **OTHER INFORMATION**

This information provided as a resource only. It should not be taken as a warranty or representation for which Country Chic Paint Ltd. assumes legal responsibility. The information contained herein is believed to be accurate and obtained from sources believed to be reliable. It is the responsibility of the user to investigate and verify its validity. The user assumes all responsibility of using and handling the product in accordance with applicable federal, state, and local regulations. Country Chic Paint Ltd. will not be held liable for claims relating to use of this information or recommendations.

**Date:** March 1, 2015

**Prepared by:** Country Chic Paint Ltd. - 1-888-523-2360