



TECHNICAL ACCEPTANCE CERTIFICATE

TECHNICAL ACCEPTANCE CERTIFICATE

27134-MOTWCH3 / 6 Jul 2021 / Rev A

for Innovation, Science and Economic Development (ISED) Canada

MiCOM Labs Inc. declares, on the basis of the assessment of the tests and the technical documentation provided by the applicant that the following product complies with the requirements of the above noted regulator.

Product Marketing Name:

Quad Lock Weatherproof Wireless Charging Head

Applicant Name:

Annex Products Pty Ltd

I hereby attest that the subject equipment was tested and found in compliance with the below noted specification.
J'atteste, par la présente, que le matériel a fait l'objet d'essai et a été jugé conforme à la spécification ci-dessous.



Gordon Hurst, Product Certifier

This Certificate is Issued under the Authority of:

MiCOM Labs Inc., 575 Boulder Court, Pleasanton, California 94566, USA

FCB Number: US0159

Product Marketing Name:

Quad Lock Weatherproof Wireless Charging Head

 Unique Product Number: **MOTWCH3**

Applicant:	Annex Products Pty Ltd, Suite 201, 168 Greville Street, Prahran 3181, Australia; CN Number: 27134
ISED Representative:	STARIVER TECHNOLOGY AND CONSULTING COMPANY, 214 KEYROCK DR, KANATA, ON K2T 0B5, Canada; CN Number: 21480
Test Lab:	Shenzhen HUAK Testing Technology Co., Ltd., 1-2/F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China; CN Number: 21210

Wireless Test Site	Open Area Test Site	SAR Test Site	Terminal Test Site
21210-2	--	--	--

Technical Details

Specification	Issue	Technology	Frequency Range		Emission Designator	Field Strength
			From	To		
RSS-216	2	WPT	0.1105MHz	0.205MHz	2K42K1D--	42.25dBuV/m @ 3m
Cahiers des charges	Numéro de la version	Technologie	Gamme de fréquence		Désignatif d'émission	Intensité de champ

Certification of equipment means only that the equipment has met the requirements of the above-noted specification. Licence applications, where applicable to use certified equipment, are acted on accordingly by the ISED issuing office and will depend on the existing radio environment, service and location of operation. This certificate is issued on condition that the holder complies and will continue to comply with the requirements and procedures issued by ISED. The equipment for which this certificate is issued shall not be manufactured, imported, distributed, leased, offered for sale or sold unless the equipment complies with the applicable technical specifications and procedures issued by ISED.

La certification du matériel signifie seulement que le matériel a satisfait aux exigences de la norme indiquée ci-dessus. Les demandes de licences nécessaires pour l'utilisation du matériel certifié sont traitées en conséquence par le bureau de délivrance d'ISDE et dépendent des conditions radio ambiantes, du service et de l'emplacement d'exploitation. Le présent certificat est délivré à la condition que le titulaire satisfasse et continue de satisfaire aux exigences et aux procédures d'ISDE. Le matériel à l'égard duquel le présent certificat est délivré ne doit pas être fabriqué, importé, distribué, loué, mis en vente ou vendu à moins d'être conforme aux procédures et aux spécifications techniques applicables publiées par ISDE.

Technical Acceptance Certificate
Certificat D'acceptabilite Technique

Company Name	Annex Products Pty Ltd	Nom de l'entreprise
Certification No.	27134-MOTWCH3	No. De certification
Issue Date / Rev	6 Jul 2021 / Rev A	Date D'émission / Rev
Equipment Description	Wireless Charging Head with Weatherproof function	Description de l'équipement
Type of Equipment	Wireless Power Transfer Device	Type de materiel
Product Marketing Name	Quad Lock Weatherproof Wireless Charging Head	Nom du produit Marketing(PMN)
Host Marketing Name	--	Nom de l'hôte marketing (HMN)
Hardware Version Identification Number	QLA-MOT-WCH-3	Version Hardware numéro d'identification (HVIN)
Firmware Version Identification Number	V1.2	Firmware Version numéro d'identification (FVIN)

Antennas

Antenna Type	Manufacturer	Model/Part No.	Gain (dBi)	Frequency Range (MHz)
Coil Antenna	--	--	0	0.125-0.125