

Innovatical Laboratories, LLC.

5555 Brooks St Montclair, CA 91763

Tel 909-230 6210 Fax 909-230 6211 www.iLab-US.com info@ilab-us.com

CoA#

21103017.1

**CoA Date** 

10/12/2021

**CoA Status** 

Final

## **CERTIFICATE OF ANALYSIS**

Customer

Foria

**Date Received** 

10/8/2021

**Address** 

2440 Junction Place Boulder CO 80301

Condition Temp Good **Ambient** 

Sample Name

Vape Batch 9

PO#

Remarks

Sample Lot #

IVK001\_009

THC Detection Limit: 0.001%

Analysis	Specification	Test Result	Test Method	Test Date
Cannabidiol (CBD)	N/A	501.6mg / g	HPLC/UPLC	10/11/2021
Cannabidivarinic Ácid (CBDVA)	N/A	Not Detected	HPLC/UPLC	as above
Cannabidivarin (CBDV)	N/A	2.86mg / g	HPLC/UPLC	as above
Cannabidiolic Acid (CBDA)	N/A	Not Detected	HPLC/UPLC	as above
Cannabigerol (CBG)	N/A	2.30mg / g	HPLC/UPLC	as above
Cannabinol (CBN)	N/A	Not Detected	HPLC/UPLC	as above
Tetrahydrocannabinol (THC)	N/A	1.76mg / g	HPLC/UPLC	as above
delta-8 Tetrahydrocannabinol	N/A	Not Detected	HPLC/UPLC	as above
Cannabichromene (CBC)	N/A	2.92mg / g	HPLC/UPLC	as above
Tetrahydrocannabinolic (THCA)	N/A	Not Detected	HPLC/UPLC	as above

Guy Weerasekera, Ph.D / Lab Director Authorized by



Innovatical Laboratories, LLC.

5555 Brooks St Montclair, CA 91763

Tel 909-230 6210 Fax 909-230 6211 www.iLab-US.com info@ilab-us.com CoA#

21103017B

CoA Date

10/28/2021

**CoA Status** 

Final

## **CERTIFICATE OF ANALYSIS**

Customer<br/>AddressForia<br/>2440 Junction Place<br/>Boulder CO 80301Date Received<br/>Condition10/8/2021Sample NameVape Batch 9PO #Remarks

Sample Lot # IVK001\_009

Analysis	Specification	Test Result	<b>Test Method</b>	<b>Test Date</b>
Heavy Metals				
Arsenic (As)	N/A	<0.010 ppm	ICP-MS (STP-021)	10/22/2021
Cadmium (Cd)	N/A	<0.005 ppm	ICP-MS (STP-021)	as above
Mercury (Hg)	N/A	<0.005 ppm	ICP-MS (STP-021)	as above
Lead (Pb)	N/A	<0.005 ppm	ICP-MS (STP-021)	as above

Authorized by

These results apply only to the items tested. This certificate of analysis shall not be reproduced except in full without written consent of iLab.

Estimation of uncertainty of measurement available upon request.



Salmonella

Staphylococcus aureus

Innovatical Laboratories, LLC.

5555 Brooks St Montclair, CA 91763

Tel 909-230 6210 Fax 909-230 6211 www.iLab-US.com info@ilab-us.com

CoA#

21103017C

**CoA Date** 

10/28/2021

**CoA Status** 

Final

## **CERTIFICATE OF ANALYSIS**

Foria 10/8/2021 Customer **Date Received** 2440 Junction Place **Address** Condition Good Boulder CO 80301 Temp Ambient

PO# Sample Name Vape Batch 9

Remarks Sample Lot # IVK001\_009

N/A

N/A

**Analysis Specification Test Result Test Method Test Date** Microbiology 10/08/2021 AOAC 966.23 **TPC** <10 cfu/g N/A Yeast <10 cfu/g FDA BAM Ch.18 as above N/A Mold N/A <10 cfu/g FDA BAM Ch.18 as above Coliforms N/A <10 cfu/g AOAC 991.14 as above Negative / 10g Negative / 10g AOAC 991.14 as above E. coli N/A

Negative / 10g

Authorized by Christina A. Martinez / Technical Deputy

AOAC 989.13

AOAC 2003.07

as above

as above

These results apply only to the items tested. This certificate of analysis shall not be reproduced except in full without written consent of iLab. Estimation of uncertainty of measurement available upon request.