



# BACK MOUNT MEGA-TOP SANDWICH PREP. TABLES

Back Mounted Condensing Unit

## EPB – Series

• EPBR1 • EPBSR2 • EPBR2 • EPBWR2 • EPBR3

### Cabinet Construction

Heavy duty stainless steel interior and exterior, galvanized steel finished bottom and back wall of exterior. High quality 16 gauge stainless steel worktop, top lid and hood. 2.5" thick high density foamed-in-place polyurethane insulation. Four 4" diameter casters (front casters with brakes). Door heater installation around inside cabinet frame to prevent moisture build-up.

### Refrigeration System

- Back mounted condensing unit
- Oversized condenser and evaporator coil cools to set and maintain temperature in minimum time period
- Forced-air cooling with oversized evaporator fan motors providing balanced airflow throughout cabinet to ensure faster temperature drop
- Slide-out condensing unit for convenient repair and maintenance
- Front air breathing for built-in applications
- Environmentally friendly CFC free R-134A refrigerant
- Air defrost controlled by electrical timer
- Copper tube and aluminum fin evaporator with anti-corrosive coating
- Energy efficient condensate drain pan assembly heated by high side copper tube
- Pressure relief port located at housing interior for rapid re-entry
- Pre-wired and ready to plug, 115V/60Hz/1Ph, NEMA 5-15P

### Doors

- Heavy duty stainless steel interior and exterior
- 2.5" thick high density foamed-in-place polyurethane insulation
- Rounded corners for a sleek and modern appearance
- Heavy duty adjustable torsion spring self-closing door system
- One piece snap-in magnetic door gasket for easy replacement
- Heavy duty recessed door handles for a flat surface

### Preparation Area

- Mega-top, three rows of pans
- 1/2" thick foam insulated lids to prevent moisture build-up and heat exchange
- Removable and adjustable sanitary 8 1/2" deep cutting board
- Sanitary PVC pans

### Shelving

- One epoxy coated wire shelves per section
- Stainless steel pilasters and shelf clips

### Temperature Control

- Factory preset temperature, 35°F
- Temperature setting range from 33°F to 41°F
- Easy to set analog thermostat



EPBR1



EPBSR2



EPBR2



EPBWR2



EPBR3

• Project / Customer \_\_\_\_\_  
 • Item No. \_\_\_\_\_  
 • Model No. \_\_\_\_\_

### Warranty

5 Year — Compressor Warranty  
 3 Year — Parts & Labor Warranty  
 Applicable to units purchased after July 1, 2014



Please visit our website for updated Energy Efficiency information

201 W. Artesia Blvd, Compton, CA 90220  
 T. (310) 323-6586, (800) 444-6285 F. (310) 323-7524  
[www.EVERESTref.com](http://www.EVERESTref.com)

# BACK MOUNT MEGA-TOP SANDWICH PREP TABLES

Back Mounted Condensing Unit





**EVEREST** REFRIGERATION

## EPB – Series


• EPBR1 • EPBSR2 • EPBR2 • EPBWR2 • EPBR3

### Dimensions


#### SIDE VIEW




▲ EPBR1




▲ EPBSR2



▲ EPBR2



▲ EPBWR2



▲ EPBR3

Model	Ref/ Fzr/ Dual	# of Doors	Capacity (Cu.Ft.)	HP	Refrigerant	# of Shelves	# of Pans	Power (V-Hz-Ph)	Amps	Crated Weight (LBS)	Exterior Dimensions (Inches)			* Height does not include 5" for caster.  † Depth includes 8 1/2" cutting board  Ref = Refrigerator Fzr = Freezer Dual = Ref & Fzr Combo
											L	D †	H *	
EPBR1	Ref	1	6.5	1/6	R-134A	1	1/6 X 9	115-60-1	4.00	229	27 1/2	35	38 1/4	
EPBSR2	Ref	2	8.5	1/6	R-134A	2	1/6 X 12	115-60-1	4.20	271	35 1/2	35	38 1/4	
EPBR2	Ref	2	11.8	1/4	R-134A	2	1/6 X 18	115-60-1	4.20	313	47 1/2	35	38 1/4	
EPBWR2	Ref	2	15	1/3	R-134A	2	1/6 X 24	115-60-1	5.01	381	59 1/2	35	38 1/4	
EPBR3	Ref	3	18.3	1/3	R-134A	3	1/6 X 30	115-60-1	5.20	437	71	35	38 1/4	

**Disclaimer:** Product dimensions are for general purposes and not absolute value. Slight variations may exist. If dimensions are critical, please contact Everest.

Specifications subject to change without notice.

[www.EVERESTref.com](http://www.EVERESTref.com)

201 W. Artesia Blvd, Compton, CA 90220  
T. (310) 323-6586, (800) 444-6285 F. (310) 323-7524