



Acacia Hardwood Interlocking Deck Tiles

[Installation Manual]


ASSEMBLING PROCESS



1. Position the first plank



2. Align with the buckle on the other side.



3. Confirm and press hard the buckle slot.
The deck tiles can be freely spliced in multiple ways



IMPORTANT WARRANTY INFORMATION

PLEASE READ CAREFULLY

**AFTER-SALES
CONTACT US**



hello@kumatool.com



+1 (804) 463-5247

If you have any problems or dissatisfaction with the product, don't hesitate to contact the after-sales team to solve the problems or express your feelings or concerns. We **DO VALUE** your voices and are all the time ready to help. All the calls, emails and messages from you will get our immediate reply within 24 hours.

All items can be returned or replaced for any reason within 30 days of the receipt as long as the item is returned in its original product package and all accessories of its original shipment are included.

About Replacement:

If there are missing parts or damages when you receive the item, you don't need to return it if you want to get a replacement. Please contact the after-sales team (**After-sales Team Email: hello@kumatool.com TEL:+1 (804) 463-5247**) and we will provide a replacement for free.

About Returns:

1. If you need to return product, please contact the **After-sales Team (Email: hello@kumatool.com TEL:+1 (804) 463-5247)**.
We will provide a **PREPAID RETURN LABEL** by E-mail.
Please include a brief description of the problem and photos of the damaged product in your email.
2. **Please Note: If the customer does not contact the after-sales team to get a return label and the customer purchases the return label by themselves, it may incur expensive return shipping charges. And the seller will not bear the fee of the customer's own purchase of the return label**
3. If the product is damaged by the customer, we can refuse to provide a prepaid return label, and the customer needs to pay for the return shipping.
4. Boxes for return shipping will not be provided by the seller. The customers are responsible for using the original shipping boxes, or purchasing new boxes when no boxes.
5. After all returned items arrive at the Return Center, please contact the After-sales team and we will fully refund back to the original payment method.

WARRANTY:

Please keep the after-sale card. If the product is damaged by non-human factors within six months, please contact our after-sales team. (After-sales Team Email: hello@kumatool.com TEL:+1 (804) 463-5247)

USE Instructions:

These wooden floor tiles have interlocking snaps on the back for easy and quick installation, no tools are required. You just simply snap them together and place them wherever you want, or detach the tiles for cleaning and storing. Thanks to the use of such solutions, the tiles can be freely arranged. This allows you to create compositions from parallel or perpendicular tiles. The tiles can be used on all types of surfaces. They work well both on the balcony, terrace or in the garden, as well as by a portable pool or bathroom.

MAINTENANCE Instructions:

The base made of plastic is based on distances that separate the wood from direct contact with the ground. This enables good water drainage as well as proper ventilation, which is especially important when using tiles outdoors.

If you want to change the arrangement or need to clean the tiles before the autumn and winter period, you can very quickly disassemble individual elements and move them to the right place or hide them.

How to Store Your Deck Tiles?

When not using the deck tiles for some time, lift them up so that water can easily run off the surface. When the outdoor season is over, store the deck tiles in a cool place indoors or protect them from the elements to retain their good condition.

How to Clean Your Deck Tiles?

1. **Wipe down the wood with a soft cloth slightly moistened with warm water soapy water.** Dry with a soft dry cloth or air drying is fine. Flush and leave to dry thoroughly.
2. **Avoid cleaning tools with a rough surface.**
3. **Don't use detergents or cleaners that have silicone or ammonia in them,** as that can dry out the wood and cause cracking.
4. **For an even more natural solution, try a mixture of water and white vinegar** to remove tougher stains like bird droppings, mould and mildew.

How to Care Your Deck Tiles?

1. In daily use, you can apply at least two coats of exterior-grade wood sealant to the surface of the deck tiles to protect the wood finish and also protect the wood from weatherization.
2. In daily use, try to keep the deck tiles clean and dry. If the deck tiles have been sitting outdoors for some time, clean them well before reapplication
3. Boiled linseed oil or tung oil is often used in commercial goods as the base ingredient for oiling outdoor wood furniture for its natural drying properties.
4. You can also use wax like Glitz furniture wax, furniture oil like Cabots Furniture Oil Using wax creates a harder finish and lasts longer.
5. Oiling or waxing twice a year to maintain your acacia wood in top condition.