

QUCIK START

ML QUICK START IS A NEW DEVICE, TO PROGRAM A MERCEDES ML-CLASS W163 KEY QUICKLY AND EASILY. YOU JUST NEED TO CONNECT THE DEVICE TO THE OBDII IN THE CAR. THE ENTIRE PROCESS ONLY TAKES A FEW MOMENTS. THE DEVICE ALSO FIXES THE COMMON "START ERROR" PROBLEM.

THE DEVICE WORKS ONLY WITH SPECIAL REMOTES PURCHASED IN OUR ONLINE STORE!

CUT NEW BLADE AND TURN IGNITION ON.
NEXT CONNECT DEVICE TO OBDII.

PRESS THE START BUTTON.
YOU WILL GO TO THE MAIN MENU.



- SELECT -


Program Key


Fix Start Error

Unlock PCF

PROCEDURE FOR PROGRAMMING A NEW REMOTE AND PCF TRANSPONDER.

PRESS THE "PROGRAM KEY" BUTTON, THEN SELECT "REMOTE+PCF" BUTTON ON THE NEXT SCREEN.





PROCEDURE FOR PROGRAMMING A NEW REMOTE AND PCF TRANSPONDER.



WHEN THE DEVICE FINDS
THE MODULE, REMOVE
REMOTE FROM IGNITION LOCK
AND INSERT INTO
THE DEVICE'S COIL.

REMEMBER TO USE SPECIAL REMOTE PURCHASED FROM OUR ONLINE STORE.



FBS FOUND

AAM FOUND

PCF FOUND

SUCSESSFULLY


BACK


WITHIN 5-6 SECONDS
IF YOU SEE MESSAGE
"SUCSESSFULLY" THE
PROGRAMMING KEY
PROCEDURE IS COMPLETE.
YOU CAN NOW USE THE NEW
KEY TO START THE CAR.
THE REMOTE WAS
PROGRAMMED
AUTOMATICALLY AND READY
TO USE IMMEDIATELY.

IF YOU WANT TO PROGRAM ANOTHER REMOTE, BE SURE TO START THE CAR WITH THE NEWLY PROGRAMMED REMOTE BEFORE YOU START THE PROCEDURE FOR PROGRAMMING THE NEXT REMOTE.

PROCEDURE FOR PROGRAMMING A NEW PCF 7935 TRANSPONDER.

PRESS THE "PROGRAM KEY" BUTTON, THEN SELECT "PCF ONLY" BUTTON ON THE NEXT SCREEN.





PROCEDURE FOR PROGRAMMING A NEW PCF 7935 TRANSPONDER.



WHEN THE DEVICE FINDS
THE MODULE, REMOVE
KEY FROM IGNITION LOCK
AND INSERT INTO
THE DEVICE'S COIL.

YOU CAN USE ANY KEY WITH PCF7935 TRANSPONDER.



FBS FOUND

AAM FOUND

PCF FOUND

SUCSESSFULLY

BACK


WITHIN 5 -6 SECONDS
IF YOU SEE MESSAGE
"SUCSESSFULLY" THE
PROGRAMMING KEY
PROCEDURE IS COMPLETE.
YOU CAN NOW USE THE NEW
KEY TO START THE CAR.

IF YOU WANT TO PROGRAM ANOTHER TRANSPONDER, BE SURE TO START THE CAR WITH THE NEWLY PROGRAMMED TRANSPONDER BEFORE YOU START THE PROCEDURE FOR PROGRAMMING THE NEXT TRANSPONDER.

PROCEDURE TO FIX "START ERROR".



IF YOU SEE "START ERROR" OR
"ERROR" ON THE DASH, MAKE SURE
THAT THE IGNITION KEY HAS
A TRANSPONDER IN IT.
IF THE TRANSPONDER IS IN THE KEY,
START THE "FIX START ERROR"
PROCEDURE.



WITHIN 5-6 SECONDS IF YOU SEE MESSAGE
"SUCSESSFULLY" THE "FIX START ERROR"
PROCEDURE IS COMPLETE.
NOW YOU CAN START THE CAR.

PROCEDURE FOR "UNLOCK PCF"



OR



IF SOMETHING WENT WRONG DURING
THE PROGRAMMING PROCEDURE AND THE PCF
IS PROGRAMMED, YOU CAN USE THIS OPTION
TO UNLOCK THE PCF TO USE IT AGAIN.
DURING THIS PROCEDURE IGNITION MUST BE ON!

- SELECT -

Program Key

Fix Start Error

Unlock PCF

FBS FOUND

PCF FOUND

SUCSESSFULLY

BACK

