



Goalsetter®

CHOOSE #1 USA MADE

WHEN CHOOSING A BASKETBALL GOAL for your home, school, church, or city park, people select the #1 USA-made hoop, a Goalsetter Basketball System. The Best in Basketball goal achieves its number one position with exclusive features and attributes, including:

- Internal Compression Height Adjustment System
- Tempered Glass Backboard
- One-Piece Off-Set Structural Steel Pole
- Hinged Ground Anchor
- Consistent Overhang

Goalsetter's mission is to sell and deliver a premium quality basketball goal that will provide its consumers with many years of enjoyment. Goalsetter's associates will ensure customer satisfaction from beginning to end. Quality goes further than Goalsetter's superior goal features. Goalsetter embraces the belief that quality is achieved through product training and continuous improvement of its manufacturing processes.

We invite you to experience how Goalsetter has redefined home court basketball and will allow you to embrace the tradition of the greatest game ever created. Visit our website at www.goalsetter.com for all your basketball needs, including complete installation instructions, customer testimonials, and warranty information.

From our team to you,
Goalsetter Basketball Systems

Best in Basketball

MADE IN THE HEART OF AMERICA

GOALSETTER HOOPS are made in a state-of-the-art manufacturing facility in central Iowa. Cutting edge computer design technology complements every aspect of product development, innovation, and fabrication of a Goalsetter basketball hoop.

A Quality Management System registered by ISO 9001:2015 certifies that production and manual and robotic welds of each component exceed the most stringent industry standards.

Goalsetter basketball hoops are made in the heart of America, but customers all around the world trust our products to make their residential and institutional basketball dreams come true.



TABLE OF CONTENTS

Goalsetter Features	3
Launch® Series - NEW	5
Signature Series	7
Extreme Series	9
Wall Mount Series	11
Elite Series	13
Accessories	15
Collegiate	16
Rim Styles	17
Find a Dealer	17
Warranty	18
FAQs	18

TOP 5 REASONS

FAMILIES CHOOSE

Best in Basketball

- 1 ADJUSTABLE -**
Perfect for all sizes and ages.
- 2 MOVABLE -**
Moving? Simply take the system with you and purchase a new ground anchor.
- 3 LIMITED LIFETIME WARRANTY -**
Quality construction for a lifetime of family enjoyment.
- 4 ALL PRICES, RANGES, AND SIZES -**
Functional and practical.
- 5 MADE IN THE USA -**
Manufactured in the heartland of the USA, where quality is simply unmatched.

WHY GOALSETTER?

H-FRAME BACKBOARD TECHNOLOGY

- Constructed of 1 1/2" structural steel tubing around entire backboard
- Innovative H-FRAME design provides precise and consistent ball response with lifetime durability

PICK YOUR BACKBOARD SIZE:

72" x 42" • 60" x 38" • 54" x 36" • 48" x 32"

WIDE-GRIP BACKBOARD EXTENSION ARMS

- Die-formed, one-piece design with no welded joints avoid potential breakage and rust areas
- Effectively counters backboard torque
- Design provides balanced backboard stability

FULLY TEMPERED GLASS BACKBOARD

- 3/8" competition, tempered glass backboard
- Maximum strength to withstand the harshest environments and the toughest play
- Rounded edges and corners for safer play
- Acrylic backboards also available
- **Limited Lifetime Warranty**

EXCLUSIVE OFF-SET POLE DESIGN

- Square, 7-gauge structural steel (3/16" wall thickness) construction
- Minimizes shake, reducing wear on system joints
- Maximizes backboard stability and ball response
- Pick your size: 6" x 6", 5" x 5", 4" x 4"
- Allows height mechanism to be inside for safe play

EFFORTLESS HEIGHT ADJUSTMENT

- Players of all ages and sizes can easily adjust
- Crank handle easily removed
- Optional keyed pinlock allows locking the rim at any height

EXCLUSIVE GROUND ANCHOR HINGE SYSTEM

- Square 42" long structural steel anchor
- Allows for easy goal assembly—no ladders or scaffold
- Hardware uses Magni 577 corrosion resistant coating
- Goal system can easily move with you

EXCLUSIVE INTERNAL COMPRESSION HEIGHT ADJUSTMENT MECHANISM

- Patented mechanism adjusts rim height from 6' to 10'—smoothly and effortlessly
- Increased safety with no pinch and grab points
- Superior and safer than tension jack mechanisms
- Easy-To-Read height indicator in 6" increments

SUPERIOR CORROSION-RESISTANT PAINT PROCESS

- One primer coat and two-part, acrylic-enamel paint
- Oven-cured to ensure superior adhesion and high-gloss finish
- Meets homeowner association requirements





A SOLID FOUNDATION

THE GOALSETTER GROUND ANCHOR HINGE SYSTEM provides a solid foundation to ensure superior performance and durability. Complete installation of a Goalsetter goal can be done before it is raised upright.

GROUND ANCHOR VS. J-BOLT ANCHOR (THE INDUSTRY STANDARD):

- Safety - Ground anchor's design objective
- Increased anchor stability depth (42" vs. 18")
- Increased anchor surface area submerged
- 7-gauge ($\frac{3}{16}$ " thick) structural steel
- Magni 577 Corrosion resistant coated hardware
- Less installation / assembly people required (2-3 vs. 4)
- No ladders or heavy lifting required for goal assembly
- No additional steel re-bars required for stability



NEW

LAUNCH[®] SERIES

PERFECT FOR CUSTOM BASKETBALL COURTS, the all-new Goalsetter Launch[®] 60" and Launch[®] Pro 72" feature a telescoping pole for consistent overhang regardless of height adjustment. Combine this revolutionary actuation with all the highest American-made quality you expect from Goalsetter and the Launch[®] will take your game higher.



LAUNCH[®] PRO

72" x 42" x 3/8"
Tempered Glass
Steel-Framed Backboard

4' Safe Play Extension
from Pole to Backboard

6" x 6" x 3/16" Pole Size
Square Steel Pole

Adjustable from 7.5' to 10'



LAUNCH[®]

60" x 38" x 3/8"
Tempered Glass
Steel-Framed Backboard

4' Safe Play Extension
from Pole to Backboard

6" x 6" x 3/16" Pole Size
Square Steel Pole

Adjustable from 7.5' to 10'



TAKE YOUR GAME HIGHER

PATENT PENDING PERFORMANCE

allows court lines to stay valid as the hoop is raised and lowered between 7.5' to 10'.

TRULY VERTICAL HEIGHT ADJUSTMENT

Perfect for courts with marked free throw and 3pt lines

SUPERIOR FINISH

One primer and two-part, acrylic enamel paint

10 feet



7.5 feet



LOCKABLE RIM HEIGHT

Avoid vandalism and unwanted play

45 MINUTE ASSEMBLY

No lifting of backboard required

ACCESSORIZE YOUR HOOP

BACKBOARD PADS

- Protects players
- Durable weather-proof material

POLE PADS

- Protects players
- Fits 4- to 6-in square pole systems
- Long-lasting quality
- Easily attaches with straps

SIGNATURE SERIES



AN INTERNAL COMPRESSION HEIGHT ADJUSTMENT MECHANISM allows players of all levels and ages to enjoy the indoor basketball experience at your home. Blending functionality with practicality, the SIGNATURE SERIES offers a variety of backboard sizes, pole sizes, and extensions so you can choose the perfect goal for your driveway, backyard, school, or park.



MVP

72" x 42" x 3/8"
Tempered Glass
 Steel-Framed Backboard
 (Acrylic optional)

4' Safe Play Extension
 from Pole to Backboard

6" x 6" x 3/16" Pole Size
 Square Offset Steel Pole

Adjustable from 6' to 10'



CAPTAIN

60" x 38" x 3/8"
Tempered Glass
 Steel-Framed Backboard
 (Acrylic optional)

4' Safe Play Extension
 from Pole to Backboard

6" x 6" x 3/16" Pole Size
 Square Offset Steel Pole

Adjustable from 6' to 10'



ALL-AMERICAN

60" x 38" x 3/8"
Tempered Glass
 Steel-Framed Backboard
 (Acrylic optional)

3' Safe Play Extension
 from Pole to Backboard


5" x 5" x 3/16" Pole Size
 Square Offset Steel Pole

Adjustable from 6' to 10'

RISE ABOVE THE COMPETITION

HEIGHT-ADJUSTABLE

- Adjust rim height from 6' to 10' smoothly and effortlessly, making it perfect for **ALL AGES AND SIZES**
- Internal height adjustment mechanism enables **SAFE PLAY** with no pinch and grab points



PERFECT FOR GROWING FAMILIES!



410 lbs.

ALL-STAR

54" x 36" x 3/8"
Tempered Glass
Steel-Framed Backboard
(Acrylic optional)

3' Safe Play Extension
from Pole to Backboard

5" x 5" x 3/16" Pole Size
Square Offset Steel Pole

Adjustable from 6' to 10'



355 lbs.

CONTENDER

54" x 36" x 3/8"
Tempered Glass
Steel-Framed Backboard
(Acrylic optional)

2 1/2' Safe Play Extension
from Pole to Backboard

4" x 4" x 3/16" Pole Size
Square Offset Steel Pole

Adjustable from 6' to 10'

EXTREME SERIES

GET THE HOME COURT ADVANTAGE with the Goalsetter Extreme Series. In your driveway you can ignite your game, hit the open three, or drive the lane. The Goalsetter Extreme Series line gives you all the features you want and the quality you expect at an exceptional price.



X672

72" x 42" x 3/8"
Tempered Glass
Steel-Framed Backboard
(Acrylic optional)

4' Safe Play Extension
from Pole to Backboard

6" x 6" x 3/16" Pole Size
Square Straight Steel Pole

Adjustable from 6'8" to 10'



X660

60" x 38" x 3/8"
Tempered Glass
Steel-Framed Backboard
(Acrylic optional)

4' Safe Play Extension
from Pole to Backboard

6" x 6" x 3/16" Pole Size
Square Straight Steel Pole

Adjustable from 6'8" to 10'



X560

60" x 38" x 3/8"
Tempered Glass
Steel-Framed Backboard
(Acrylic optional)

3' Safe Play Extension
from Pole to Backboard

5" x 5" x 3/16" Pole Size
Square Straight Steel Pole

Adjustable from 6'8" to 10'

PLAY LIKE A CHAMPION



X554

54" x 36" x 3/8"
Tempered Glass
Steel-Framed Backboard
(Acrylic optional)

3' Safe Play Extension
from Pole to Backboard

5" x 5" x 3/16" Pole Size
Square Straight Steel Pole

Adjustable from 6'8" to 10'



X454

54" x 36" x 3/8"
Tempered Glass
Steel-Framed Backboard
(Acrylic optional)

2 1/2' Safe Play Extension
from Pole to Backboard

4" x 4" Pole Size
Square Straight Steel Pole

Adjustable from 6'8" to 10'



X448

48" x 32" x 3/8"
Tempered Glass
Steel-Framed Backboard
(Acrylic optional)

2 1/2' Safe Play Extension
from Pole to Backboard

4" x 4" Pole Size
Square Straight Steel Pole

Adjustable from 6'8" to 10'

WALL-MOUNT SERIES



THE WALL-MOUNT SERIES is the obvious choice when space is limited and height adjustability is desired. With its rugged construction, the Goalsetter Wall-Mount Series is designed to endure the abuse of today's home court play.



285 lbs.

GS72

72"x42"
Tempered 3/8" Glass
 Steel-Framed Backboard
 (Acrylic optional)

3' Extension
 from wall to front of backboard

Adjustable from 6' to 10'

Limited Lifetime Warranty



260 lbs.

GS60

60"x38"
Tempered 3/8" Glass
 Steel-Framed Backboard
 (Acrylic optional)

3' Extension
 from wall to front of backboard

Adjustable from 6' to 10'

Limited Lifetime Warranty



225 lbs.

GS54

54"x36"
Tempered 3/8" Glass
 Steel-Framed Backboard
 (Acrylic optional)

3' Extension
 from wall to front of
 backboard

Adjustable from 6' to 10'

Limited Lifetime Warranty



GS BASELINE

3 Backboard Sizes:
 72" x 42" • 60" x 38" • 54" x 36"
 223 lbs. 196 lbs. 170lbs.

3/8" Tempered Glass Backboard
 (Acrylic optional)

1 1/2" Square Structural -
 Steel Backboard Frame

Wall Anchor Frame - Easy to Install

Five-Year Limited Warranty



SPACE SAVER
 7.5" Depth
 (Backboard to Wall)



EASY TO INSTALL
 Wall Anchor Frame

DRIVE YOUR GAME HIGHER

**SAME ROCK-SOLID
PERFORMANCE**
that made our in-ground
goals famous.

**External
Height
Adjustment
Mechanism
from 6'-10'**



**Wall
Anchor
Frame**



**1 1/2" Square Structural
Steel Backboard Frame**



 **Goalsetter**

ELITE SERIES



GET THE HOME COURT ADVANTAGE with the Goalsetter Elite basketball hoop. The next time you're in the mood to ignite your game, hit the open three or drive the lane...just walk outside. This quality, entry level basketball hoop adjusts from 7' to 10', allowing even the youngest players to perfect their shot!



295 lbs.

ELITE PLUS

54" x 36" x 3/8" Tempered Glass
Steel-Framed Backboard
(Acrylic optional)

2 1/2' Safe Play Extension
from Pole to Backboard

4" x 4" Straight
One-Piece Steel Pole

Adjustable from 7' to 10'
Awning Crank

Height Adjustment Mechanism

Five-Year Limited Warranty



EVERY GOALSETTER BASKETBALL GOAL

is made in the USA with superior quality and workmanship. Your Goalsetter basketball hoop will provide many years of fun, exercise and memories for the entire family.

THE AWNING CRANK HEIGHT ADJUSTMENT MECHANISM

is a time-proven, economical system designed to raise and lower the rim.

THE EXCLUSIVE HINGED GROUND-ANCHOR SYSTEM

enables complete assembly of your basketball goal by 2-3 persons without ladders and a scaffold prior to raising it upright. A 42" square steel anchor placed in the ground provides unmatched stability and durability.

When it's time to move, your Goalsetter basketball hoop moves with you by simply purchasing a replacement ground anchor.



HOME COURT ADVANTAGE

**QUALITY
ENTRY-LEVEL**
goal system.



**Elite Plus
Straight
View**



**Elite Plus
Board Arms**



**Elite Plus
Anchor System**

GOAL ACCESSORIES



1 CUSTOM FITTED POLE PADDING

- 72" tall, Tri-Fold Pad
- Fits 4", 5" and 6" square pole systems
- 1 ½" high-impact, closed cell foam
- All-weather vinyl, will not absorb water
- **Colors:** black, blue, red, green
- **Extra Charge:** custom colors, collegiate, or high school mascots and lettering

2 UNIVERSAL BACKBOARD PADDING

- Weatherproof pro-style pads
- Added backboard protection
- Fits 72", 60", and 54" systems

3 ANTI-WHIP NET

- Heavy braided nylon reduces net whip
- Use for competition, residential or playground

4 PINLOCK (Signature Series)

- Avoid unwanted rim height adjustment
- Keyed lock
- Fits all Signature Series Internal height mechanisms

5 WRAP-AROUND POLE PADDING

- 72" tall, Wrap-Around pad
- Fits any 4", 5" and 6" pole
- 2" Poly Foam
- **Colors:** black, blue, red, green
- **Extra Charge:** custom colors, lettering, logos

6 CRANK HANDLE (Signature Series)

- Replacement crank handle with swivel knob
- Fits all Signature Series Internal height mechanisms

PLAY LIKE A CHAMPION



COLLEGES

AMERICAN CONFERENCE

Cincinnati Bearcats
Tulsa Hurricane

ATLANTIC COAST CONFERENCE

Duke Blue Devils
Louisville Cardinals
Pittsburgh Panthers
Syracuse Orangemen

BIG 12 CONFERENCE

Iowa State Cyclones
Kansas Jayhawks
Oklahoma Sooners
Oklahoma State Cowboys

BIG EAST CONFERENCE

Butler Bulldogs
Creighton Bluejays
Marquette Golden Eagles

BIG TEN CONFERENCE

Illinois Fighting Illini
Indiana Hoosiers
Iowa Hawkeyes
Michigan State Spartans
Minnesota Gophers
Nebraska Cornhuskers
Ohio State Buckeyes
Purdue Boilermakers

SOUTHEASTERN CONFERENCE

Arkansas Razorbacks
Kentucky Wildcats
LSU Tigers
Missouri Tigers
Tennessee Volunteers

OTHER

Montana State
North Dakota State Bison

*Availability subject to change.

7 COLLEGIATE & HIGH SCHOOL POLE PADS

- 72" tall, Tri-Fold Pad
- Fits 4", 5" and 6" square pole systems
- 1 1/2" high-impact, closed cell foam
- All-weather vinyl, will not absorb water
- Available in many different team logos and colors

RIM STYLES

GOALSETTER'S STATIC AND BREAKAWAY RIM STYLES are among the most durable on the market and offer solid steel construction, baked powder-coat finish, expanded degree of flexibility, and one-piece continuous attachments. Each rim includes mounting hardware and nylon net.



RIMS	GS COLLEGIATE BREAKAWAY RIM	GS HD BREAKAWAY RIM	GS DOUBLE RING STATIC RIM	GS SINGLE RING STATIC RIM
RIM TYPE	Breakaway Double Spring	Breakaway Single Spring	Fixed	Fixed
DOWN PRESSURE FOR 15" DEFLECTION	125-130 lbs.	40 lbs.	N/A	N/A
ANGLED GUARD TO PREVENT INJURY	Positive Lock Mechanism	✓	N/A	N/A
CONTINUOUS NET LOCK FOR EXTRA RIM-TO-NET SUPPORT	✓	✓	No Fail Net Lock	✓
MEETS NCAA, NFHS & NAIA STANDARDS	✓	N/A	N/A	N/A
NET & MOUNTING HARDWARE INCLUDED	✓	✓	✓	✓
WARRANTY	1 Year Limited	2 Year Limited	Lifetime Unconditional	1 Year Limited
BACK PLATE	5 x 5	5 x 5	5 x 5, 5 1/8 x 4 7/32, 5 x 4 - 4 1/2	5 x 5 Universal

GOALSETTER SYSTEMS has dealers conveniently located across the United States. Goalsetter dealers are highly trained and committed to providing the best customer service and installation.

Visit www.goalsetter.com today or call **888.U.S.A.GOAL** to find a dealer or installer near you.





FREQUENTLY ASKED QUESTIONS

WHAT IS THE DIFFERENCE BETWEEN A GLASS AND ACRYLIC BACKBOARD?

Glass is the backboard material of choice in residential settings. Glass provides better ball response and wears better over time as it does not fade or discolor. Acrylic is the board of choice for non-residential use.

HOW IS A GOALSETTER ANCHORED INTO THE GROUND?

Each Goalsetter System is anchored using our patented ground anchor hinge system. First, the ground anchor is placed in a 4' deep hole (18" diameter) and secured using concrete. When cured (approx. 48 hours), the hinge system allows complete assembly of the Goalsetter hoop before it is raised upright and bolted to the ground anchor.

IS IT POSSIBLE FOR ME TO INSTALL THE GOAL?

This decision is up to you! The installation and assembly of a Goalsetter goal can be accomplished by two or three people without the use of ladders or scaffold. The patented ground anchor hinge system allows complete assembly of the Goalsetter goal before it is raised upright. The toughest task during installation of a Goalsetter goal is digging the hole. Most of our dealers also offer professional installation as an option for an additional fee.

WARRANTY

Subject to proper installation and normal, intended use, all structural components of Goalsetter Systems Launch[®] Series*, Signature Series*, Extreme Series* and GS Wall-Mount Series* Basketball Systems are warranted to be free of defects in material and workmanship for the duration of ownership by the original retail purchaser, subject to the limitations below. The Elite and the GS Baseline Wall Mount Basketball Systems will be covered by this warranty for a period of five years. The Goalsetter Systems™ Junior MVP and GS Junior Wall Mount Basketball Systems are covered for a time period of two (2) years from date of purchase. Goalsetter shall have the right to require the purchaser to deliver the allegedly defective product to Goalsetter for testing, repair or replacement. Goalsetter shall not be responsible for any expenses associated with the replacement or removal of the product from its application for such delivery. Modification of any product by the customer, unless approved by Goalsetter Systems, will void all warranty. Where listed as "LIMITED", the warranties shall cover damage or failure that occurs during the course of NORMAL or INTENDED USE of the product. Normal or intended use shall be described as activity that is necessary for the participation in the sport for which the equipment is designed. NOT COVERED is damage caused by deliberate hanging, multiple player hanging, vandalism, non-basketball activities or any other activity that could be regarded as abusive. Where stated as "UNCONDITIONAL", the warranty limitations listed above do not apply.

*Launch[®] Series - Launch[®] Pro, Launch[®]; Signature Series - MVR, Captain, All-American, All-Star, Contender; Extreme Series - X672, X660, X560, X554, X454, X448; GS Wall Mount Series - GS72 Wall Mount, GS60 Wall Mount, GS54 Wall Mount, GS48 Wall Mount.

PADDING WARRANTY: Multi-Purpose Backboard Edge Padding: one-year limited; Indoor Backboard Edge Padding: five-year limited (indoor only); Custom-Fit Pole Padding: one-year limited; Wrap-Around Pole Padding: one-year limited.

NOT COVERED BY THIS WARRANTY

• Use in non-residential applications of glass backboards on Signature Series systems.

- Use in non-residential applications of Extreme Series and Elite complete systems.
- Any products subjected to abuse, negligence, improper installation, vandalism, acts of God, alteration of product or any other events beyond the control of Goalsetter Systems.
- Junior Series breakage caused by the act of dunking.
- Paint or rusted parts. Touch-up paint is included in all hardware kits.
- Deterioration of product due to time or wear and tear.

Normal deterioration of products due to atmospheric conditions, weather, wear and tear (including paint), or other causes that do not affect functional use are not covered by Goalsetter Systems warranties. All warranties are valid only when product is used in the intended application and when installed according to Goalsetter Systems instructions. Warranty will be void if maintenance instructions in the Owners Manual are not followed. If you did not receive an Owners Manual, please call 888.USA.GOAL or go to www.goalsetter.com to download a copy.

WARRANTY CLAIMS: All returns must be arranged through the Goalsetter Systems, Inc. dealer where the product was originally purchased. Warranties do not cover dealer service charges, labor charges, freight charges, and travel expenses associated with replacement, repair or removal of warranty items. Photos of the damaged product prior to any repair or clean-up actions must clearly show and permit analysis of the damaged product by Goalsetter Systems, Inc. A Goalsetter[®] Warranty Claim form must be completed, and photos submitted, together with proof of purchase, for any item you wish to claim under warranty. If the purchase was not made through a dealer, this form is available by email, fax or mail. In response to your claim, you will receive an order confirmation as well as a notice stating whether Goalsetter Systems, Inc. needs your warranty item returned. Goalsetter Systems, Inc. will notify you by fax or phone if we determine that the item cannot be claimed under warranty. Goalsetter Systems, Inc. is not responsible for any charges for labor to install or repair defective product without prior authorization. Goalsetter Systems, Inc. will determine the most economical method to either repair or replace product before any work is to commence.



Visit your Goalsetter dealer today!



© 2020 Goalsetter Systems
817 Maxwell Ave. • Evansville, IN 47711
888.USA.GOAL • goalsetter.com