

**ALWAYS
AUTOMOTIVE**

Kielder®
PRODUCT RANGE



THE ORIGINS OF OUR PRODUCTS ARE SIMPLE;



Developed from hands-on knowledge that you only get in the garage, service park or workshop, rather than a boardroom! Just like you we want well-specified, reliable tools that feel good and get the job done - whatever the task in hand...

Fully compatible and interchangeable 18v battery system, providing ultimate flexibility across the range; power each tool from one single battery. Importantly, the TYPE18 battery fitment will never change, meaning that all Kielder 18v tools, old and new, can always be powered by a TYPE18 battery



*versus leading brands



HIGH TORQUE / MID TORQUE



All feature:

- ✓ Digital brushless motors for smooth, frictionless operation
- ✓ 3 Torque/speed modes and variable speed trigger for ultimate control
- ✓ Ergonomic soft-grip handle
- ✓ Electronic brake which offers near instant stopping power
- ✓ All metal gearbox / CNC machined internals



18v BRUSHLESS 3/4" 1970NM IMPACT WRENCH HIGHTORQUE

- Heavy-duty, robust design; ready to take on the toughest applications
- Extremely powerful performance; Ideal for automotive, HGV, agricultural and plant industries



TYPE18



Max Fastening Torque (Hi / Med / Lo): 1250Nm / 834Nm / 399Nm
Max Bolt Diameter: M33
Drive: 3/4" Square
Tool Length: 197mm
Weight (with 5.0Ah battery): 3.4kg

Motor: Digital Brushless
Drivetrain: All metal gearbox / CNC machined internals
No Load Speeds: 0-2000rpm / 1320rpm / 660rpm
Impact Rate: 0-2200ipm

KWT-085-32 Tool body, 2x 5.0Ah, Charger, Pro Case

KWT-085-36 Tool body only

18v BRUSHLESS 1/2" 1790NM IMPACT WRENCH HIGHTORQUE

- Heavy-duty, robust design; engineered for the professional
- High breakaway torque performance; Ideal for automotive use, especially when encountering stubborn fastenings and wheel nuts



TYPE18



Max Fastening Torque (Hi / Med / Lo): 1050Nm / 726Nm / 363Nm
Max Bolt Diameter: M33
Drive: 1/2" Square
Tool Length: 197mm
Weight (with 5.0Ah battery): 3.4kg

Motor: Digital Brushless
Drivetrain: All metal gearbox / CNC machined internals
No Load Speeds: 0-2000rpm / 1320rpm / 660rpm
Impact Rate: 0-2200ipm

KWT-085-02 Tool body, 2x 5.0Ah, Charger, Pro Case

KWT-085-06 Tool body only

18v BRUSHLESS 1/2" 850NM IMPACT WRENCH MIDTORQUE

- A true all-rounder with impressive performance from a short body design
- The go-to Impact Wrench in any garage or workshop; professional quality tool and affordable for the home enthusiast too



TYPE18



Max Fastening Torque (Hi / Med / Lo): 720Nm / 498Nm / 249Nm
Max Bolt Diameter: M22
Drive: 1/2" Square
Tool Length: 155mm
Weight (with 4.0Ah battery): 1.7kg

Motor: Digital Brushless
Drivetrain: All metal gearbox / CNC machined internals
No Load Speeds: 0-1150rpm / 1850rpm / 2850rpm
Impact Rate: 0-2850ipm

KWT-180-02 Tool body, 2x 4.0Ah, Charger, Pro Case

KWT-180-04 Tool body, 2x 5.0Ah, Charger, Pro Case

KWT-180-06 Tool body only

ULTRA COMPACT

All feature:

- ✓ Ultra compact design, only 110mm tool length; enables easier access in tight, awkward spaces
- ✓ Digital brushless motors for smooth, frictionless operation
- ✓ 3 Torque/speed modes and variable speed trigger for ultimate control
- ✓ Ergonomic soft-grip handle
- ✓ Electronic brake which offers near instant stopping power
- ✓ All metal gearbox / CNC machined internals



040 18V BRUSHLESS 1/2" 400NM IMPACT WRENCH ULTRACOMPACT

- Ideal for use in tight, awkward spaces and work around a vehicle
- Market-leading power to size ratio and weighs just 1.6kg with a 4.0Ah battery fitted; comfortable for prolonged use



TYPE18



Max Fastening Torque (Hi / Med / Lo): 400Nm / 280Nm / 175Nm
Max Bolt Diameter: M20
Drive: 1/2" Square
Tool Length: 110mm
Weight (with 4.0Ah battery): 1.6kg

Motor: Digital Brushless
Drivetrain: All metal gearbox / CNC machined internals
No Load Speeds: 0-2600rpm / 2000rpm / 1600rpm
Impact Rate: 0-3300ipm

KWT-040-01	Tool body, 1x 4.0Ah, Charger, Pro Case
KWT-040-02	Tool body, 2x 4.0Ah, Charger, Pro Case
KWT-040-06	Tool body only

075 18V BRUSHLESS 3/8" 340NM IMPACT WRENCH ULTRACOMPACT

- Ideal for use in tight spaces and compatible with 3/8" slim-line sockets
- Powerful performance and 3 torque modes, meaning it can be used to efficiently remove fastenings, as well as ideal to tighten, with less risk of over-torquing



TYPE18



Max Fastening Torque (Hi / Med / Lo): 340Nm / 240Nm / 150Nm
Max Bolt Diameter: M16
Drive: 3/8" Square
Tool Length: 110mm
Weight (with 2.0Ah battery): 1.4kg

Motor: Digital Brushless
Drivetrain: All metal gearbox / CNC machined internals
No Load Speeds: 0-2600rpm / 2000rpm / 1600rpm
Impact Rate: 0-3300ipm

KWT-075-02	Tool body, 2x 2.0Ah, Charger, Pro Case
KWT-075-03	Tool body, 2x 4.0Ah, Charger, Pro Case
KWT-075-06	Tool body only

155 18V BRUSHLESS 1/4" 220NM IMPACT DRIVER ULTRACOMPACT

- Can access smaller spaces when required
- Effectively drives wide gauge screws into tough materials, coupled with the finesse needed on more delicate applications, such as plasterboard



TYPE18



Max Fastening Torque (Hi / Med / Lo): 220Nm / 115Nm / 95Nm
Drive: 1/4" Hex Bit
Tool Length: 110mm
Weight (with 2.0Ah battery): 1.4kg

Motor: Digital Brushless
Drivetrain: All metal gearbox / CNC machined internals
No Load Speeds: 0-2600rpm / 2000rpm / 1600rpm
Impact Rate: 0-3300ipm

KWT-155-02	Tool body, 2x 2.0Ah, Charger, Pro Case
KWT-155-03	Tool body, 2x 4.0Ah, Charger, Pro Case
KWT-155-06	Tool body only

SHORT SERIES
1/2" IMPACT
SOCKET SET

124



- Contains: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21mm Sockets, supplied on socket rail for convenient storage
- Manufactured from high quality chrome molybdenum steel; provides increased durability

SHORT SERIES
3/8" IMPACT
SOCKET SET

384



- Contains: 7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm Sockets, supplied in foam holder or on socket rail for convenient storage
- Manufactured from high quality chrome molybdenum steel; provides increased durability

18v CORDLESS
3/8" 60NM
POWER RATCHET



TYPE18

- Features strengthened and extended head design, for access into tighter areas
- Engineered to produce up to 60Nm - speeds up the assembly / disassembly process
- Variable speed trigger provides optimum control in use and can be locked in "off" position to isolate tool
- Robust ratchet mechanism with forward and reverse selector
- Can be stood or stored upright on battery base

Max Torque: 60Nm
Drive: 3/8" Square
Tool Length: 340mm
Weight (with 2.0Ah battery): 1.25kg
No Load Speeds: 0-200rpm
Gearbox: All-metal



KWT-124-05 1/2" 11pc Short (38mm Length) Impact Socket Set (on rail)

KWT-384-01 3/8" 12pc Short (27.5mm Length) Impact Socket Set (in foam)

KWT-384-02 3/8" 12pc Short (27.5mm Length) Impact Socket Set (on rail)

KWT-010-11 Tool body, 1x 2.0Ah, Charger, Pro Case

KWT-010-12 Tool body, 2x 2.0Ah, Charger, Pro Case

KWT-010-16 Tool body only

DEEP SERIES
1/2" IMPACT
SOCKET SET

126



- Contains: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21mm Sockets, supplied in foam holder for convenient storage in a tool box or cabinet drawer
- Manufactured from high quality chrome molybdenum steel; provides increased durability

DEEP SERIES
3/8" IMPACT
SOCKET SET

386



- Contains: 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm Sockets, supplied in foam holder or on socket rail for convenient storage
- Manufactured from high quality chrome molybdenum steel; provides increased durability

KWT-126-04 1/2" 11pc Deep (80mm Length) Impact Socket Set (in foam)

KWT-386-01 3/8" 11pc Short (62mm Length) Impact Socket Set (in foam)

KWT-386-02 3/8" 11pc Short (62mm Length) Impact Socket Set (on rail)



Applies to all sockets

Additional sets and singles available - more information online



ANGLE GRINDER

Features:

- ✓ Digital brushless motor for smooth, frictionless operation
- ✓ Overload protection system for longer service life and battery run-time
- ✓ Variable speed through 5 switchable settings
- ✓ Ergonomic soft-grip handle
- ✓ All metal gearbox / CNC machined internals



013 18V BRUSHLESS 4-1/2" / 115mm ANGLE GRINDER



Max Wheel Diameter: 115mm / 4-1/2"
Spindle Thread: M14
No Load Speed: 4500 – 8000rpm
Speed Settings: 5
Power: 800w

Drivetrain: All metal gearbox / CNC machined internals
Tool Length: 370mm
Weight (with 5.0Ah battery): 2.3kg
Motor: Digital Brushless


- Compatible with 115mm Grinding Disc - M14 Spindle Thread
- High current electronics maximise the power delivery
- Dual function switch can be operated as a trigger or with lock-on
- Quick release tool-less disc change
- Compact design, with innovative 90° battery fitment, only 370mm in length

KWT-013-02 Tool body, 2x 5.0Ah, Charger, Side Handle Pro Case


KWT-013-06 Tool body only, Side Handle

145 22mm Bore 4-1/2" / 115mm GRINDER DISCS

KWT-145-01	115mmx1mm x22.2mm Steel Cutting Disc	Single
KWT-145-11	115mmx6mmx22.2mm Grinding Disc	10pcs
KWT-145-02	115mm Flap Disc 40 Grit	Single
KWT-145-12	115mm Flap Disc 80 Grit	3pcs
KWT-145-40	115mm Flap Disc 80 Grit	Single
KWT-145-43	115mm Flap Disc 120 Grit	3pcs
KWT-145-80	115mm Flap Disc 120 Grit	Single
KWT-145-83	115mm Flap Disc 120 Grit	3pcs
KWT-145-120	115mm Flap Disc 120 Grit	Single
KWT-145-123	115mm Flap Disc 120 Grit	3pcs



- Professional-grade discs; offer durability and strength through tough materials
- Compatible with all 115mm Angle Grinders



DRILLS

All feature:

- Digital brushless motors for smooth, frictionless operation
- 13mm Keyless Metal Chucks
- Variable trigger switch allows further speed control
- Integrated LED work light
- Electronic brake which offers near instant stopping power
- Ergonomic soft-grip handle
- All metal gearbox / CNC machined internals



011 18V BRUSHLESS 52NM DRILL DRIVER

- 52Nm Max Torque driven through 18 torque settings for screw driving, plus drill mode
- 2-speed metal gearbox provides versatility and durability
- Strong and robust, but still lightweight and comfortable
- <0.2mm run-out at 100mm



Max Torque: 52Nm
Torque Settings: 18 + Drill
Tool Length: 181mm
Weight (with 2.0Ah battery): 1.3kg

Motor: Digital Brushless
Speeds: 0-400 & 0-1600min-1
Max Wood: 38mm
Max Steel: 13mm

KWT-011-01	Tool body, 1x 2.0Ah, 4 x Cobalt Bits, Charger, Pro Case
KWT-011-02	Tool body, 2x 2.0Ah, 4 x Cobalt Bits, Charger, Pro Case
KWT-011-03	Tool body, 2x 4.0Ah, 4 x Cobalt Bits, Charger, Pro Case
KWT-011-06	Tool body only

014 18V BRUSHLESS 52NM COMBI DRILL

- 21 Torque settings for screw driving, plus drill & hammer modes, 52Nm max torque
- 2 Speed metal gearbox: 0-400 / 0-1600 min-1
- Strong and robust, but still lightweight and comfortable
- <0.3mm run-out at 100mm



Max Torque: 52Nm
Torque Settings: 21+Drill+Hammer
Tool Length: 194mm
Weight (with 2.0Ah battery): 1.4kg

Motor: Digital Brushless
Speeds: 0-400 & 0-1600min-1
Max Wood: 38mm
Max Steel: 13mm
Max Masonry: 10mm

KWT-014-12	Tool body, 2x 2.0Ah, Charger, Pro Case
KWT-014-13	Tool body, 2x 4.0Ah, Charger, Pro Case
KWT-014-17	Tool body, 2x 5.0Ah, Charger, Pro Case
KWT-014-06	Tool body only

092 8% COBALT HSS DRILL BITS

- DIN338 Engineering Grade - High Speed Steel with 8% cobalt for added strength and more resistant to wear
- Ideal for hard materials such as steel, stainless steel, non-ferrous metals and alloy



- Precision ground with centring tip
- High cobalt content.



KWT-092-01 Cobalt Drill Bit Set: 3, 4, 5, 6, 8 mm



Singles & Twin Packs available - more information online

9009 18v BRUSHLESS 6.4MM RIVETER



Max Working Force: 9000Nm
Max Pop Rivet Diameter: 6.4 mm
Stroke: 23mm
Weight (with 5.0Ah battery): 2.3kg
Weight (with 2.0Ah battery): 1.9kg
Tool Length: 202mm (without rear chamber attached)
Tool Length: 275mm (with rear chamber attached)

KWT-009-01	Tool body, 1x 2.0Ah, Charger, 4 x Nozzles, Charger, Pro Case
KWT-009-03	Tool body, 1x 5.0Ah, Charger, 4 x Nozzles, Charger, Pro Case
KWT-009-06	Tool body only, 4 x Nozzles

Please note: This tool is not suitable for use with structural rivets such as Monobolts

- Professional quality digital brushless motor works with a precision engineered internal mechanism for longer service life
- Removable chamber collects spent rivet shafts

9099 18v CORDLESS 10,000PSI GREASE GUN



Max. Pressure: 10,000psi
Flow Rate: 280g / min
Grease Capacity: 411g cartridge / 455g bulk
Weight (with 5.0Ah battery): 4.1kg
Variable Speed Settings: 1 – 5
Flexible Hose Length: 76cm
Grease Type: Up to NLGI 2
Tool Length: 400mm

- Powerful performance, with high pressure delivery (10,000psi) for fast, effective lubrication of vehicles and machinery
- Grease can be bulk filled or fitted with standard cartridges
- Easy-to-use pressure release valve, simply turn to relieve system pressure

KWT-555-01	Tool body, 1x 4.0Ah, Charger, Flexible Hose
KWT-555-06	Tool body only, Flexible Hose



BATTERIES & CHARGER




<h3>2.0Ah Battery Pack</h3>	<h3>3.0Ah Battery Pack</h3>	<h3>4.0Ah Battery Pack</h3>	<h3>5.0Ah Battery Pack</h3>
-----------------------------	-----------------------------	-----------------------------	-----------------------------

- Compatible and interchangeable TYPE18 battery system
- All batteries feature LED charge level indicator
- High quality Li-ion battery cells providing reliable & stable performance
- Holds charge for up to 12 months, if left unused
- No memory effect from partial charging

KWT-004-01	Fast Charger
KWT-003-04	18v Li-Ion 2.0Ah Battery Pack
KWT-003-23	18v Li-Ion Compact Power Series 3.0Ah Battery Pack
KWT-003-03	18v Li-Ion 4.0Ah Battery Pack
KWT-003-03	18v Li-Ion 5.0Ah Battery Pack

Please note: 2.0Ah is not suited for use with KWT-085, KWT-180 and KWT-013 models





Kielder^{WT}



KIELDER WORKS TEAM

Kielder WT Ltd
Sheffield, UK

T: +44 (0)114 242 3794

E: tools@kielder.co

W: kielder.co



#AlwaysAutomotive

All costs shown are suggested selling prices.

KWT-RBF24