


Storm Series of Fans

55" Fiberglass Exhaust Fans



Cone

- Durable one-piece molded poly
- Deep for superior performance
- Now with pre-slit mounting flange for easier installation
- **20 Year Warranty**

H-frame

- Heavy gauge for strength
- Galvanized for corrosion and rust resistance

Fiberglass Housing

- Drainage holes in the bottom of the housing allow moisture to drain
- UV resistant for long life
- Smooth exterior for easy cleaning
- Slanted to minimize moisture and debris collection
- **20 Year Warranty**
- Also available in black with extended lead time

Guard


- Heavy-duty
- Hot dip galvanized after welding to resist rust and corrosion

Shutter Options

- Aluminum
- Poly

Shutter Clips

- Heavy gauge stainless steel
- Enables tool free access for inspection and cleaning (disconnect power to fan when shutter is removed)



⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov/product.

Storm Torque

55" Fiberglass Exhaust Fan with Torque Drive

Save Time & Money

No Belts to Change


No Pulleys to Maintain

No Greasing Motor or Bearings

Features

- Maintains a continuous high level of performance with **no power loss or reduction from aging belts and pulleys**
- VFD (Variable Frequency Drive) compatible and recommended for increased energy savings and longer life (VFD not included)
- Smooth and quiet operation

- Motor**
- Premium-efficient
 - Industrial 2 HP
- Prop**
- High-performance
 - 3 blade
 - Galvanized



Shown with shutter removed (Never permit power to fan with shutter removed)

Part #	Sz	Ph	Spd	@ 0.10" SP		Drive	Prop
				CFM	CFM/Watt		
Three Phase							
Aluminum Shutter							
VMTA55G3C23-SL	55"	3	1	29,902	17.7	Torque	3-Glv
Poly Shutter							
VMTP55G3C23-SL	55"	3	1	27,986	16.2	Torque	3-Glv
Accessories							
VFD240V03013A	VFD, 190-240V, 3PH/1PH, with RFI Filter						
VFD480V03030B	VFD, 380-480V, 3PH, with RFI Filter						
VRS1260	Shutter Motor Kit, 12"-60" Al. Shutter						
VRS1260-C	Shutter Motor Kit, 12"-60" Al. Shutter, with Cord						
Black Versions (requires extended lead time)							
Add "-B" to end of part # - Example: VMTA55G3C23-SL-B							

Bold red text is data based on testing performed by an accredited lab using ANSI/AMCA 210-07 standard.

NOTE: It is highly recommended that a motorized shutter kit be installed to open shutter when fan is operating at 40% or lower



⚠WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov/product.

Storm

Belt Drive 55" Fiberglass Exhaust Fan



Motor


- High-efficiency
- Totally enclosed
- 1 HP, 1 1/2 HP or 2 HP

Belt Tensioner

- Automotive style
- Toolless belt changing

Prop Options

- High-performance cast aluminum prop with **Lifetime Warranty**
- Galvanized prop with **1 Year Warranty**



Shown with shutter removed
(Never permit power to fan with shutter removed)

Shaft Bearings

- Custom pre-lubricated
- Featuring an eccentric locking collar with set screw
- Permanently sealed and rubber mounted for smooth operation
- Covered by a **3 Year Warranty**



Part #	Sz	Ph	Spd	@ 0.10" SP		Drive	Prop
				CFM	Watt		
Single Phase							
Aluminum Shutter							
VSA55G3C11E-SL	55"	1	1	21,189	23.4	Belt	3-Glv
VSA55A3C151-SL	55"	1	1	24,056	19.0	Belt	3-CA
VSA55G3C151-SL	55"	1	1	23,985	21.8	Belt	3-Glv
** VSA55A3C21-SL	55"	1	1	28,347	13.8	Belt	3-CA
VSA55G3C21-SL	55"	1	1	27,546	16.1	Belt	3-Glv
Poly Shutter							
VSP55G3C11E-SL	55"	1	1	19,799	21.3	Belt	3-Glv
** VSP55A3C151-SL	55"	1	1	22,348	17.6	Belt	3-CA
VSP55G3C151-SL	55"	1	1	22,903	20.4	Belt	3-Glv
VSP55A3C21-SL	55"	1	1	27,087	13.2	Belt	3-CA
VSP55G3C21-SL	55"	1	1	26,601	15.2	Belt	3-Glv
Three Phase							
Aluminum Shutter							
VSA55A3C153-SL	55"	3	1	23,774	19.3	Belt	3-CA
VSA55G3C153E-SL	55"	3	1	23,844	22.0	Belt	3-Glv
** VSA55A3C23-SL	55"	3	1	31,060	13.6	Belt	3-CA
** VSA55A3C23E-SL	55"	3	1	28,515	15.4	Belt	3-CA
** VSA55G3C23-SL	55"	3	1	31,402	16.0	Belt	3-Glv
VSA55G3C23E-SL	55"	3	1	26,411	20.6	Belt	3-Glv
Poly Shutter							
VSP55A3C153-SL	55"	3	1	22,624	17.9	Belt	3-CA
VSP55G3C153E-SL	55"	3	1	22,746	20.5	Belt	3-Glv
** VSP55A3C23-SL	55"	3	1	30,058	12.8	Belt	3-CA
VSP55A3C23E-SL	55"	3	1	27,250	14.7	Belt	3-CA
VSP55G3C23-SL	55"	3	1	30,471	15.1	Belt	3-Glv
VSP55G3C23E-SL	55"	3	1	25,475	19.5	Belt	3-Glv
Non Slant Wall Versions							
Remove "-SL" at end of part # - Example: VSSP55A3C23							
Black Versions (requires extended lead time)							
Add "-B" to end of part # - Example: VSSP55A3C23-SL-B							

** Best sellers of 2018-19

Bold red text is data based on testing performed by an accredited lab using ANSI/AMCA Standard 210-07

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov/product.