



Multifan 

**V o s t e r m a n s**  
Ventilation




# Multifan production facilities

## MULTIFAN MEANS QUALITY:

In-house production  
High-quality materials  
Continuous improvement  
Own testing facilities



Foreground: motorwinding  
Background: winding machine



## INTERNATIONAL APPROVALS:

DLG  
Imag / DLO  
AMCA  
CE  
CSA  
Nemko  
UL  
ISO  
PSE




Foreground: motorshaft  
Background: robotized shaft finishing facilities




Foreground: fan aluminum parts  
Background: high-pressure aluminum casting machines




NEN-EN-ISO 9001: 2008




Foreground: durable plastic impeller parts  
Background: assembly department




## Multifan variations in standard program



Multifan 130 (50") Casing fan



Multifan 130 (50") Cone fan



Recirculation fan 130 (50") / Dairy fan



Wide variations in recirculation fans



High pressure fans available in various sizes and casings for various industrial and agricultural applications

### Multifan standard program includes


Numerous delivery program possibilities  
available e.g.:

- | Variations        | Mounting                |
|-------------------|-------------------------|
| - controllability | - ceiling mounting      |
| - diameter        | - wall or tube mounting |
| - airflow         | - suspension            |
| - frequency       |                         |
| - voltage         |                         |
| - cone            |                         |
| - weatherhood     |                         |

**Vostermans Ventilation:** "Specialist in Air"



## Multifan variations in standard program



Standard high performance wall fans, available in numerous versions



Inflatable, Greenhouse, Mobile and Stage fan




Multifan tube fans suitable for pipe or duct for vertical or horizontal mounting



Hood fans available in different sizes and various applications

### Extended possibilities

Beyond standard range,  
customer requirements possible.  
Flexibility as a standard value for  
applicable solutions.  
More details available on request!



Multifan fan and motor line is suitable for all types of industrial applications

#### Wireguard

Specially treated for corrosion resistance. Satisfies the highest safety standards.

#### Electric Motor

Variable speed motor is specially designed to turn a specific impeller in order to get the optimum efficiency. Totally enclosed die cast aluminum housing, automatic thermal protection and heat resistant up to 155°C (311°F).

#### Specially Sealed Bearings

High performance lubricant withstands temperatures up to 155°C (311°F).

#### Motor Cap

Non-combustible man made material.

#### Labyrinth Seal

Unique locking design between motor housing and impeller guard against moisture entry.

#### Impeller

Eliminates the need for precise balancing, reduces power cost and extends bearing life.

#### Supports

Antivibration sound absorbing design of cast aluminium.

#### Fasteners


Non-corrosive and fine threaded.

#### Frame

High quality plastic provides for long lasting durability under the toughest environmental conditions.

#### Horizontal or vertical Operation

Uniform construction allows for optimal operation in horizontal or vertical position.






Various shutters



Motor protection switches for thermal or electrical overload



Open modular control system for various applications



Built-in motor control

**Vostermans**  
companies

**Vostermans Ventilation B.V.**  
P.O. Box 3025  
NL-5902 RA Venlo - Holland  
Tel. +31 (0)77 389 32 32  
Fax +31 (0)77 382 08 93  
www.vostermans.com  
ventilation@vostermans.com

**Vostermans Ventilation Inc.**  
Bloomington, IL 61704 - USA  
Tel. +1 309 827 9798  
Fax +1 309 829 1993  
www.vostermansusa.com  
ventilation@vostermansusa.com

**Vostermans Ventilation S.A.R.L.**  
B.P. 1801  
27018 Evreux Cedex - France  
Tel. +33 (0)2 32 38 11 00  
Fax +33 (0)2 32 33 37 12  
www.vostermans.com  
ventilation@vostermansfrance.com

**Vostermans Ventilation Sdn. Bhd.**  
330, Lot 2593, Jln Seruling 59, Kws3,  
Tmn Klang Jaya, 41200, Klang,  
Selangor D.E., Malaysia  
Tel. +60 (0)3 3324 3638 (HL)  
Fax +60 (0)3 3324 1239  
www.vostermans.com  
ventilation@vostermansasia.com



ISO 9001

# Multifan

