HAGAN

PURE SKI MOUNTAINEERING

SEASON 2023 / 24 EN

HAGAN 23/24 INDEX



SKI SERIES OVERVIEW / P 2

TECHNOLOGY & FEATURES / P 3

SKI/P5

TOUR FREERIDE **BOOST SERIES** P 5 TOUR ALLMOUNTAIN **CORE CARBON SERIES** P 9 TOUR CLASSIC **PURE SERIES** P 15 TOUR PROFESSIONAL **ULTRA SERIES** P 19 TOUR SPECIAL **OFFLIMITS / OFFTRACE** P 25

FEATURES TOURING BOOTS / P 27

TOURING BOOTS / P 29

BINDINGS / P 31

ACCESSORIES / P 35

MERCHANDISE / P 39

MODEL RANGE / P 41

OVERVIEW BINDINGS / P 45

OVERVIEW BOOTS / P 47

HAGAN 23/24 INDEX

HAGAN AUSTRIAN SKI SINCE 1924



For 100 years, our hearts beat for the mountains – and we have put this passion into our products right from the start. From the early years as a ski manufacturer to today's specialization as a touring ski expert, the three principles of quality, durability and love for the wintry mountains are the focus of our activities As a thirdgeneration family business from Austria, we are particularly proud of our lived credo "Products from ski tourers for ski tourers." With a focus on the essentials, we develop reliable, high-quality and field-proven equipment for people who share our enthusiasm for the fascinating mountain world and ski touring. HAGAN – the Austrian ski brand since 1924.

SKI SERIES OVERVIEW

TOUR FREERIDE BOOST

Do your usual skiing pursuits include first-lines, powder and high-angle surfing? Then you are in the right place with the BOOST series. Why is a BOOST series ski the right choice for your high-speed long turns? They are light enough for long trips, with a waist width of up to 99mm, but are by no means oversized. The tip rocker of up to 410 mm means these offpiste rockets float nicely near the surface

TOUR ALLMOUNTAIN CORE CARBON

Our Allmountain CORE Carbon series has been completely revised for the 23/24 season: we have paired new shapes and technologies with the established Core genes. The Core's unique identity grants an easy ascent, even in difficult terrain, and 100% downhill performance in every situation. Our premium allround series is compatible with varying turns across many snow conditions. The series is well-suited for athletic tourers and adventurous downhill skiers who head to the mountains in any circumstances.

TOUR CLASSIC PURE

Off-piste, on-piste or both - you go skiing sometimes here, sometimes there. You just want to get out, be on the slopes in nature, enjoy the snowy winter landscape, but above all, spend a nice time in the mountains. For this series we have combined the requirements of a classic touring ski with the essentials from our high-end range. The result is the PURE models with a clear view of the details such as wood cores. Perfect for your enjoyable ascent - and above all for your enjoyable descent.

TOUR PROFESSIONAL ULTRA

Our ULTRA series has undergone a complete makeover for the 23/24 season: our latest technologies, updated shapes, and ULTRA light construction have united to meet top-level performance standards. The ULTRA series combines a century of proficiency and know-how in ski construction with innovation, and is tested to the limits by HAGAN pro-riders.

Our athletes, alpinists, and racers are all united by one ethos - trust in material, and uncompromised stability at the lowest possible weight.

TOUR SPECIAL

Developed and designed for special requirements and extra ordinary undertakings, the two models in this series accompany every "dream in white." The 130 cm long OFFLIMITS was developed together with "blind climber" Andy Holzer. The ski is extremely agile and fun. It is not just a workman's tool in the ascent to your ice climbing spot or while snow kiting. In the case of the OFFTRACE, the name says it all: it is perfect for extended ski hikes through wide plains and hilly forests.

TECHNOLOGY & **FEATURES**

3D-CAP

To save weight while maintaining torsional stability, we developed a new 3D cap. A strengthening "rib" widens as it travels towards the tip and tail while it gradually tapers to an exceptionally thin profile. This unique construction greatly reduces mass while creating progressive flex. Lower material usage = lower weight. The vertical ABS sidewall mid-ski ensures perfect power transmission. Starting with the 20 / 21 collection, our models from the CORE, BOOST and ULTRA series are built with this 3D cap system.



ROCKER

The rocker describes the early rise of the shovel and tail. All HAGAN models are equipped with a tip rocker and most with tail rocker. The rocker lengths and heights create a variable edge length that is targeted for the best possible performance in particular applications. We distinguish three rocker types:







WOOD CORES

Throughout the rapid advancement of technology and materials engineering in ski construction, we have remained focused on high-quality, natural wood. All skis in our 22/23 collection are built with wood cores. We use two types of wood: karuba and poplar.

- Karuba is one of the lightest woods in the world. The long-fibre structure makes it extremely resilient and excellent for light weight . construction where the priority is weight reduction with high stability. It is used in the CORE and ULTRA series as well as in the PURE models as a karuba/poplar mixed core.
- Poplar wood is very strong and therefore a popular raw material in ski production. Due to the rapid growth of poplar trees, the high-. quality wood is readily available and sustainable. Poplar is used in the BOOST series, PURE 75 and in our Tour Specials
- Our Karuba Poplar Mixing Core offers a combination of lightness and resistance. The perfect mix for our PURE series (PURE 85/ **PURE 90)**

ABS-SIDEWALLS

High-quality ABS sidewalls enable optimum stability and power transmission to the ski edges. Impact shocks at the steel edge are significantly dampened and cushioned

- Semi Sidewall: Sidewall in the binding area, for weight reduction with consistent stability and power transmission.
- Micro Sidewall: extra thin sidewall in the binding area, making it ideal for lightweight construction.

CONSTRUCTIONS

TIP CONSTRUCTION		TAIL CONSTRUCTION		
	Wood Tip		Wood Tail	
	Carbon Tip		Carbon Tail	
	Full Carbon Layer	\succ	Twintip	

CARBON REINFORCED

	Carbon stringers inlayed in the ski core provide additional stability while saving weight.
SKIN LOC	Ж
F	Quick Tour: The simplest and easiest climbing skin attachment system with a notch on tip Quick Tour system enables skin removal without removing the ski.
\supset	Quick Race: The tip notch is Y shaped to make attachment and release of the tip bungee
Ĩ	Tail Lock: The climbing skin is secured to the tail by a locking clamp and to the tip by a clip.



5 YEARS WITH REGISTRATION FOR ALL HAGAN SKIS* FROM THE 19 / 20 COLLECTION

For 95 years we have directed all our enthusiasm for the mountains into the development of our products. Quality for us means that the products we ourselves use pass intensive practical tests and meet our high standards. This is one of our main principles and we are only satisfied when we are confident all tour skiers can completely rely on our high-quality, longlasting equipment. We now want to expand our guarantee to highlight our promise of quality. From the winter onwards we will grant a guarantee of 3 years for all skis*. The warranty can be extended to 5 years by registering on www.hagan-ski. com/warranty Proof of purchase is necessary for the registration. The warranty applies only to material and production defects. Excluded are damages that occur during normal use or improper use. Find all details at www.hagan-ski.com/warranty.

BINDING MOUNTING AREA REINFORCEMENT

Titanal

..... Fiberglass

Carbon/Titanal

with a notch on tip and hook on the tail. The

of the tip bungee even faster!



TOUR FREERIDE BOOST



www.protectourwinters.gt

OUR VISION IS TO PRESERVE THE SPORT OF SKIING FOR FUTURE GENERATIONS. THE PARTNERSHIP WITH POW IS THEREFORE A PERSONAL MATTER FOR US

In order to show our unity with POW, we have decided to co-brand our Freeridemodels and to manifest our inspiration with a corresponding claim on the sidewall. BOOST 99 x POW "TURN YOUR PASSION INTO PURPOSE" BOOST 94 x POW "FASTER THAN CLIMATE CHANGE"





THERMOS BOTTLE YELLOW



CORE PRO CARBON BOOTS




CORE 12 EVO BINDING

DOWNHILL FOCUS LONG TURNS **HIGH SPEED AMBITIOUS SKIER**

TOUR FREERIDE BOOST SERIES

TOUR FREERIDE BOOST



P7

TOUR FREERIDE BOOST 99 X POW / BOOST 94 X POW / BOOST JR X POW

- (4B) Core Material: Wood Composite Core (Boost JR × POW)
- 5 Bottomlayer: Fiberglass
- 6A Belag: Die-Cut-Graphite (Boost 99 × POW, Boost 94 × POW)
- 6B Base: Sintered (Boost JR × POW)

HAGAN
100 mmmmm 100

TURN YOUR PASSION INTO PURPOSE





CARBON TAIL CARBON TIP

TAIL LOCK






TAIL LOCK	JR FREERIDE ROCKER	TWIN TIP
ĥ)()(

BOOST JR x POW

Item Number	BC)JR/22/L	ENGTH
Sidecut		114/	/76/105
Weight (g)			950
Freeride Rocker		22	20 - 120
Radius		8,5/10	,3 / 11,8
Length (cm)		125, 1	35*, 145
60 % On-Piste	-	40 % C)ff-Piste
40 % Uphill	-	60 % D	ownhill
Beginner 🔵			\bigcirc
Advanced 🔴		\circ	\bigcirc
_	_	\sim	

TOUR ALLMOUNTAIN **CORE CARBON**







THERMOS BOTTLE BLACK



CORE PRO CARBON




CORE CARBON 89

ATHLETIC SKIER VARIABLE TURNS MEDIUM TO HIGH SPEEDS MODERATE TO ADVANCED SKILLS



TOUR ALLMOUNTAIN

CONSTRUCTION







ALLMOUNTAIN ROCKER

CO92/23/LENGTH

126/92/109

340 - 140

17,5 / 18,5 / 19,5

70 % Downhill

- 80 % Off-Piste

 $\circ \circ \circ$

162, 170*, 176

1.400

CARBON TAIL

ltem Number

Advanced


QUICK TOUR

ř

TITANAL

CARBON TIP

C	OR	EC	AR
h	HAGAN		
	CORE CAREN		
	COR		
6.54	nai St		
1000			DCKER
		N TIP N TAIL FOUR	TITANAL ALLMOUNTAIN ROCKER
		CARBON TIP CARBON TAIL QUICK TOUR	TITANAI ALLMOU
1993	170 CM)
		<u>CORE CAR</u>	BON 89
		Item Number Sidecut	CO89/23/LENGTH
	0	Weight (g)	125/89/108
	6	Allmountain Rocker	
		Radius	15/16/18/20
		Length (cm)	154, 162, 170*, 178
		0544.0	
		25 % On-Piste 35 % Uphill	 75 % Off-Piste 65 % Downhill
	-	33 70 Upi III	0 <i>0 70 D</i> 0WHHHH
	des his	Beginner 🛑	$\bullet \circ \circ$
A Real Property in the second		Advanced 🔴	•••
		Expert 🔴	





CORE CARBON 84

Item Number	CO84/23/LENGTH
Sidecut	122-84-107
Weight (g)	1.190
Allmountain Rocker	310 - 90
Radius	15 / 16,5 / 17,5
Length (cm)	156, 164*, 172
30 % On-Piste 50 % Uphill	 70 % Off-Piste 50 % Downhill
Beginner Advanced Expert	



	h
CARBON TIP CARBON TAIL GUICK TOUR FIBERGLASS ALLMOUNTAIN ROCKER	
≜ ▦ ₼ Ш \	
CORE CARBON 89 LITE	
Item Number COL89/23/LENGTH	
Sidecut 124-89-107	
Weight (g) 1.120 Allmountain Rocker 320 - 120	
Radius 15/16/18/20	
Length (cm) 154, 162*, 170, 178	
30 % On-Piste - 70 % Off-Piste	
35 % Uphill - 65 % Downhill	
Beginner 🗨 🜑 🔘 📿	
Advanced	
Expert	

HAGAN

156 CM

CORE CARBON 84 LITE

ltem Number C	OL84/23 /LENGTH
Sidecut	120-84-106
Weight (g)	1.060
Allmountain Rocker	310 - 90
Radius	14/15/16,5/17,5
Length (cm)	148, 156*, 164, 172
05 V/ On Diata	CE IV Off Dioto

JJ // UIFFIS	510	-	00 % 0	11-FISLE
50 % Uphill		-	50 % Downhill	
Beginner				\bigcirc
Advanced				\bigcirc
Expert			\bigcirc	\bigcirc

TOUR ALLMOUNTAIN **CORE CARBON LITE**











TOUR CLASSIC PURE SERIES

PURE 85

TOUR POLES


CLASSIC SKI TOURING VARIABLE SPEEDS SHORT RADIUS TURNS

PURE BOOTS

HAGA.

PURE 10 BINDING





FIBERGLASS TOUR ROCKER

PU90/22/LENGTH 124/90/107

280-110 / 330-110

15/16/18,5/20 154, 163, 170*, 178

65 % Off-Piste

60 % Downhill

 $\circ \circ$

 \bigcirc

-

 \bigcirc

Length (cm)

35 % On-Piste

40 % Uphill

Beginner

Advanced

Expert

1.350


PURE



WOOD TIP	W00D TAIL	QUICK TOUR	FIBERGLASS	TOUR ROCKER
		ŕ		X

PURE 85

Item Number	PU85/22/LENGTH
Sidecut	120-85-106
Weight (g)	1.300
Tour Rocker	280-110/330-110
Radius	14,5 / 15 / 16,5 / 17,5
Length (cm)	148, 156, 164*, 172
45 % On-Piste	- 55 % Off-Piste
50 % Uphill	- 50 % Downhill
Beginner 🔵	
Advanced 🔵	
Expert	



1	Toplayer: Fiberglass and Foil (Pure 90, Pure 85, Pure 75)
2	Binding Reinforcement: Fiberglass
3	Semi Sidewall (Pure 90, Pure 85, Pure 75)
4	Core Material: Karuba/Poplar (Pure 90, Pure 85); Poplar (P
5	Bottomlayer: Fiberglass (Pure 90, Pure 85, Pure 75)
6	Base: Sintered Base with Disc Finish



W00D TIP	WOOD TAIL	QUICK TOUR	FIBERGLASS	TOUR ROCKER
Č		Å		\langle

PURE 75

*Only remaining quantities available

Item Number	P	U75/22/LENGTH
Sidecut		112-75-100
Weight (g)		1.200
Tour Rocker		250 - 50
Radius	10)/12/14/16/18
Length (cm)	140 , 1	147, 155*, 163, 170
75 % On-Piste	_	25 % Off-Piste
50 % Uphill	-	50 % Downhill
Beginner		• • •
Advanced (

TOUR PROFESSIONAL ULTRA

FAST UPHILL RACING HIGH ALPINISM LIGHTEST WEIGHT



ULTRA 79

ULTRA POLES




ULTRA WORLDCUP BINDING

TOUR PROFESSIONAL ULTRA SERIES

TOUR PROFESSIONAL

P 21





ALLMOUNTAIN ROCKER FULL CARBON LAYER

UL89/23/LENGTH

125-89-108

300 - 110

15/16/18/20

154, 162, 170*, 178

60 % Downhill

 \bigcirc

- 60 % Off-Piste

 $\bullet \circ \circ$

1.140

TITANAL

ULTRA



1	
	1
	2
	2
	1
-	
	8
r	
U	

HAGAN
III TRA
164 CM
1 70

QUICK RACE	TITANAL	ALLMOUNTAIN ROCKER	FULL CARBON LAYER
ř		Ŷ	

ULTRA 79

ltem Number	U	L79/23/I	ENGTH
Sidecut		1	11-79-97
Weight (g)			935
Tour Rocker			275 - 90
Radius		16 / 17,5	/19/21
Length (cm)	1	48, 156, i	164*, 172
45 % On-Piste	-	55 % (Off-Piste
75 % Uphill	-	25 % L	Downhill
Beginner 🗲			0
Advanced 🗲		•	\bigcirc

TOUR PROFESSIONAL ULTRA 89/ULTRA 84/ULTRA 79





W00D TIP	W00D TAIL	QUICK TOUR	CARBON REINFORCED	CARBON / TITANAL	ALLMOUNTAIN ROCKER
		ř			\langle

ULTRA 65

Item Number	U	L65/23/LENGTH
Sidecut		97-65-80
Weight (g)		700
Tour Rocker		200-0
Radius		21/23
Length (cm)		151, 161*
50 % On-Piste	-	50 % Off-Piste
90 % Uphill	-	10 % Downhill

Beginner	\bigcirc	\bigcirc	\bigcirc	\bigcirc
Advanced			\bigcirc	\bigcirc
Expert				


TOUR PROFESSIONAL ULTRA



TOUR SPECIAL

BACKCOUNTRY SKIING MADE FOR SPECIAL DEMANDS ICE CLIMBING, SNOWKITING, SPEEDFLYING

CONSTRUCTION



- 1 Toplayer: Fiberglass 2 3 4 5
- 6



NTEGRATED CLIMBING SKIN SYSTEM

NOOD TAIL MOOD TIP

Item Number

Sidecut

Rocker

Weight (g)

Length (cm)

OFFTRACE

OTR/23/LENGTH 68-60-65

170, 180*, 190, 200

1.000

150

OFFLIMITS





X-TRACE PIVOT BINDING

Item Number

XTRB13



W00D TIP	W00D TAIL	TAIL LOCK
í¢,		ĥ

OFFLIMITS

Item Numb	er		OL	/21/130
Sidecut			130)-90-110
Weight (g)				1.250
Rocker				180
Radius				9,5
Längen (cm)				130*
45 % On-Pis	ste	-	55 % C)ff-Piste
50 % Uphill		-	50 % E	ownhill
Beginner Advanced Expert			000	000

FEATURES **TOURING BOOTS**

2

TOP DEEP CUT

Deep cut outs on the inside and outside at the top of the shell greatly reduce constriction in the calf area. The recesses are located at the widest point of the lower leg, eliminating discomfort in this area while maintaining full forward and backward power.

STANDARD HEEL LUGS 4

HAGAN ski touring boots incorporate the latest developments in the binding market. The heel is 100% compatible with the Mar- M-profile lugs are arranged to provide outs- cable is fixed at three points - from the big ker Kingpin binding. We use original Dynafit tanding traction in all directions. The rubber toe over the lower buckle to the inside of inserts.

EASY SLIDE LOCK SYSTEM

3

The Ski-Walk mechanism is remarkably simple, durable, intuitive and easy to use. The system ensures exceptionally strong lock down for precise lateral and fore-aft control.

M-GRIP-SOLE 5

compound provides exceptional traction on hard surfaces while maintaining strong resistance to wear.

Safety is the first priority when it comes to Forefoot control is provided by a very simpgrip on a variety of surface conditions. The le and effective single buckle system. One the ankle. This distributes pressure on the forefoot evenly and comfortably.

3D CABLE LOCK SYSTEM

HEEL LOW CUT

The high cut out at the heel area of the up-

per shell (under the Ski-Walk mechanism)

enables even higher cuff rotation than our

previous model. This innovation achieves

ge of motion!) even with long strides.

maximum freedom of movement (65% ran-

DIMENSIONS

Size (mp)	Size (EU)	Boot sole length (mm)	Last width (mm)	Interior length of the shell (mm)	Interior height of the boot (mm)	
225	35-35,5	259	94	235	242,9	_
230/235	36-37	259	94	235	242,9	
240/245	37,5-38	269	96	245	242,9	
250/255	39-40	279	98	255	245,7	
260/265	41-41,5	289	100	265	248,4	
270/275	42-42,5	299	102	275	262,2	
280/285	43-44	309	104,2	285	265	
290/295	45-46	319	106,4	295	279,7	
300/305	46,5-47	329	108,6	305	284,2	

TECHINFO

	Pure Jr Flex 70
Application Area	Pure Flex 90
Application Area	Core L Flex 90
	Core Pro Carbon Flex 110
Cuff Range of Motion	60°-65°
Binding Compatibility	Tech + Kingpin
Climbing Crampons	all Classic & New Classic Fasteners
Recommendation	Grivel Skitour / Skirace

2

NEO FLEX TONGUE

4

The two-piece tongue creates smoothly progressive flex. The softer upper tongue flexes freely in ascent for natural freedom of movement. When the upper cuff is tightened for descents, force is transmitted down through the softer upper tongue to the stiffer lower tongue. The result is smoothly stiffening flex, ensuring perfect control on descents.



POWERSTRAP

9

The extra-wide Power Strap distributes the force on the cuff over a very large area. Switching from ascent to downhill is done by simply closing the buckle. Due to the scale on the power strap, the preferred position can be found quickly and easily. This enables a stable and comfortable preset requiring no adjustment between ascent and descent. The use of just one buckle at the cuff not only saves a considerable amount of weight but also reduces handling to a minimum for quick and easy switching to downhill mode, leaving more time to enjoy summit panoramas.





The new shell has zones in the forefoot area which can be reshaped by the use of hot air to create perfect fit. In particular, the area around the ball of the foot can be reshaped to eliminate pressure points and blister-prone areas.

TOURING BOOTS



CORE PRO CARBON

The CORE PRO touring boot with an improved shell and new liner | for women and men | 65° cuff rotation even more freedom of movement and comfort for the ascent | 18 forward lean in downhill mode - maximum power transmission for a sporty ski style Fully thermoformable liner for a perfect fit | Designed for: Sporty ski tourers | Focus: All mountain

Weight (g)	1.200 (26.5)
Liner	completely thermo-formable
Shell	can be selectively expanded
Sizes	MP 23.0 - 30.5
Colors	black / white
Item Number	5COPC/22/SIZE



CORE LITE

The women's model from the new CORE series | 60° shaft rotation - high flexibility for a natural and comfortable walking motion | 16° forward lean in downhill mode - for solid turns | inner boot with thermoformable zones at the fibula, shin, ankle and instep | light and comfortable to save energy going uphill stable, secure hold for optimal support going downhill area of use: for all-rounders, especially classic and all mountain tourers | HIGHLIGHT: The shell can be selectively expanded in the forefoot area - so it can be better adapted to the requirements of the female foot in sensitive areas

Weight (g)	1.150 (24.5)
Liner	thermo-formable at the fibula, shin, ankle & instep
Shell	can be selectively expanded
Sizes	MP 23.0 - 27.5
Colors	black / aubergine
Item Numbe	r 5COA/22/SIZE



PURE JR

The new Pure Jr created for the future Skimo Generation with the roots of our famous Pure Models | 65° shaft rotation - complete range of motion creates a natural and comfortable climbing movement | 16° forward lean in downhill mode - for smooth and powerful turns |Liner with thermo-formable zones at the calf, shin, ankle and instep | Soft Flex specifically designed for the demands of young/light riders | Intended for: All-round ski touring with a focus on classic and all-mountain skiing | HIGH-LIGHT: the shell forefoot can be selectively widened via heat treatment to relieve pressure points for a completely comfortable custom fit.

Weight (g)	1.150 (24.5)
Liner	thermo-formable at the fibula, shin, ankle & instep
Shell	can be selectively expanded
Sizes	MP 22.5 - 26.5
Colors	anthracite / black / orange
Item Numbe	r 5PUJ/21/SIZE

DEPENDING ON THE MODEL AND AREA OF **USE, THE PERFECT FLEX FOR OPTIMAL UPHILL** AND DOWNHILL PERFORMANCE


PURE

The unisex model from the new PURE series | 60° cuff rotation - full range of motion for natural and comfortable climbing | 16° lean in downhill mode – for smooth and powerful turns | Liner with thermo-formable zones on the calf, tibia, ankle and instep | Light and comfortable for power-saving ascents, muscular and powerful for optimal control on descents | Intended for: All-round ski touring with a focus on classic & all-mountain skiing

Weight (g)	1.250 (26.5)
Liner	thermoformbar an Wadenbein, Schienbein, Knöchel und Rist
Shell	can be selectively expanded
Sizes	MP 26,0 - 30,5
Colors	anthracite / black / blue
Item Number	5PUA/22/SIZE



BINDINGS



HAGAN PIN-BINDINGS ENGINEERED BY

ATKBINDINGS

ATK®, based in Fiorano Modenese (Modena, Italy), is one of the world-leading manufacturers of ski touring bindings using a lightweight construction. By concentrating on research and development, ATK® achieves every higher standards in quality and performance. All ATK® products are distinguished by their unforgettable precision, lightness and stability - for the best user experience. ATK® also stands out in regard to sustainability with 95% of its raw materials suppliers located within a 50 km radius of the plant and, using CNC production technology, there is hardly any waste.



Revolutionary new automatic skibrake system. Highest comfort and quality with incomparable performance at only 370g.

'g)	350
1	Aluminum alloy, POM, stainless steel
	DIN 5-12
ent Length	25mm
lidths	86, 91, 97, 102, 108, 120 mm
mber	CORE12E.WIDTH

AUTO LOCK SYSTEM MAGNETIC HEEL FLAP SYSTEM UP HILL HARDNESS VARIATOR SNOW PACK PROOF EASY ENTRY SYSTEM UND ELASTIC RESPONSE SYSTEM



ULTRA WORLDCUP

Super light, easy to use and reliable race, or light touring, bindings with fixed horizontal and vertical heel release and automatic semi-locking toe.

Weight (g)	110
Material	Aluminum alloy and Titanium
ltem Number	SL2020H

EASY ENTRY SYSTEM AND MONOLINK TECHNOLOGY OPTIONAL SAFETY LEASHES ATTACH TO HOLE IN TOE LEVER OPTIONAL CRAMPON MOUNTS OPTIONAL ADJUSTMENT PLATE

BINDINGS

BINDINGS





Evolution on the binding market with the revolutionary new automatic skibrake system. Classic toe pieces paired with brand new technology in the heel pieces. A binding that leaves no desire unfulfilled.

Weight (g)	295
Material	Aluminum alloy, POM, stainless steel
Z-Value	DIN 5 - 12
Adjustment Length	20 mm
Brake Widths	75, 86, 91, 97, 102, 108, 120 mm
Item Number	PINUP10.WIDTH

AUTO LOCK SKIBRAKE SYSTEM INTEGRATED CRAMPON MOUNTS ELASTIC RESPONSE SYSTEM



Same construction as the PIN UP 10 Evo. With a DIN range of 3-8 designed for lightweight tourers.

Weight (g)	295
Material	Aluminum alloy, POM, stainless steel
Z-Value	DIN 3 - 8
Adjustment Length	20 mm
Brake Widths	75, 86, 91, 97, 102, 108, 120
Item Number	PINUP8.WIDTH

AUTO LOCK SKIBRAKE SYSTEM INTEGRATED CRAMPON MOUNTS ELASTIC RESPONSE SYSTEM



PURE 10

A classing in the area of bindings in a new design with its familiar strengths and a few innovations. Extra light touring binding - versatile use for long tours, steep climbs and extreme descents.

Weight (g)	280
Material	Aluminum alloy, POM, stainless steel
Z-Value	DIN 5 - 10
Adjustment Length	20 mm
Brake Widths	75, 86, 91, 97, 102, 108, 120 mm
Item Number	PURE10B.WIDTH

ADJUSTABLE VERTICAL AND HORIZONTAL HEEL RETENTION EASY ENTRY SYSTEM AND ELASTIC RESPONSE SYSTEM DETACHABLE CRAMPON MOUNTS HEEL FLAP SYSTEM - 3 DIFFERENT WALKING MODES



With a total adjustment range of 00mm t

With a total adjustment range of 80mm the Core 10 Rental is ideal for rentals.

Weight (g)	390
Material	Aluminum alloy, POM, stainless steel
Z-Value	DIN 4 - 10
Adjustment Length	total range 80mm, 30mm toe piece, 50mm heel piece
Brake Widths	86, 91, 97, 102, 108, 120 mm
ltem Number	CORE10R.WIDTH

ADJUSTABLE VERTICAL AND HORIZONTAL HEEL RETENTION EASY ENTRY SYSTEM AND ELASTIC RESPONSE SYSTEM DETACHABLE CRAMPON MOUNTS HEEL FLAP SYSTEM - 3 DIFFERENT WALKING MODES



PURE 8

Same construction as the PURE 10. DIN range of 3-8 and just 280 grams designed for lightweight tourers.

Weight (g)	280
Material	Aluminum alloy, POM, stainless steel
Z-Value	DIN 3-8
Adjustment Length	20 mm
Brake Widths	75, 86, 91, 97 mm
Item Number	PURE8F.WIDTH

ADJUSTABLE VERTICAL AND HORIZONTAL HEEL RETENTION EASY ENTRY SYSTEM UND ELASTIC RESPONSE SYSTEM DETACHABLE CRAMPON MOUNTS HEEL FLAP SYSTEM - 3 DIFFERENT WALKING MODES



GROM

Specially developed for very light skiers and children/youths. Highest quality and safety for our next generation tourers.

290
Aluminum alloy, POM, stainless steel
DIN 1,5-5
50mm
75, 86, 91, 97 mm
GROM5.WIDTH

ADJUSTABLE VERTICAL AND HORIZONTAL HEEL RETENTION (DIN RANGE FROM 1.5 - 5) BIGGER/SOFTER FRONT LEVER SOFTER SPRINGS CAM RELEASE SYSTEM ELASTIC RESPONSE SYSTEM

SKINS



HAGAN HYBRID SKIN

HAGAN hybrid skins use the latest hybrid adhesive technology combining two different layers. The unique combination of silicone and special adhesive reliably holds to the ski. The hybrid skins are exceptionally easy to peel off the ski, leave no residue and work great even at low temperatures and for multiple transitions. Storage is simple without plastic foil, they never need to be re-glued and they separate very easily. More details on cleaning and reactivating the glue of hybrid skins under **kochalpin.at.**

Material	100 % Mohair
Item Number	see price list



HAGAN SMARTGLUE SKIN

Whether on the slopes or in the backcountry - the HA-GAN Smart Glue skin is the perfect all-rounder among the ski skins and ensures your safe and comfortable ascent.

Robust Mixmohair made of 65% mohair 35% nylon and a high abrasion resistance provide a perfect grip and also make the skin extremely durable.

Fiberseal technology makes your skin 100% water repellent.

The proven Smart Glue adhesive layer ensures easy handling and can be used down to -30 degrees.

Material 65 % Mohair 35 %	
ltem Number	see price list



BOOST SMARTGLUE SKIN

The Hagan Smart Glue skin is available in a matching design for the BOOST series. A robust Mixmohair material consisting of 65% mohair and 35% nylon guarantees high abrasion resistance, durability, and excellent grip. In addition, the Fiberseal technology ensures 100% water repellency. A Smart Glue adhesive layer enables easy handling and can be used in temperatures of up to -30 degrees Celsius.

Material	65 % Mohair 35% Nylon
Item Number	see price list



ACCESSORIES

POLES



HEEL PLATE R01

Long heel adjustment plate for a possible shift of 30 mm.. Light, functional, practical. The adjustment plate R01 is designed for the HAGAN Ultra Binding as well as for ATK's Race und Speed Touring bindings.

The R01 adjustment plate performs several functions: It allows you to smoothly shift the heel by up to 30 mm when using the same ski with 2 different boot types. This plate also creates a bridge over previous ski holes to avoid weakening of the ski and therefore dangers or unpleasant incidents.

Weight (g)	20g
Material	Alu, Stahl
Item Number	HZRAP



CRAMPONS

The lightest crampons on the market. Nevertheless, our ski crampons stand out for their strength and flexibility. Their aggressive tip shape makes it possible to gain maximum grip even on the hardest, iciest snow. Four small holes provide the option of attaching the crampons to the boots using a lace in emergencies.

Widths (mm)	70, 86, 91, 97, 102, 108, 120
Material	Titanal, Aluminum
Item Number	RA+Width+H

AVAILABLE IN 7 DIFFERENT SIZES CAN ALSO BE USED FOR ATK BINDINGS SUITABLE FOR ALL HAGAN PIN BINDINGS IF USED WITH HAGAN ULTRA WORLDCUP BINDINGS ACCESSORY "SRA" CRAMPON HOOK NECESSARY



TOUR

The two-part TOUR titanium touring pole stands for extreme robustness and reliability. The powerlock closure makes it easy to handle and means it can be continuously adjusted.

Size (cm)	85-140
Weight (g)	210 / Pole
Material	Titanal
Item Number	PPU/23

FOAM GRIP

PADDED GRIP EXTENSION POWER LOCK 3.0 ALU VARIO ARTICULATING BASKET POLES



ULTRA

The extremely light, fixed length pole with padded CX foam grip and padded comfort strap is designed for fast climbs such as "speed touring" and ski touring competitions. The Nordic steel tip and BC Nordic plate ensure a secure hold.

110, 115, 120, 125*, 130, 135, 140, 145
125 / Pole
Carbon Superlight
PUL/19/SIZE

XC FOAM GRIP PADDED NORDIC STRAP BC NORDIC BASKET NORDIC STEEL TIP

MERCHANDISE



HOODIE



CAP



TOUR HEADBAND



T-SHIRT M / F



INSULATED BOTTLE 0,6 L



HAGAN LUNCH BOX





NECK SCARF



T-SHIRT MOUNTAIN GREY M / F







MODEL RANGE 2023/2024

TOUR ALLMOUNTAIN CORE CARBON



NEW CORE CARBON 92	NEW CORE CARBON 89	NEW CORE CARBON 89 LITE	E NEW CORE CARBON 84	NEW CORE CARBON 84 LITE
Semi Sidewall	Semi Sidewall	Semi Sidewall	Semi Sidewall	Semi Sidewall
162, 170*, 176	154, 162, 170*, 178	154, 162*, 170, 178	156, 164*, 172	148, 156*, 164, 172
162: 125-92-108 1 70: 126-92-109 1 76: 127-92-110	154: 123-89-106 162: 124-89-107 170: 125-89-108 178: 127-89-109	154 : 123-89-106 162 : 124-89-107 170 : 125-89-108 178 : 127-89-109	156: 120-84-106 164: 122-84-107 172: 123-84-108	148: 119-84-105 156: 120-84-106 164: 122-84-107 172: 123-84-108
162: 17,5 170: 18,5 176: 19,5	154 : 15 162 : 16 170 : 18 178 : 20	154: 15 162: 16 170: 18 178: 20	156: 15 164: 16,5 172: 17,5	148: 14 156: 15 164: 16,5 172: 17,5
1.400 (at 170 cm)	1.250 (at 170 cm)	1.120 (at 162 cm)	1.190 (at 164 cm)	1.060 (at 156 cm)
340	320	320	310	310
140	120	120	90	90
30:70	35:65	35:65	50:50	50:50
Karuba / Carbon	Poplar/Carbon	Karuba / Carbon	Poplar/Carbon	Karuba / Carbon
CO92/23/LENGTH	CO89/23/LENGTH	COL89/23/LENGTH	CO84/23/LENGTH	COL84/23/LENGTH



	BOOST 99 X POW	BOOST 94 X POW	BOOST JR X POW
Construction	Semi Sidewall	Semi Sidewall	CAPJR
Length (cm)	168, 178*, 188	162, 170*, 176, 182	125, 135*, 145
Sidecut front-mid-rear)	168: 130-99-115 178: 131-99-116 188: 132-99-117	162: 125-94-108 170: 126-94-109 176: 127-94-110 182: 128-94-110	125: 114-76-105 135: 114-76-105 145: 115-76-106
Radius (m)	168 : 19 178: 20 188: 22	162: 17,5 170: 18,5 176: 19,5 182: 20,5	125: 8,5 135: 10,3 145: 11,8
Weight ¹ (g)	1.650 (at 178 cm)	1.500 (at 170 cm)	950 (at 135 cm)
Rocker Tip (mm)	410	350	220
Rocker Tail (mm)	210	150	120
Character % (Uphill:Downhill)	15:85	25:75	40:60
Core	Poplar / Carbon	Poplar/Carbon	Wood Composite Core
Item Nr.	BO99/22/LENGTH	BO94/22/LENGTH	BOJR/22/LENGTH



MODEL RANGE

MODEL RANGE 2023/2024

TOUR CLASSIC **PURE**

TOUR PROFESSIONAL ULTRA



	NEW ULTRA 89	NEW ULTRA 84	NEW ULTRA 79	NEW ULTRA 65
Construction	Semi Sidewall	Semi Sidewall	Semi Sidewall	Micro Sidewall
Length (cm)	154, 162, 170*, 178	148, 156, 164*, 172	148, 156, 164*, 172	151, 161*
Sidecut (front-mid-rear)	154: 123-89-106 162: 124-89-107 170: 125-89-108 178: 127-89-109	148: 119-84-105 156: 120-84-106 164: 122-84-107 172: 123-84-108	148: 109-79-95 156: 110-79-96 164: 111-79-97 172: 112-79-98	151: 95-65-78 161: 97-65-80
Radius (m)	154: 15 162: 16 170: 18 178: 20	148: 14 156: 15 164: 16.5 172: 17.5	148: 16 156: 17,5 164: 19 172: 21	151: 21 161: 23
Weight 1(g)	1.140 (at 170 cm)	1.050 (at 164 cm)	935 (at 164 cm)	700 (at 161 cm)
Rocker Tip (mm)	300	275	275	200
Rocker Tail (mm)	110	90	90	0
Character % (Uphill:Downhill)	40:60	70:30	75:25	90:10
Core	Karuba / Carbon	Karuba / Carbon	Karuba / Carbon	Karuba
Item Nr.	UL89/23/LENGTH	ULI84/23/LENGTH	UL79/23/LENGTH	UL65/23/LENGTH



PURE 90	PURE 85	PURE 75
Semi Sidewall	Semi Sidewall	Semi Sidewall
154, 163, 170*, 178	148, 156, 164*, 172	140, 147, 155*, 163, 170
154: 123/90/106 163: 124/90/107 170: 125/90/108 178: 127/90/109	148: 119/85/105 156: 120/85/106 164: 122/85/107 172: 123/85/108	140: 112/75/100 147: 112/75/100 155: 112/75/100 163: 112/75/100 170: 112/75/100
154: 15 1 63: 16 1 70: 185 1 78: 20	148: 14,5 156: 15 164: 16,5 172: 17,5	140: 10 147: 12 155: 14 163: 16 170: 18
1.350 (at 170 cm)	1.260 (at 164 cm)	1.200 (at 155 cm)
280 (154/163) 330 (170/178)	280 (148/156) 330 (164/172)	250
110	110	50
40:60	50:50	50:50
Karuba / Poplar	Karuba / Poplar	Poplar
PU90/22/LENGTH	PU85/22/LENGTH	PU75/22/LENGTH

*Only remaining quantities available

TOUR SPECIAL



NEW OFFTRACE
Cap Wood
170, 180*, 190, 200

130: 130-90-110

170: 68-60-65 **180:** 68-60-65 **190:** 68-60-65 **200:** 68-60-65

130: 9,5

1.250 (at 130 cm)	1.000 (at 180 cm)
180	150
0	0
50:50	90:10
Poplar	Poplar
OL/21/130	OTR/23/LENGTH

BINDINGS

OVERVIEW





PURE 10	PURE 8
280	280
Aluminum alloy, POM, stainless steel	Aluminum alloy, POM, s
DIN 5 - 10	DIN 3-8
20 mm	20 mm
75, 86, 91, 97, 102, 108, 120 mm	75, 86, 91, 97 mm
PURE10B.WIDTH	PURE8F.WIDTH

	CORE 12 EVO	ULTRA WORLDCUP
Weight (g)	350	110
Material	Aluminum alloy, POM, stainless steel	Aluminum alloy and Titanium
Z-Value	DIN 5 - 12	
Adjustment Length	 25 mm	
Brake Widths	- 86, 91, 97, 102, 108, 120 mm	
Item Nr.	CORE12E.WIDTH	SL2020H



	PIN UP 10 EVO	PIN UP 8 EVO
Weight (g)	295	295
Material	Aluminum alloy, POM, stainless steel	Aluminum alloy, POM, stainless steel
Z-Value	DIN 5 - 10	DIN 3 - 8
Adjustment Length	20 mm	20 mm
Brake Widths	75, 86, 91, 97, 102, 108, 120 mm	75, 86, 91, 97, 102, 108, 120
Item Nr.	PINUP10.WIDTH	PINUP8.WIDTH



CORE 10 Rental
390
Aluminum alloy, POM, s
DIN 4 - 10
total range 80mm, 30r
86, 91, 97, 102, 108, 120
CORE10R.WIDTH



1, stainless steel



1, stainless steel

0mm toe piece, 50mm heel piece

0 mm

BOOTS OVERVIEW

NOTES



CORE PRO CARBON

Weight (g)	1.200 (26.5)
Liner	completely thermo-formable
Shell	can be selectively expanded
Sizes	MP 23.0 - 30.5
Colors	black / white
Item Number	5COPC/22/SIZE



PURE

Weight (g)	1.250 (26.5)
Liner	thermo-formable at the fibula, shin, ankle & instep
Shell	can be selectively expanded
Sizes	MP 26,0 - 30,5
Colors	anthracite / black/ blue
Item Numbe	r 5PUA/22/SIZE



CORE LITE

Weight (g)	1.150 (24.5)
Liner	thermo-formable at the fibula, shin, ankle & instep
Shell	can be selectively expanded
Sizes	MP 23.0 - 27.5
Colors	black / aubergine
ltem Number	5COA/22/SIZE



PURE JR

Weight (g)	1.150 (24.5)
Liner	thermo-formable at the fibula, shin, ankle & instep
Shell	can be selectively expanded
Sizes	MP 22.5 - 26.5
Colors	anthracite / black / orange
ltem Numbe	r 5PUJ/21/SIZE



CONTACT

ANDORRA

OXIGEN DISTRIBUCIONS SL. C HORT DE GODI, 12°2A AD-200-ENCAMP, PRINCIPAT TEL +376-83 25 60 INFO@ OXIGEN.AD

BOSNIA HERZEGOVINA

AQUABALKAN D.O.O DONJE POLJE 42 88400 KONJIC TEL +387 (0) 36 287 008 ANELA@AQUABALKAN.BA

CHINA

BEIJING CARVING SKI SPORTS DEVELOPMENT CO., LTD. ROOM 903-907, BUILDING A CRCC CREATIVE BUILDING PINGGUOYUAN SOUTHROAD SHIJINGSHAN DISTRICT BEIJING 100641 TEL +86 10 566 388 24-60 43 BJCARVING2010@ HOTMAILCOM

CZECH REPUBLIC

SAM HAWKINS, S.R.O. OLDRICHOVICE 591 739 61 TRINEC TEL +42 060 846 74 76 SHAWKINS@ EMAILCZ

FINLAND

BEAR & WATER STORÖRINTIE 2 01120 SIPOO TEL +35 810 423 69 00 TUKKU@ BEARWATER.FI

FRANCE

SPORT PULSION 49 ROUTE DU NANT 74350 ALLONZIER LA CAILLE TEL +33 450 465 050 INFO@ SPORTPULSION.FR

GERMANY

HAGAN SKI GESM.B.H. ANDIESEN 11 A-4774 ST. MARIENKIRCHEN TEL +43 771 133 133 INFO@ HAGAN-SKI.COM

ITALY

HAGAN SKI GES.M.B.H. ANDIESEN 11 A-4774 ST. MARIENKIRCHEN TEL +43 771 133 133 INFO@ HAGAN-SKI.COM WWW.HAGAN-SKI.COM

JAPAN

MAGIC MOUNTAIN COLID. 2-8-5, NOBIDOME NIIZA CITY SAITAMA 352-0011 TEL +81 48 480 0088 INFO@ MAGIC-MOUNTAINJP WWW.MAGIC-MOUNTAINJP

PORTUGAL

J. ESTELLER SL POL. IND. MOLI DELS FRARES, C-34 08620 SANT VICENÇ DELS HORTS TEL +35121855.1195 INFO@ ESTELLERCOM

ROMANIA

SC, EXPLORER SRL STR. TURNULUI NR. 13 550197 SIBIU TEL +40 269 216 641 VOINESCU@ EXPLORERSPORT.RO

SOTLAND

BRAEMAR MOUNTAIN SPORTS LTD INVERCAULD ROAD, BRAEMAR AB35 5YP BRAEMAR@ BRAEMARMOUNTAINSPORTS.COM

SWITZERLAND

MARTIN BAUMGARTNER SCHNEIDER SPORT GMBH DORF 45 8767 ELM +41786880647 MARTIN@HAGAN-SKI.CH

SLOVAKIA

ITOCA KAMENNÉ POLE 4557/12 031 01 LIPTOVSKY MIKULÁŠ ITOCA@ITOCA.SK TEL +421 905 275 911

SLOVENIA

IGLU ŠPORT D.O.O. LITOSTROJSKA CESTA 40 1000 LJUBLJANA INFO@ IGLUSPORT.SI

SPAIN

J. ESTELLER SL POL. IND. MOLI DELS FRARES, C-34 08620 SANT VICENÇ DELS HORTS TEL +34 936 724 510 INFO@ ESTELLER.COM

SWEDEN

DESPORTER AB OTTSJÖ 203 837 96 UNDERSÅKER TEL +46 70 380 20 96 ORDER@ DESPORTER.SE

USA

HAGAN SKI USA PO BOX 454 20 LINCOLN GREEN BRECKENRIDGE, CO 80424 TEL +1 719 360 1693 INFO@HAGANSKIMOUNTAINEERING.COM WWW.HAGANSKIMOUNTAINEERING.COM

CONTACT AUSTRIA

HAGAN SKI GES.M.B.H. ANDIESEN 11 4774 ST. MARIENKIRCHEN AUSTRIA TEL +43 (0) 771 133 133 INFO@ HAGAN-SKICOM YOUTUBE.COM/HAGANSKI FACEBOOK.COM/HAGANSKIAT INSTAGRAM/HAGAN_SKI

GREECE

AIVAZIDIS PAVLOS 2XLM NAOUSSA-PIGADIA 59200 NAOUSSA TEL +30 6973470470 SKIAIVA@GMAIL.COM

WWW.HAGAN-SKI.COM

IMPRINT

IMAGE PHOTOGRAPHY: TOMAŽ DRUML, DANIEL FISCHER, ADOBE STOCK || PRO-DUCT PHOTOGRAPHY: MICHAEL PRESCHL PHOTOGRAPHY || PRINT: WAMBACHER VESS SCHÄRDING || ART DIRECTION: PLAPPERMAUL OG || TEXT: FRANZ SIEGES-LEUTHNER, MICHAEL HAGEN || ALL RIGHTS RESERVED, DESIGN MODIFICATIONS AND MINOR COLOR DE VIATIONS, ERRORS AND MISPRINTS EXCEPTED.

FIND OUT MORE ABOUT HAGAN:

