



Bin lifters, bin movers and powered tugs.

EXPERTS IN MINDFUL MOVING
Mobility solutions to help
you push, pull and lift with ease.



**Dandenong
Wheels & Castors**

rolling forward...

dandenongcastors.com.au
Ph. (03) 9792 3949
415 Hammond Rd, Dandenong VIC 3175



Niftylift BIN LIFTER



A manually operated bin lifter that aids in the lifting and tipping of wheelie bins—weighing up to 30 kg—into steel skip bins.

The assisted lift and slow-release gas-struts lift bins safely, while protecting the user from costly back injuries associated with lifting heavy loads above shoulder height.

Made in Australia.



Typical applications

Suitable for retail outlets, offices and factories.

Features

Lifting	
Capacity:	30 kg
Mechanism:	Full-swing
Recommended use	
Per person per day:	2 lifts
Bin compatibility	
Wheelie:	120 and 240 litre
Skip:	Up to 1500 mm
Operation	
Method:	Manual assisted lift
Time:	45 seconds
Dimensions (L/W/H)	900/800/1420 mm
Highest tip point	2850 mm
Fits through internal doorways	Yes

Safety features

- Skip bin hooks: Secures the bin lifter to a steel dumper bin, and only operates when secured.
- Padlock: The unit can only operate when unlocked.
- Slow-release gas-struts: Ensures the bin won't suddenly drop and potentially cause injury.
- Base cradle hook: The unit can only operate when the bin is resting on the base cradle hook.

	ORDER CODE	PRICE
Niftylift bin lifter 30 kg	NIFTYLIFT30	\$ 2 035 (+ GST)

Rugged (manual) BIN LIFTER



Designed with manoeuvrability in mind, its small footprint, light weight and its spark-free, manual handpump operation, make it the perfect solution for emptying wheelie bins into steel skip bins. Ideal for building sites, industrial worksites, mines, factories and spark-free environments.

The All Terrain model is perfect for outdoor use with its pneumatic wheels (pictured below).

The lift mechanism is a full-swing operation.

Made in Australia.



The Rugged Manual All Terrain model, with pneumatic wheels.



Typical applications

Suitable for construction sites, industrial worksites, mines, factories and spark-free environments.

Features

Lifting	
Capacity:	100 kg
Mechanism:	Full-swing
Recommended use	
Per person per day:	10 lifts
Bin compatibility	
Wheelie:	80, 120, 140 and 240 litre
Skip:	1500 and 1800 mm
Operation	
Method:	Hydraulic hand-pump
Time:	45 seconds
Dimensions (L/W/H)	BLHP1500: 850/850/1700 mm BLHP1800: 850/850/1960 mm
Highest tip point	BLHP1500/1500LL: 3250 mm BLHP1800: 3550 mm
Fits through internal doorways	Yes

Safety features

- Skip bin hooks: Secures the bin lifter to a steel dumper bin, and only operates when secured.
- Hand-pump ensures gradual controlled lift.
- Braking castors for stability.

	ORDER CODE	PRICE
Rugged Manual bin lifter for 1500 mm skip bins	BLHP1500	\$ 5 992 (+ GST)
Rugged Manual All Terrain bin lifter for 1500 mm skip bins	BLHPAT1500	\$ 6 592 (+ GST)
BHLP1500—lid lifter compatible	BLHP1500LL	\$ 6 527 (+ GST)
Rugged Manual bin lifter for 1500 and 1800 mm skip bins	BLHP1800	\$ 5 992 (+ GST)

Rugged (powered) BIN LIFTER



Designed with manoeuvrability in mind, its small footprint and light weight—combined with the 240V electro-hydraulic operation—make it the perfect solution for emptying heavy wheelie bins into steel skip bins on building and industrial sites.

The All Terrain model is perfect for outdoor use with its pneumatic wheels (pictured below).

The lift mechanism is a full-swing operation, as opposed to the lift-and-tilt operation of the Ecolift.

Made in Australia.



The Rugged Powered All Terrain model, with pneumatic wheels.



Typical applications

Suitable for construction sites, hotels, apartments, high-rise basements, caravan parks and other large outdoor areas

Features

Lifting	
Capacity:	150 kg
Mechanism:	Full-swing
Recommended use	
Per person per day:	50 lifts
Bin compatibility	
Wheelie:	80, 120, 140 and 240 litre
Skip:	1500 and 1800 mm
Operation	
Method:	Push-button hydraulic system
Mode:	Full-swing
Time:	35 seconds
Dimensions (L/W/H)	BLEH1500: 850/850/1700 mm BLEH1800: 850/850/1960 mm
Battery	12V rechargeable battery & smart charger
Highest tip point	BLEH1500/1500LL: 3250 mm BLEH1800: 3550 mm
Fits through internal doorways	Yes

Safety features

- Will only operate when connected to steel dumper bin.
- Braking castors for stability.

	ORDER CODE	PRICE
Rugged Powered bin lifter for 1500 mm skip bins	BLEH1500	\$ 8 453 (+ GST)
Rugged Powered All Terrain bin lifter for 1500 mm skip bins	BLEHAT1500	\$ 9 053 (+ GST)
BLEH1500—lid lifter compatible	BLEH1500LL	\$ 8 881 (+ GST)
Rugged Powered bin lifter for 1500 and 1800 mm skip bins	BLEH1800	\$ 8 453 (+ GST)

Ecolift BIN LIFTER



A lift-and-tilt crank handle operated unit for lifting and tipping wheelie bins into skip bins. Suitable for schools, factories, retail outlets and offices.

Eliminating all lifting from the process of emptying wheelie bins into skip bins, the bin is lifted by simply manually rotating the crank-handle—protecting the user from costly back injuries associated with lifting heavy loads above shoulder height.

Made in Australia.



Typical applications

Suitable for schools, factories, retail outlets and offices.

Features

Lifting	
Capacity:	50 kg
Mechanism:	Lift-and-tilt
Recommended use	
Per person per day:	6 lifts
Bin compatibility	
Wheelie:	80, 120, 140 and 240 litre
Skip:	Up to 1500 mm
Operation	
Method:	Manual winding crank-handle
Time:	45 seconds
Dimensions (L/W/H)	1200/800/2000 mm
Highest tip point	2800 mm
Fits through internal doorways	Yes (with winch handle removed)

Safety features

- Safety cage panels to protect operators and bystanders.
- The winding motion of the crank handle operation ensures gradual controlled bin lifting.
- Braking castors for stability.

ORDER CODE

PRICE

Ecolift bin lifter 50 kg
for 1500 mm skip bins.

ECOLIFT50

\$ 3 610 (+ GST)

Simplicity Plus BIN LIFTER



A battery operated hydraulic push button unit that aids in the lifting and emptying of wheelie bins into dumper bins.

The ideal unit for heavy weight and frequent lifts. The push-button operation eliminates the manual handling and associated risks of lifting bins.

Suitable for construction sites, apartment blocks, waste management companies, event organisers.

Made in Australia.



Typical applications

Suitable for construction sites, apartment blocks, waste management companies, event organisers.

Features

Lifting	
Capacity:	150 kg
Mechanism:	Lift-and-tilt
Recommended use	
Per person per day:	100 lifts
Bin compatibility	
Wheelie:	80, 120, 140 and 240 litre
Skip:	1500 and 1800 mm
Operation	
Method:	Push-button hydraulic system
Time:	35 seconds
Dimensions (L/W/H)	1500/980/2200 mm
Battery	12V rechargeable battery and smart charger
Highest tip point	2900 mm

Safety features

- Safety cage eliminates hand and foot crush-points for operators and bystanders.
- Braking castors for stability.

	ORDER CODE	PRICE
Simplicity Plus for 1500 mm skip bins	SIMPLUS150HY1500	\$ 12 490 (+ GST)
Simplicity Plus for 1800 mm skip bins	SIMPLUS150HY1800	\$ 12 490 (+ GST)

Universal BIN LIFTER



A battery operated hydraulic push button unit that aids in the lifting and emptying of wheelie bins into dumper bins. Completely Australian Standards compliant, the safety cage and extra guarding adds extra protection for users.

This is an ideal unit for heavy weight and frequent lifts. The push-button operation eliminates manual handling and associated risks of lifting bins.

Suitable for supermarkets, schools, construction sites, apartment blocks, waste management companies, event organisers.

Made in Australia.



Typical applications

Suitable for supermarkets, schools, construction sites, apartment blocks, waste management companies, event organisers.

Features

Lifting	
Capacity:	250 kg
Mechanism:	Lift-and-tilt
Recommended use	
Per person per day:	100+ lifts
Bin compatibility	
Wheelie:	80, 120, 140 and 240 litre
Skip:	1500 and 1800 mm
Operation	
Method:	Push-button hydraulic system
Time:	35 seconds
Dimensions (L/W/H)	1500/980/2200 mm
Battery	12V rechargeable battery and smart charger
Highest tip point	2900 mm

Safety features

- Safety cage and door eliminates all hand and foot crush-points for operators and bystanders.
- Braking castors for stability.
- Sturdy, stand-alone unit.

	ORDER CODE	PRICE
Universal bin lifter for 1500 mm skip bins	UBL250HY1500	\$ 13 990 (+ GST)
Universal bin lifter for 1800 mm skip bins	UBL250HY1800	\$ 13 990 (+ GST)

Tug Compact POWERED TUG



A nimble powered tug that allows a user to tow up to 500 kg safely. It is the ideal tug for towing document, stock, bin, linen and medical trolleys in and around tight spaces and aisles with ease.

Using the tiller handle to tow the tug, the operator is in front of the load, increasing visibility and reducing the risk of collisions.

Powered towing can eliminate push/pull injuries caused by manually moving heavy trolleys or repetitive movements.

Made in Australia.



Typical applications

Suitable for hospitals, linen service, casinos, hospitality, warehouses, universities.

Features

Tow capacity	500 kg
Max. speed	Up to 5 km/hour
Speed mode	Three speed motor with emergency stop
Usability	<ul style="list-style-type: none">• Non-marking tyres.• No driver's licence required.• Simple to use.• Quiet, smooth operation.• Zero emissions.
Hitching	<ul style="list-style-type: none">• Supplied with a pin hitch.• Wide variety of hitches available for easy attachment to trolleys.
Dimensions (L/W/H)	650/610/934 mm (handle down)
Battery	Two 12V MK-Gel

Safety features

- Intuitive control with standard automatic safety brake, forward and reverse drive.
- Emergency stop button.
- Emergency back-off button.

	ORDER CODE	PRICE
Tug Compact 500 kg	TUGCOMPACT500	\$ 9 191.30 (+ GST)
Tug Compact 500 kg (no hitch)	TUGCOMPACT500NH	\$ 8 816.80 (+ GST)

Tug Evo POWERED TUG



A powerful machine, the Tug Evo is available in one or two tonne towing capacities.

Ideal for transporting medical carts around hospitals, moving heavy specialist equipment or moving heavy trolleys.

Using the tiller handle to tow the tug, the operator is in front of the load, increasing visibility and reducing the risk of collisions.

Powered towing can eliminate push/pull injuries caused by manually moving heavy trolleys or repetitive movements.

Made in Australia.



Typical applications

Suitable for airports, factories, warehouses, apartment buildings or large facilities.

Features


Tow capacity	Tug Evo 1T: 1000 kg Tug Evo 2T: 2000 kg
Max. speed	Up to 5 km/hour
Speed mode	Three speed motor with emergency stop
Usability	<ul style="list-style-type: none"> • No driver's licence required. • Simple to use. • Quiet, smooth operation. • Zero emissions.
Hitching	<ul style="list-style-type: none"> • Supplied with an auto-latching hitch. • Wide variety of hitches available for easy attachment to trolleys.
Dimensions (L/W/H)	1480/610/852 mm (handle down)
Battery	Two 12V MK-Gel

Safety features

- Intuitive control with standard automatic safety brake, forward and reverse drive.
- Emergency stop button.
- Emergency back-off button.

	ORDER CODE	PRICE
Tug Evo 1 tonne	TUGEVO1T	\$ 11 502.50 (+ GST)
Tug Evo 1 tonne (no hitch)	TUGEVO1TNH	\$ 11 128.00 (+ GST)
Tug Evo 2 tonne	TUGEVO2T	\$ 12 679.50 (+ GST)
Tug Evo 2 tonne (no hitch)	TUGEVO2TNH	\$ 12 305.00 (+ GST)

Tug Classic POWERED TUG



A powerful workhorse in the Tug range with the ability to tow up to 3.5 tonnes with ease, the Tug Classic is designed to improve safety and efficiency, whilst reducing the risk of accidents that can occur when manually moving very heavy loads.

Suitable for moving heavy trolleys or specialist equipment.

Ideal solution in helping to implement a 'no forklift zone' while protecting staff and products.

Made in Australia.

Typical applications

Suitable for airports, factories, or large facilities.

Features

Tow capacity	3500 kg
Max. speed	Up to 4 km/hour
Speed mode	Three speed motor with emergency stop
Usability	<ul style="list-style-type: none"> • No driver's licence required. • Simple to use. • Quiet, smooth operation. • Zero emissions.
Hitching	<ul style="list-style-type: none"> • Supplied with a lock-tow hitch. • Wide variety of hitches available for easy attachment to trolleys.
Dimensions (L/W/H)	1550/740/750 mm
Battery	Two 12V MK-Gel

Safety features

- Intuitive control with standard automatic safety brake, forward and reverse drive.
- Emergency stop button.
- Emergency back-off button.

	ORDER CODE	PRICE
Tug Classic 3.5 tonne	TUGCLASSIC3.5T	\$ 16 103.50 (+ GST)
Tug Classic 3.5 tonne (no hitch)	TUGCLASSIC3.5TNH	\$ 15 729.00 (+ GST)

Tug Tough POWERED TUG



The perfect heavy duty workhorse for loads up to 20 tonnes, the Tug Tough utilises a powerful 48 V drive system to allow a single operator to hitch to and move big loads.

Available in 10 tonne (Tough 10T) and 20 tonne (Tough 20T) models, the Tug Tough can be fitted with an optional hydraulic lifting hitch available for either capacity.

It allows the operator to walk in front of the heavy load, allowing maximum forward vision and eliminating the possibility of accidents when negotiating turns.

Ideal for moving very heavy wheeled loads and equipment, heavy duty construction, vehicles and aircraft.

Made in Australia.

Typical applications

Suitable for airports, mining, factories, railways.

Features

Tow capacity	<ul style="list-style-type: none">• Tug Tough 10T: 10 000 kg• Tug Tough 20T: 20 000 kg
Max. speed	Up to 2.5 km/hour
Speed mode	Three speed motor with emergency stop
Usability	<ul style="list-style-type: none">• No driver's licence required.• Simple to use.• Quiet, smooth operation.• Zero emissions.
Hitching	<ul style="list-style-type: none">• Supplied with a hook-pin hitch.• Wide variety of automated hitches available.• A five tonne lifting hitch is available.
Dimensions (L/W/H)	<ul style="list-style-type: none">• Tug Tough 10T: 1910/750/995 mm• Tug Tough 20T: 2500/1800/900 mm
Battery	Two 12V MK-Gel

Safety features

- Intuitive control with standard automatic safety brake, forward and reverse drive.
- Emergency stop button.
- Emergency back-off button.

	ORDER CODE	PRICE
Tug Tough 10 tonne	TUGTOUGH10T	\$ 23 486.50 (+ GST)
Tug Tough 20 tonne	TUGTOUGH20T	\$ 53 446.50 (+ GST)

Transpak POWERED TROLLEY



The Electrodrive Transpak makes light work of meal deliveries, providing a power drive to overcome the push effort. Manoeuvring is easy with its tiller style control, and visibility is vastly improved as the trolley is positioned behind the operator, keeping them in front of the load.

Meal deliveries in hospitals and aged care facilities is a demanding task. Pushing and manoeuvring refrigerated and heated tray delivery units presents serious risks of manual handling injuries, like back and side strains, while obscured vision increases the risk of accidents and collisions.

The Transpak can motorise your existing manual trolley or move heavy loads up and down ramps, over carpet and in-and-out of lifts.

The Transpak is completely customisable to suit any meal delivery system.

Made in Australia.

Typical applications

Suitable for hospitals, hotels, nursing homes and function centres.

Features

Tow capacity	500 kg
Max. speed	Up to 4 km/hour
Speed mode	Three speed motor with emergency stop
Usability	<ul style="list-style-type: none"> • No driver's licence required. • Simple to use. • Quiet, smooth operation. • Zero emissions.
Compatibility	<ul style="list-style-type: none"> • Compatible with all meal delivery systems including those from Burlodge, Socamel and Versigen. • Frame size can be built to suit your requirements.
Dimensions (L/W/H)	1980/700/860 mm (handle down)
Battery	12V MK-Gel

Safety features

- Intuitive control with standard automatic safety brake, forward and reverse drive.
- Emergency stop button.
- Emergency back-off button.

	ORDER CODE	PRICE
Transpak powered trolley 500 kg	TRANSPAK500	\$ 8 827.50 (+ GST)

Powered bin trolley BIN MOVER



The Powered Bin Trolley can move up to three 240 litre wheelie bins—weighing up to 400 kg—over a flat surface. Its powered drive-wheel can also handle ramps with up to 5° inclines.

The smart design allows for an easy turning circle and smooth manoeuvrability, while the operator safely stays in front of the load, maximising forward vision.

Made in Australia.



Typical applications

Suitable for nursing homes, car parks, theme parks, hospitals and sporting complexes.

Features

Tow capacity	400 kg on flat surfaces.
Load capacity	Up to three 240 litre wheelie bins
Max. speed	Up to 4 km/hour
Speed mode	Three speed motor with emergency stop
Usability	<ul style="list-style-type: none">• Powered drive wheel can carry loads over ramps up to 5°.• No driver's licence required.• Simple to use with easy turning action.• Quiet, smooth operation.• Zero emissions.
Dimensions (L/W/H)	2887/739/1596 mm
Battery	12V MK-Gel

Safety features

- Intuitive control with standard automatic safety brake, forward and reverse drive.
- Emergency stop button.
- Emergency back-off button.

	ORDER CODE	PRICE
Powered Bin Trolley	POWBINTROLLEY	\$ 10 753.50 (+ GST)

Modular bin trailer BIN MOVER



Trailer with optional tow ball coupling shown.



Move multiple wheelie bins to a centralised area, powered by an Electrodrive Tug, the system is compatible with 80, 120, 140, 240 and 360 litre wheelie bins.

It is an ideal solution for facilities with multiple wheelie bins (ranging from 80–240 litres) that need to be regularly moved for emptying. The Electrodrive Tug (capacity depending on application) can be configured to attach directly to the Modular Bin Trailer (or your large waste bin).

Made in Australia.

Typical applications

Suitable for apartment buildings, schools, sports grounds, hotels, universities and institutions.

Features

Load capacity	Up to 240 kg per bin bay. Available in three and six bin models.
Usability	Fits within one standard car parking space.
Bin compatibility	80, 120, 140, 240 and 360 litre wheelie bins
Hitching	<ul style="list-style-type: none"> • Comes with a drawbar to suit pin hitch as standard. • Also available with tow ball or hitch couplings.
Dimensions (L/W/H)	<ul style="list-style-type: none"> • 3-bay trailer: 2850/700/1432 mm • 6-bay trailer: 2874/1378/1447 mm

Safety features

Gas strut actuated bin ramp.

	ORDER CODE	PRICE
Three bay trailer for 80–360 L wheelie bins	MODULAR3	\$ 1 926 (+ GST)
Six bay trailer for 80–360 L wheelie bins	MODULAR6	\$ 3 852 (+ GST)