

M Series 85–200 kg



Wheels



MJQ*
TPE, precision bearing, thread guard



STQ
Grey rubber, round profile, precision bearing, thread guard



MSQ¹
Grey rubber, flat profile, precision bearing, thread guard



CBQ
Blue hi-res rubber, precision bearing, thread guard



MBQ
Blue hi-res rubber, precision bearing, thread guard



MNN²
Hard nylon, plain bearing



DNQ³
Hard nylon, precision bearing



QUQ¹
PU, precision bearing, thread guard

Forks



MZP
Plate with swivel



MZPTB
Plate with swivel and total brake



MZPDL
Plate with swivel and direction lock



MZF
Fixed plate, no swivel



MZH
Bolt hole swivel



MZHTB
Bolt hole swivel and total brake



MZHDL
Bolt hole swivel and direction lock


Features

- Thermoplastic elastomer (TPE), blue high resilience (hi-res) rubber, grey rubber, polyurethane (PU) or hard nylon wheels with an 8 mm bore diameter
- Swivel, fixed plate and bolt hole zinc plated Core Coat™ forks with or without total brake or direction lock
- Available with Chicago screw axles and alternate colourways
- Excellent corrosion resistance at three times the Australian Standard
- Made in Australia

| Wheel | Max load (kg) | Diameter x tread (mm) | Hub x bore (mm) | Wheel | Max load (kg) | Diameter x tread (mm) | Hub x bore (mm) |
|---------|---------------|-----------------------|-----------------|---------|---------------|-----------------------|-----------------|
| MJQ75G | 85 | 75 x 32 | 40 x 8 | MBQ100G | 140 | 100 x 32 | 40 x 8 |
| MJQ100G | 85 | 100 x 32 | 40 x 8 | MBQ125G | 150 | 125 x 32 | 40 x 8 |
| MJQ125G | 85 | 125 x 32 | 40 x 8 | MNN75 | 150 | 75 x 32 | 40 x 8 |
| STQ75G | 100 | 75 x 32 | 40 x 8 | MNN100 | 150 | 100 x 32 | 40 x 8 |
| STQ100G | 100 | 100 x 32 | 40 x 8 | MNN125 | 150 | 125 x 32 | 40 x 8 |
| STQ125G | 100 | 125 x 32 | 40 x 8 | DNQ125 | 200 | 125 x 32 | 40 x 8 |
| MSQ100G | 140 | 100 x 34 | 40 x 8 | QUQ75G | 200 | 75 x 32 | 40 x 8 |
| MSQ125G | 150 | 125 x 34 | 40 x 8 | QUQ100G | 200 | 100 x 32 | 40 x 8 |
| CBQ75G | 85 | 75 x 33 | 40 x 8 | QUQ125G | 200 | 125 x 32 | 40 x 8 |
| CBQ100G | 100 | 100 x 33 | 40 x 8 | | | | |
| CBQ125G | 100 | 125 x 33 | 40 x 8 | | | | |

| Fork | Wheel size (mm) | Mount height (mm) | Turning radius (mm) |
|---------------------------------|-----------------|-------------------|---------------------|
| MZP/MZH/MZF ⁴ | 75 | 106 | 71 |
| | 100 | 135 | 91 |
| | 125 | 161 | 103 |
| MZPTB/MZPDL/ MZHTB/ MZHDL | 75 | 106 | 118 |
| | 100 | 135 | 128 |
| | 125 | 161 | 128 |

Fork mounts



Colourway and axle options

Colourway



Standard

Default castor colourway

Black

Add **B** to castor code

Example:
CBQ75G/MZPTBB

Grey

Add **G** to castor code

Example:
CBQ75G/MZPTBG

Chicago screw axle (optional)



To upgrade to a Chicago screw axle, add **C** to the end of castor code (after any colourway options)

Example:
CBQ75G/MZPTBBC

Order codes

| Wheel | Fork | Castor | Wheel | Fork | Castor | |
|----------|---------------|--|---|---|---|--|
| CBQ75G | M75ZP | CBQ75G/MZP | MBQ125G | M125ZP | MBQ125G/MZP | |
| | M75ZPTB | CBQ75G/MZPTB | | M125ZPTB | MBQ125G/MZPTB | |
| | M75ZPDL | CBQ75G/MZPDL | | M125ZPDL | MBQ125G/MZPDL | |
| | M75ZF | CBQ75G/MZF | | M125ZF | MBQ125G/MZF | |
| | M75ZH | CBQ75G/MZH | | M125ZH | MBQ125G/MZH | |
| | M75ZHTB | CBQ75G/MZHTB | | M125ZHTB | MBQ125G/MZHTB | |
| CBQ100G | M75ZHDL | CBQ75G/MZHDL | MJQ75G | M125ZHDL | MBQ125G/MZHDL | |
| | M100ZP | CBQ100G/MZP | | M75ZP | MJQ75G/MZP | |
| | M100ZPTB | CBQ100G/MZPTB | | M75ZPTB | MJQ75G/MZPTB | |
| | M100ZPDL | CBQ100G/MZPDL | | M75ZPDL | MJQ75G/MZPDL | |
| | M100ZF | CBQ100G/MZF | | M75ZF | MJQ75G/MZF | |
| | M100ZH | CBQ100G/MZH | | M75ZH | MJQ75G/MZH | |
| CBQ125G | M100ZHTB | CBQ100G/MZHTB | MJQ100G | M75ZHTB | MJQ75G/MZHTB | |
| | M100ZHDL | CBQ100G/MZHDL | | M75ZHDL | MJQ75G/MZHDL | |
| | M125ZP | CBQ125G/MZP | | M100ZP | MJQ100G/MZP | |
| | M125ZPTB | CBQ125G/MZPTB | | M100ZPTB | MJQ100G/MZPTB | |
| | M125ZPDL | CBQ125G/MZPDL | | M100ZPDL | MJQ100G/MZPDL | |
| | M125ZF | CBQ125G/MZF | | M100ZF | MJQ100G/MZF | |
| DNQ125 | M125ZH | CBQ125G/MZH | MJQ125G | M100ZH | MJQ100G/MZH | |
| | M125ZHTB | CBQ125G/MZHTB | | M100ZHTB | MJQ100G/MZHTB | |
| | M125ZHDL | CBQ125G/MZHDL | | M100ZHDL | MJQ100G/MZHDL | |
| | M125ZP | DNQ125/MZP | | M125ZP | MJQ125G/MZP | |
| | M125ZPTB | DNQ125/MZPTB | | M125ZPTB | MJQ125G/MZPTB | |
| | M125ZPDL | DNQ125/MZPDL | | M125ZPDL | MJQ125G/MZPDL | |
| MBQ100G | M125ZF | DNQ125/MZF | MJQ125G | M125ZF | MJQ125G/MZF | |
| | M125ZH | DNQ125/MZH | | M125ZH | MJQ125G/MZH | |
| | M125ZHTB | DNQ125/MZHTB | | M125ZHTB | MJQ125G/MZHTB | |
| | M125ZHDL | DNQ125/MZHDL | | M125ZHDL | MJQ125G/MZHDL | |
| | M100ZP | MBQ100G/MZP | | * MJQ also available in conductive—MAQ, or plain bearing—MJA. | | |
| | M100ZPTB | MBQ100G/MZPTB | | | ¹ Wheels also available with plain bearing—MSA, QUA. | |
| M100ZPDL | MBQ100G/MZPDL | ² MNN actual bore size is 12 mm reduced to 8 mm with an axle bush. Also available in white—MNN...W. | | | | |
| M100ZF | MBQ100G/MZF | ³ DNQ also available in white—DNQ125W. | | | | |
| M100ZH | MBQ100G/MZH | ⁴ MZF—fixed plate has no turning radius. | | | | |
| M100ZHTB | MBQ100G/MZHTB | ⁵ North American plate. Add N at the end of fork code to purchase (e.g. CBQ75G/MZPNTB). | | | | |
| | M100ZHDL | MBQ100G/MZHDL | ⁶ Bushes available to reduce bolt hole to 8 and 10 mm. Grip-neck pintles also available (see page 64). | | | |

| Wheel | Fork | Castor |
|---------|----------|---------------|
| MNN75 | M75ZP | MNN75/MZP |
| | M75ZPTB | MNN75/MZPTB |
| | M75ZPDL | MNN75/MZPDL |
| | M75ZF | MNN75/MZF |
| | M75ZH | MNN75/MZH |
| | M75ZHTB | MNN75/MZHTB |
| | M75ZHDL | MNN75/MZHDL |
| MNN100 | M100ZP | MNN100/MZP |
| | M100ZPTB | MNN100/MZPTB |
| | M100ZPDL | MNN100/MZPDL |
| | M100ZF | MNN100/MZF |
| | M100ZH | MNN100/MZH |
| | M100ZHTB | MNN100/MZHTB |
| | M100ZHDL | MNN100/MZHDL |
| MNN125 | M125ZP | MNN125/MZP |
| | M125ZPTB | MNN125/MZPTB |
| | M125ZPDL | MNN125/MZPDL |
| | M125ZF | MNN125/MZF |
| | M125ZH | MNN125/MZH |
| | M125ZHTB | MNN125/MZHTB |
| | M125ZHDL | MNN125/MZHDL |
| MSQ100G | M100ZP | MSQ100G/MZP |
| | M100ZPTB | MSQ100G/MZPTB |
| | M100ZPDL | MSQ100G/MZPDL |
| | M100ZF | MSQ100G/MZF |
| | M100ZH | MSQ100G/MZH |
| | M100ZHTB | MSQ100G/MZHTB |
| | M100ZHDL | MSQ100G/MZHDL |
| MSQ125G | M125ZP | MSQ125G/MZP |
| | M125ZPTB | MSQ125G/MZPTB |
| | M125ZPDL | MSQ125G/MZPDL |
| | M125ZF | MSQ125G/MZF |
| | M125ZH | MSQ125G/MZH |
| | M125ZHTB | MSQ125G/MZHTB |
| | M125ZHDL | MSQ125G/MZHDL |

| Wheel | Fork | Castor |
|---------|----------|---------------|
| QUQ75G | M75ZP | QUQ75G/MZP |
| | M75ZPTB | QUQ75G/MZPTB |
| | M75ZPDL | QUQ75G/MZPDL |
| | M75ZF | QUQ75G/MZF |
| | M75ZH | QUQ75G/MZH |
| | M75ZHTB | QUQ75G/MZHTB |
| | M75ZHDL | QUQ75G/MZHDL |
| QUQ100G | M100ZP | QUQ100G/MZP |
| | M100ZPTB | QUQ100G/MZPTB |
| | M100ZPDL | QUQ100G/MZPDL |
| | M100ZF | QUQ100G/MZF |
| | M100ZH | QUQ100G/MZH |
| | M100ZHTB | QUQ100G/MZHTB |
| | M100ZHDL | QUQ100G/MZHDL |
| QUQ125G | M125ZP | QUQ125G/MZP |
| | M125ZPTB | QUQ125G/MZPTB |
| | M125ZPDL | QUQ125G/MZPDL |
| | M125ZF | QUQ125G/MZF |
| | M125ZH | QUQ125G/MZH |
| | M125ZHTB | QUQ125G/MZHTB |
| | M125ZHDL | QUQ125G/MZHDL |

| Wheel | Fork | Castor |
|---------|----------|---------------|
| STQ75G | M75ZP | STQ75G/MZP |
| | M75ZPTB | STQ75G/MZPTB |
| | M75ZPDL | STQ75G/MZPDL |
| | M75ZF | STQ75G/MZF |
| | M75ZH | STQ75G/MZH |
| | M75ZHTB | STQ75G/MZHTB |
| | M75ZHDL | STQ75G/MZHDL |
| STQ100G | M100ZP | STQ100G/MZP |
| | M100ZPTB | STQ100G/MZPTB |
| | M100ZPDL | STQ100G/MZPDL |
| | M100ZF | STQ100G/MZF |
| | M100ZH | STQ100G/MZH |
| | M100ZHTB | STQ100G/MZHTB |
| | M100ZHDL | STQ100G/MZHDL |
| STQ125G | M125ZP | STQ125G/MZP |
| | M125ZPTB | STQ125G/MZPTB |
| | M125ZPDL | STQ125G/MZPDL |
| | M125ZF | STQ125G/MZF |
| | M125ZH | STQ125G/MZH |
| | M125ZHTB | STQ125G/MZHTB |
| | M125ZHDL | STQ125G/MZHDL |