

Scissor Lifts

Eliminate back injuries using our hydraulic scissor lift tables. Versatile and safe way of transporting and handling of goods in offices, warehouses, workshops, Industry bays, hospitals and retail.



HYDRAULIC LIFT



TF15

Positive braking system on rear wheels for safety.
Handle folds flat for easy storage.

Features	Specifications
Capacity	150kg
Table Height Range	220 - 750mm
Table Dimensions	700 x 450 x 36mm
Wheel Diameter	100 x 25mm
Handle Height from ground	950mm
Weight	49kg



HYDRAULIC LIFT



TF30 & TF50

Overload valve ensures load limit is not exceeded.

Features	TF30	TF50
Capacity	300kg	500kg
Table Height Range	285 - 880mm	285 - 880mm
Table Dimensions	815 x 500 x 50mm	815 x 500 x 50mm
Wheel Diameter	125 x 40mm	125 x 40mm
Handle Height from ground	990mm	990mm
Weight	77kg	81kg



HYDRAULIC LIFT



TFD35

High Lift 1300mm.
Double Lift.

Features	Specifications
Capacity	350kg
Table Height Range	355 - 1300mm
Table Dimensions	910 x 500 x 53mm
Wheel Diameter	125 x 40mm
Handle Height from ground	975mm
Weight	136kg



HYDRAULIC LIFT



TF75

1000 x 510mm Deck.
750kg Capacity.

Features	Specifications
Capacity	750kg
Table Height Range	420 - 900mm
Table Dimensions	1000 x 510 x 55mm
Wheel Diameter	147 x 50mm
Handle Height from ground	1000mm
Weight	120kg



HYDRAULIC LIFT

TFD70

Large Deck Size.
700kg Capacity.

Features	Specifications
Capacity	700kg
Table Height Range	450 - 1500mm
Table Dimensions	1220 x 610 x 53mm
Wheel Diameter	125 x 40mm
Handle Height from ground	1015mm
Weight	170kg



TG100



TG50

HYDRAULIC LIFT

TG50 & TG100

Huge Deck Size.

Features	TG50	TG100
Capacity	500kg	1000kg
Table Height Range	286 - 915mm	360 - 1400mm
Table Dimensions	1600 x 810 x 55mm	2050 x 750 x 55mm
Wheel Diameter	127mm	80mm rear/180mm front
Handle Height from ground	990mm	990mm
Weight	154kg	198kg



ELECTRIC LIFT

ETF50

Electric Lifting.
Great for loads up to 500kg.

Features	Specifications
Capacity	500kg
Table Height Range	440 - 1025mm
Table Dimensions	1010 x 520 x 50mm
Wheel Diameter	150 x 48mm
Handle Height from ground	970mm
Weight	157kg



ELECTRIC LIFT

ETF35

Double Electric Lift.
Lifts to 1300mm.

Features	Specifications
Capacity	350kg
Table Height Range	370 - 1300mm
Table Dimensions	910 x 500 x 53mm
Wheel Diameter	125 x 40mm
Handle Height from ground	920mm
Weight	142kg



SCISSOR LIFT



TFD15S Scissor Lift Table

Stainless Steel Construction.
Galvanized Scissors & Pump.

Features	Specifications
Capacity	100kg
Minimum Height	250mm
Maximum Height	1220mm
Platform Size (Length x Width)	700 x 445mm



SCISSOR LIFT



TFD35S Scissor Lift Table

Stainless Steel Construction.
Galvanized Scissors & Pump.

Features	Specifications
Capacity	350kg
Minimum Height	355mm
Maximum Height	1295mm
Platform Size (Length x Width)	910 x 500mm



ELECTRIC LIFT



MES150 Lifter Transporter

Ideal for Laboratory, Office
& Light Industrial.
Rechargeable Battery.

Features	Specifications
Capacity	150kg
Lifting Height	1535mm
Fork Overall Width	520mm
Fork Length	460mm
Battery	12V/7Ah
Motor	12V
Weight	58kg



WINCH LIFT



WFH181 Hand Stacker

Lightweight Stacker - Great for Tradespeople!
Folds and loads easily into a ute or station wagon.
Compact design allows you to lift and manoeuvre in tight work areas/spaces.

Features	Specifications
Capacity	181kg
Fork Height Range	90 - 2400mm
Fork Overall Width	630mm
Fork Length	570mm
Dimensions	850 x 650 x 2500mm
Weight	60kg



HYDRAULIC LIFT



FP0415 Platform Stacker

Foot Pedal Operation.
Overload Protection Valve Equipped.
Hard Chrome-plated Frame.
Two Frame Rollers and two Steering Rollers ensures a stable and safe operation.

Features	Specifications
Capacity	400kg
Lift Range	200 - 1500mm
Platform Size	590 x 650mm
Wheels	4
Overall Height	1630mm
L x W x H	1015 x 590 x 1630mm
Weight	91kg



HYDRAULIC LIFT



3W219 Standard Steel Lifter

Features	Specifications
Capacity	340kg
Lift Range	10 - 1350mm
Platform Size	560 x 560mm
Wheels	2
Overall Height	1545mm
L x W x H	880 x 570 x 1545mm
Weight	80kg



ELECTRIC LIFT



EPS0415 Electric Platform Stacker

Electric Lift - Manual Push.
Special design combines lifting, transporting and stacking function together.

Features	Specifications
Capacity	400kg
Fork Height Range	85 - 1500mm
Platform Size (Length x Width)	650 x 576mm
Battery	DC12V 60AH
Motor	DC12V 700W



ELECTRIC LIFT



SPN15 Semi Electric Straddle Leg Stacker

Electric Lift - Manual Push.

Features	Specifications
Capacity	1500kg
Fork Height Range	55 - 2500mm
Straddle Leg Width	1360mm
Fork Length	1150mm
Battery	12V/120Ah
Motor	1.6Kw
Weight	470kg



ELECTRIC LIFT



PS05F Self Lift Stacker

Electric Lift - Manual Push.

Features	Specifications
Capacity	500kg
Fork Height Range	80 - 1300mm
Fork Overall Width	888mm
Fork Length	1050mm
Battery	12V/42Ah
Motor	0.8Kw
Weight	303kg



ELECTRIC LIFT



SPM1516 Semi-Electric Stacker

Strong, robust and classical design.
Durable and easily serviceable.
Built in battery charger.

Features	SPM1516	SPM1525
Capacity	1500kg	1500kg
Fork Height Range	1600mm	2500mm
Fork Overall Width	762mm	762mm
Fork Length	1100mm	1100mm
Mast Height Minimum	1980mm	1780mm
Weight with battery	436kg	516kg



ELECTRIC LIFT & DRIVE



EPT15W Electric Pallet Truck

High capacity maintenance free battery.
Low service weight.
Electric-magnetic brake system.

Features	Specifications
Capacity	1500kg
Fork Height Range	85 - 200mm
Fork Overall Width	705mm
Fork Length	1150mm
Motor	500W
Weight	190kg



ELECTRIC LIFT & DRIVE



LPT15 - Power Pallet Truck

German Drive.
European Hydraulic Motor.

Features	Specifications
Capacity	1500kg
Lifting Height	120mm
Minimum Height	85mm
Fork Overall Width	700mm
Fork Length	1150mm
Battery	24V
Motor	700W
Weight	286kg



HYDRAULIC LIFT



SFH Hand Stackers
Brake Fitted Foot Pump.

Features	SFH15	SFHD 10
Capacity	1500kg	1000kg
Fork Height Range	85 - 1600mm	85 - 2500mm
Fork Size	150/160 x 60mm	150/160 x 60mm
Fork Overall Width	300 - 740mm	300 - 740mm
Fork Length	1200mm	1200mm
Mast Height Minimum	1980mm	1830mm
Weight	260kg	300kg



HYDRAULIC LIFT



SFH10W Hand Straddle Stacker
Straddles the Pallet.

Features	Specifications
Capacity	1000kg
Leg Width	1200mm
Fork Height Range	85 - 1600mm
Fork Size	150/160 x 60mm
Fork Overall Width	300 - 1360mm
Fork Length	900mm
Mast Height Minimum	1980mm



ELECTRIC LIFT & DRIVE



ECL1029 Electric Platform Stacker

Built-in Charger.
4-Wheel Design with sideways tiller for high stability and perfect view.

Features	Specifications
Capacity	1000kg
Fork Height Range	2840mm
Fork Width	685mm
Fork Length	1150mm
Mast Height Minimum	1950mm
Weight	385kg



ELECTRIC LIFT & DRIVE



ECL1029M Wide Leg Electric Platform Stacker

Built-in Charger.
4-Wheel Design with sideways tiller for high stability and perfect view.

Features	Specifications
Capacity	1000kg
Fork Height Range	2840mm
Fork Width	1400mm
Fork Length	1150mm
Mast Height Minimum	1950mm
Weight	530kg



HYDRAULIC LIFT



NFM60 & NFM180 Hydraulic Furniture Movers

For professional transport of heavy items.

Features	NFM60	NFM180
Capacity	600kg	1800kg
Lift Height	300mm	250mm
Wheels	145mm	145mm



ELECTRIC LIFT



HTFU

Remote Power System, easy for controlling, convenient for maintenance.
Electronic Controlling Box with UP, DOWN & Emergency Buttons.
Specially designed in "U" shape for handling pallets and boxes.
Electric Controlling System is imported from Italy.

Features	Specifications
Capacity	1000kg
Lowered Height	80mm
Raised Height	780mm
Platform Size	1420 x 1140mm
Lift Speed	18 Seconds
Motor	0.75Kw - 3 Phase
Power Supply	3 Phase
Weight	235kg



ELECTRIC LIFT



HTFG

Remote Power System, easy for controlling, convenient for maintenance.
Electronic Controlling Box with UP, DOWN & Emergency Buttons.
Electric Controlling System is imported from Europe.
Includes Ramp - Size: 1450mm wide x 1140mm long.

Features	Specifications
Capacity	1000kg
Lowered Height	82mm
Raised Height	760mm
Platform Size	1450 x 1140mm
Lift Speed	8 Seconds
Motor	0.75Kw - 3 Phase
Power Supply	3 Phase
Weight	250kg



ELECTRIC LIFT



HIW4

Made of High Quality Steel and is designed to be durable, reliable and easy to use.
Electric Controlling System is imported from Europe.
Compact Structure gives balanced lifting and lowering.
Large Capacity.

Features	Specifications
Capacity	2000kg
Lowered Height	190mm
Raised Height	1010mm
Platform Size	1300 x 800mm
Lift Speed	40 Seconds
Motor	0.75Kw - 3 Phase
Power Supply	3 Phase
Weight	280kg



WINCH LIFT



ME-R Aluminium Stacker

Rolls easily through single door in upright position.
No Tool - Quick Set-up.
Compact Design, legs fold up for easy storage.

Features	Specifications
Capacity	350kg
Max. Working Height	3500mm
Overall Length	1500mm



HYDRAULIC LIFT



Skid Lifter

Pallet Truck & Lift Table in One.
Captured scissors roller provides greater stability in raised position.
Ideal for loading & unloading applications where at lowered height provides easy access to various loads.

Features	4ZD59	2MNW6
Capacity	1000kg	1000kg
Fork Width	685mm	520mm
Fork Height Range	90 - 900mm	90 - 900mm
Fork Length	1120mm	1120mm
Handle Height	1030mm	1030mm
Weight	118kg	118kg



WB-A100 Low Profile Floor Scale

Rugged Steel Diamond Plate Surface with Heavy Duty Welded Support Channel.
6 Digit, 7 Segment Display
Available Options
Slopes WB-B36

Features	Specifications
Measuring Range	1000kg
Indexing Accuracy	0.2kg
Platform Size	915 x 915mm
Height	70mm
Weight	75kg



ELECTRIC DRIVE



TE10 Electric Tow Tractor

Allows easy pulling operations in low duty applications on short distances.
Ideal for pulling supermarket trolleys, baggage carts or trailers.
Compact Design with a robust Drive Axle.

Features	Specifications
Capacity	1000kg
Tiller Heights (Min/Max)	750mm/1258mm
Overall Dimensions (Length/Width)	810mm/490mm
Travel Speed	4.2km/h
Weight	62kg