

LED CEILING LIGHT

C&C Lighting Inc. Technical Data Sheet





PRODUCT FEATURE

- This product has been designed with energy-saving, environmentally-friendly features and long lifespan. Easy installation and maintenance
- The fixture can be replaced with traditional circle tube ceiling lamp
- The diffuser is adopted with high transmittance glass material
- This fixture has been equipped with imported chip, high luminance, big beam angle LEDs
- The ceiling flush mount fixture is featured with brightness uniform and no shadow

TECHNICAL SPECIFICATION

PRODUCT NAME	LED Ceiling Light
MODEL NUMBER	LJ000H025XA
POWER	25W
VOLTAGE	90-132V AC
COLOUR TEMPERATURE	2700-6500K
CRI	≥85
OPENING ANGLE	128°
LED TYPE	20pcs SMD3030
APPLICATION	hotels, living rooms, bedrooms, etc.
LIGHT FLOW	1958Lm
FREQUENCY	50/60Hz
POWER FACTOR	≥0.92
POWER EFFICIENCY	≥0.85
DIMMABLE	Yes
OPERATING ENVIRONMENT	-25~40°C / 10~90%
STORAGE TEMPERATURE	-30~60°C
DIMENSIONS	Ø356x98mm
PROTECTION INDEX	IP44
MAIN MATERIAL	Plastic & Aluminum
LIFESPAN	50000hours

**MAINTENANCE**

- Please clean and maintain the fixture at a regular period for safety and long lifespan
- To clean the fixture, please use a soft cloth with soap-suds to wipe. Next, use a clean cloth to wipe it clean
- In order to avoid damage of the fixture, please do not use any cleaners with alcohol or volatile chemical liquid or pesticide

CAUTION

- Before starting installation of the fixture or removal of a previous fixture, disconnect the power by turning off the circuit breaker or by removing the fuse at the fuse box
- Before connecting the power, please carefully check the circuit regular or not
- Only electrician can install or repair fixture

