


LED DOWN LIGHT 14W


C&C Lighting Inc. Technical Data Sheet





TECHNICAL SPECIFICATION

MODEL NUMBER	LN-DLXW14WLTCW-W-U
POWER	14W
VOLTAGE	120V
LUMEN	1400Lm
LUMEN EFFICACY	78Lm/W
BEAM ANGLE	100°
CRI	80 Ra
RATING LIFE	45000hours
BASE	E26




PRODUCT PACKAGING

PRODUCT DIMENSION	Ø185x76mm
NET WEIGHT	0.336kg
SIZE OF BOX	190x185x80mm
GROSS WEIGHT	0.416kg
SIZE OF CARTON	580x390x430mm
QTY /CARTON	30pcs
WEIGHT /CARTON	13.7kg



TECHNICAL SPECIFICATION

MODEL NUMBER	LN-DLXW14WLTWW-W-U
POWER	14W
VOLTAGE	120V
LUMEN	1350Lm
LUMEN EFFICACY	75Lm/W
BEAM ANGLE	100°
CRI	80 Ra
RATING LIFE	45000hours
BASE	E26




PRODUCT PACKAGING

PRODUCT DIMENSION	Ø185x76mm
NET WEIGHT	0.336kg
SIZE OF BOX	190x185x80mm
GROSS WEIGHT	0.416kg
SIZE OF CARTON	580x390x430mm
QTY /CARTON	30pcs
WEIGHT /CARTON	13.7kg



DRAWING



MATERIAL	PC + ADC12
WATERPROOF RATING	IP2-