

LED DUAL MOTION SECURITY LIGHT

C&C Lighting Inc. Technical Data Sheet





- Built with an infrared sensor for security to provide and protect safe environment for the applied area
- Suitable for sun-exposed area with high heat conduction aluminum alloy shell; comes with good heat dissipation
- Vacuum dust-free spray, anti-corrosion, no stripping
- Wide rotating angle of the heads allows flexible and convenient adjustment of the directions
- Waterproof and dust-proof
- Sensor is adjustable to different angles and comes with high sensitivity

SPECIFICATION

MODEL NUMBER	SS-HG70-20W
POWER	20W
VOLTAGE	120V 60Hz
CCT	3000K / 4000K / 5000K / 6000K
LUMENS	1300Lm / 1500Lm
COLOUR	White / Bronze
DIRECTION ANGLE	180° / 150°
FEATURE	Suitable for wet locations Time and distance are adjustable

CAUTION

- Make sure power is switched off before installing
- Do not look direct into the light
- Must be installed by a qualified professional electrician only

WARNING

RISK OF ELECTRICAL SHOCK	Turn off electrical power at fuse or circuit breaker box before wiring fixture to the power supply. Verify that supply voltage is within right and reasonable limits. Make all electrical and grounded connections in accordance with the National Electrical Code and applicable local code requirements; All wiring connections should be capped with UL approved wire connections.
RISK OF BURN	Wear gloves and safety glasses at all times when moving luminaire from carton, installing, servicing or performing maintenance. Avoid direct eye exposure to the light source while it is on, as it may cause irreparable damage to the eyes. Allow fixture to cool before handling. Do not touch enclosure or light source. Do not exceed maximum wattage marked on luminaire label.
BEWARE OF FIRE	Keep combustible and other materials that can burn away from lamps/lens

