




Designs for the Use of

Mufashond
TRADE MARK REG. U.S. PAT. OFF.
Rick Rack

THE
Featherweight
SHOP

Edited by Frances A. Harris



Collection 'A' reprinted
from Vols. 1, 2, 3 & 4

Copyright 1922

Price 10[¢]

ONE OF THE LINE OF NINE


Nufashond LISLE ELASTIC

“With It's Lively Stretch and Long Wearing Qualities”

Furnished in Black and White in the following widths :

1/4"	3/8"	1/2"	5/8"	3/4"	7/8"	1"	1 1/8"	1 1/4"	1 3/8"	1 1/2"
------	------	------	------	------	------	----	--------	--------	--------	--------

A WIDTH FOR EVERY PURPOSE.



Some Of the Many Uses for NUFASHOND Lisle Elastic :

Blouses at waist, gathered collars, girdles, bloomers at waist and knee, rompers for children, boys' wash suits at waist and knee, arm bands, side garters, as a substitute for curtain rods, ladies corset tops, baby's diaper supporter, waist bands of undershirts, reducing brazziers, for holding dress shields, to hold auto curtains (rolled up), school book carrier, band on books, wallets or documents.

Foreword

BECAUSE of the popularity of Rick Rack, there have been numerous requests for Nufashond's early publications. In response to this demand, we have assembled the choicest patterns from our first four volumes.

We offer them in this little manual, with the idea of pleasing the majority and we sincerely hope you will enjoy our selections. Probably you will be able to form many original designs from the ideas offered and thus be enabled to make many new and "different" articles.

NUFASHOND Rick Rack, in combination with embroidery, crochet or tatting, forming scrolls, braiding or other fancy arrangements, becomes an embellishment worthy of the most valued article in Romance's Hope Chest.

Nufashond, Reading, Penna.

EXPLANATORY

Stitches

Chain: Make a loop, insert the hook, throw thread over hook, and draw a loop through first one made. Each loop is a chain stitch.

Single Crochet: Make chain, insert hook through second last chain, throw thread over hook, draw through, throw thread over hook and draw through both loops at once.

Double Crochet: Throw thread over hook and draw a loop through the foundation chain; throw thread over hook and draw through two loops, thread over hook and draw through last two loops.

Treble Crochet: Throw thread over twice, draw a loop through foundation chain, throw thread over again and draw through the two loops, throw thread over and draw through two, thread over and draw through last two.

Slip Stitch: Insert hook in foundation chain and draw a loop through it and the loop on hook.

Picot: Chain four and make one single crochet in fourth chain from hook.

Abbreviations

ch.	for chain.	p.	for picot.
s. c.	for single crochet.	st.	for stitch or stitches.
d. c.	for double crochet.	*	signifies that repetition begins at this point.
tr. c.	for treble crochet.		
sl. st.	for slip stitch.		

Full working size blue prints of any designs in this book can be secured for 10 cents each.

13

17

21

25

29

33

37

41

45

49

53

21

25

29

33

37

41

45

49

53

57

Nufashond Rick Rack Braid

Herewith we illustrate the true sizes and their designations for both Rick Rack and Wave Braids.

To secure satisfactory results in making the articles illustrated in this manual, the sizes designated in the descriptions should be used.

When buying Nufashond you are safe in ordering by number.


If buying other makes compare sizes, as some manufacturers have other size designations.

Nufashond, Reading, Pa.

Nufashond Wave Braid



Nufashond Rick Rack Book



A Materials: Nufashond Rick Rack Braid No. 21; Crochet Cotton No. 30; Steel Hook No. 10.
Fasten thread in 1st point of braid, * ch. 5, 1 s. c. in next point. Repeat from * until you have the required length, ch. 3, turn.
2d row: 1 s. c. in 3d ch. of last loop of ch. 5, * ch. 5, 1 s. c. in 3d ch. of next loop. Repeat from *, ch. 5, turn.
3d row: Like 2d row.

B Materials: Nufashond Rick Rack Braid No. 21; Crochet Cotton No. 30; Steel Hook No. 10.
Draw thread through 1st 2 picots of braid, make 1 sl. st., ch. 7, * put hook through next 2 points, make 1 sl. st., ch. 7. Repeat from * until you have required length. Break thread.
Working on other edge of braid make 1 s. c. and ch. 5 in each picot on edge. Break thread.

C Materials: Nufashond Rick Rack Braid No. 21; Crochet Cotton No. 40; Steel Hook No. 10.
1 s. c. and ch. 4 in each point on one edge of braid until you have length required. Break thread.
Working on other edge of braid, fasten thread in 1st point, * ch. 7, 2 s. c. in right side of braid so that the next point will stand up between them, ch. 7, 1 s. c. in next point. Repeat from * to end of row. Break thread.
2d row: 1 s. c. in 2d ch. at beginning of 1st row, * ch. 3, wrap 3 times, draw up a loop in point between 2 s. c., draw thread through 2 loops on hook, draw through next 2, continue this way until all loops are worked off, ch. 2, wrap 3 times, draw up a loop in same place, work off same way, ch. 2, 1 s. c. in 5th of next 7 ch., ch. 3, 1 s. c. in 2d of next ch. 7. Repeat from * turn.
3d row: * Make 1 s. c. in space between 2 s. c., 3 d. c. around next 3 ch., 1 s. c. in top of long stitch, 3 d. c. around next 2 ch., 1 s. c. in next long stitch, 3 d. c. around next 3 ch. Repeat from *.

D Materials: Nufashond Rick Rack Braid No. 25; Crochet Cotton No. 30; Steel Hook No. 10.
Fasten thread in 1st point of braid, * ch. 6, put hook through next 2 points of braid, 1 sl. st. Repeat from * until you have length desired.
Working on other edge of braid make 1 s. c. in 1st point, * 1 d. c. in next point, ch. 2, 1 d. c. in same place, ch. 2, 1 d. c. in same place, ch. 2, 1 d. c. in same place, 1 s. c. in next point. Repeat from *.

E Materials: Nufashond Rick Rack Braid No. 21; Crochet Cotton No. 50; Steel Hook No. 12.
1st row: 1 s. c. and ch. 3 in each point on one edge of braid until you have length desired.
2d row: 1 d. c. and ch. 3 in center of 3 ch. of 1st row. Working on other edge of braid.
1st row: 1 s. c. and ch. 4 in each point on edge, ch. 5, turn.
2d row: 1 s. c. and ch. 5 in each s. c. of 1st row, ch. 1, turn.
3d row: 7 s. c. in 1st loop of ch. 5, * 4 s. c. in next loop, ch. 7, turn, 1 s. c. in 4th of 7 s. c. in 1st loop, turn, 8 s. c. in loop of ch. 5 just made, 3 s. c. in 2d loop, 7 s. c. in next loop. Repeat from * to end of row.

F Materials: Nufashond Rick Rack Braid No. 21; Crochet Cotton No. 30; Steel Hook No. 10.
1 s. c. and ch. 3 in each loop on one edge of braid until you have length desired.
On other edge of braid, fasten thread in 1st point, ch. 4, * make a group of (1 d. c., ch. 1, 1 d. c.) in next point, ch. 2. Repeat from * to end of row. Break thread.
2d row: 1 s. c. in space between 1st 2 groups, * ch. 6, 1 s. c. in space between next 2 groups. Repeat from * to end of row.

G Materials: Nufashond Rick Rack Braid No. 29; Crochet Cotton No. 20; Steel Hook No. 9.
1st row: 1 s. c. and ch. 3 in each point on one edge of braid until you have length desired.
2d row: 1 d. c. and ch. 3 in center of 3 ch. of 1st row. Working on other edge of braid:
1st row: 1 s. c. and ch. 4 in each point on edge, ch. 5, turn.
2d row: 1 s. c. and ch. 5 in each s. c. of 1st row, ch. 1, turn.
3d row: 7 s. c. in 1st loop of ch. 5, * 4 s. c. in next loop, ch. 7, turn, 1 s. c. in 4th of 7 s. c. in 1st loop, turn, 8 s. c. in loop of ch. 5 just made, 3 s. c. in 2d loop, 7 s. c. in next loop. Repeat from * to end of row.

H Materials: Nufashond Rick Rack Braid No. 33; Crochet Cotton No. 20; Steel Hook No. 9.
1 s. c. and ch. 7 in each point on one edge until you have length desired.
Working on other edge, fasten thread in 1st point, * ch. 3, wrap 3 times, draw up a loop in edge half way between curve and next point, draw thread through 2 loops on hook, draw through next 2, continue this way until all loops are worked off, ch. 3, 1 tr. c. (wrap twice) in next point, ch. 3, 1 tr. c. in same place, ch. 3, wrap 3 times and draw up a loop directly opposite to where the 1st was drawn up, ch. 3, 1 s. c. in next point. Repeat from * to end of row, break thread.
2d row: 5 d. c. in each loop of ch. 3 with 1 s. c. in stitch between loops to end of row.



Nufashond Rick Rack Book

I Materials: Nufashond Rick Rack Braid No. 33

Crochet Cotton No. 40; Steel Hook No. 9.
Upper edge—1st row: Fasten in point, ch. 3 and make 3 d. c. in same point, * ch. 4 and d. c. to right of curve then d. c. to left of curve, ch. 4 and make 4 d. c. in next point. Repeat from * long as desired.

2d row: 6 d. c. over 4 d. c. with chs. of 4 between.
3d row: 4 d. c. between 6 d. c. and 4 d. c. around ch.
Lower edge—1st row: Make same as 1st upper row.
2d row: Fasten between 4 d. c. on point, * ch. 5 sl. st. in next loop, ch. 5 sl. st. in between 2d, ch. 5 sl. st. in next loop, ch. 5 sl. st. in between 4 d. c. Repeat from * long as desired.

3d row: Fasten in ch. over 4 d. c. * ch. 5 sl. st. in next loop, ch. 5 sl. st. in next loop, sl. st. in next loop, ch. 5 sl. st. in next loop and repeat from * to length desired.

J Materials: Nufashond Rick Rack Braid No. 21;
Crochet Cotton No. 50; Steel Hook No. 12.

1ull thread through 1st 4 picots on braid, make 1 sl. st., ch. 6, * pull thread through next 4 picots on other edge of braid, make 1 sl. st., ch. 6, pull thread through next 4 picots on 1st edge of braid, make 1 sl. st., ch. 6. Repeat from * until you have length desired.

Fasten thread in center picot on a point, * ch. 6, putting hook through next picot on this point and 1st picot on next point make 2 d. c. in them, ch. 6, 1 s. c. in next picot (center of next point). Repeat from * to end of row. Break thread.

3d row: 1 d. c. and ch. 3 in every 4th stitch on edge.

K Materials: Nufashond Rick Rack Braid No. 21;
Crochet Cotton No. 40; Steel Hook No. 12.

Fasten thread in 1st point, * ch. 9, 1 s. c. in next point, ch. 7, 1 s. c. in next point (ch. 1 and 1 s. c.), in next 5 points, ch. 3, 1 sl. st. in 4th of ch. 7, ch. 3, 1 s. c. in next point, ch. 3, 1 s. c. in 6th from the beginning of ch. 9, ch. 5, 1 s. c. in next point. Repeat from * until work is length required. This forms a row of scallops.

Working on other edge put hook through point each side of one in which 1st row was begun, fasten thread, ch. 3, join next 2 corresponding points between scallops, ch. 3, join next 2 points. Fasten, break thread.

L Materials: Nufashond Rick Rack Braid No. 21;
Crochet Cotton No. 40; Steel Hook No. 12.

Fasten thread in 2d picot, * ch. 7, 1 d. c. each in next 7 picots, ch. 3, 1 sl. st. in 4th of ch. 7, ch. 3, 1 s. c. in next picot, ch. 6, skip 1 picot, fasten thread in next picot. Repeat from * until work is length desired. This forms a row of scallops.

2d row: Fasten thread in 1st picot, * ch. 2, 1 d. c. in next picot, (ch. 2, skip 1 ch., 1 d. c. in next ch.), 4 times, ch. 2, 1 d. c. in same picot where scallop was finished, ch. 2, 1 s. c. in next picot. Repeat from *.

Working on other edge, draw thread through 1 picot each side of the one in which 1 s. c. is made, ch. 3, 1 sl. st. through corresponding 2 picots on 2 scallops, ch. 3, 1 sl. st. through corresponding next 2, fasten, break thread.

M Materials: Nufashond Rick Rack Braid No. 21;
Crochet Cotton No. 30; Steel Hook No. 10.

Fasten thread in 1st picot, * ch. 7, 1 s. c. in next picot, (ch. 5 and 1 s. c.) in next 4 picots, 1 s. c. each in next 4 picots, ch. 2, 1 s. c. in 3d of last ch. 5, ch. 2, 1 s. c. in next picot, repeat this on the next 3 loops of ch. 5, ch. 3, 1 s. c. in 4th of ch. 7, ch. 3, 1 s. c. in next picot, ch. 3, 1 s. c. in next picot. Repeat from * until work is length desired. This forms a row of deep scallops.

Working on other edge put hook through 3 center picots and draw thread through all 3, ch. 3, join next 2 picots, ch. 3, join next 2, ch. 3, join next 2, fasten, break thread.

N Materials: Nufashond Rick Rack Braid No. 13 and 29;
Crochet Cotton No. 40; Steel Hook No. 12.

Using wide braid, draw thread through 1st and 6th points on 1 edge, fasten, * ch. 5, 1 sl. st. through 2d and 5th points, ch. 3, 1 sl. st. through 3d and 4th picots, * ch. 4, fasten in braid, ch. 4, working on other edge of braid make 1 sl. st. through 5th and 10th points, ch. 5, 1 sl. st., through 6th and 9th, ch. 3, 1 sl. st. through 7th and 8th points, ch. 5, * working on 1st edge skip 2 points, join the next point, to the 5th point from it with a slip stitch, finish the scallop as before. Repeat from * until work is length desired.

When this is finished sew it to 2 rows of narrow braid sewed together as shown in the illustration and finish with an edge of wide braid. Be careful that the thread does not show on the right side.

O Materials: Nufashond Rick Rack Braid No. 41;
Crochet Cotton No. 50; Steel Hook No. 10.


Crochet 15 d. c. around each point of braid not running stitches entirely to the deepest part of the curve of braid, pass on to the next point without any chains between.


P Materials: Nufashond Rick Rack Braid No. 29;
Crochet Cotton No. 40; Steel Hook No. 12.

Fasten thread in 1 point of braid * ch., 5, 1 s. c. in next point. Repeat from * until you have length desired.

2d row: 1 d. c. and ch. 2 in every 3d stitch of 1st row. Working on other edge, 1 s. c. and ch. 5 in each point on edge. Break thread.

2d row: 1 d. c. in 1st point, * ch. 3, 1 d. c. in same place, ch. 3, 1 d. c. in same place, ch. 4, 1 s. c. in next point, ch. 4, 1 d. c. in next point. Repeat from *, fasten, break thread.





Q **Materials:** Nufashond Rick Rack Braid No. 33; Crochet Cotton No. 20; Steel Hook No. 9.
On upper edge, fasten thread in 1 point, * ch. 5, 1 s. c. in next point. Repeat from * until you have length desired.

On lower edge, fasten thread in 1 point, ch. 5, * 1 d. c. in same point, 4 tr. c. separated by 3 ch. in next point, 1 d. c. in next point, ch. 2.

Repeat from * to end of row. Break thread.

2d row: Fasten thread in loop of ch. 5, * in 1st loop of ch. 3 make (1 s. c., 3 d. c., 1 s. c.); in center loop make (1 s. c., 1 d. c., 3 tr. c., 1 d. c., 1 s. c.); in next loop make a group same as 1st group, skip loop of ch. 2. Repeat from * to end of row.

R **Materials:** Nufashond Rick Rack Braid No. 41; Crochet Cotton No. 50; Steel Hook No. 10.

Top of edge—* Chain 5, one double crochet in lowest curve of braid, chain 5, slip stitch in point of braid * repeat. Turn chain 5, skip two stitches and d. c. in third stitch * chain 2, skip two stitches and d. c. in third stitch * repeat.

Bottom of edge—Crochet 15 d. c. around each point of braid, turn * chain 12 and slip stitch to next high point of braid * turn * 7 single crochets over chain, crochet 5, slip stitch in first chain thereby forming a picot, 7 single crochets in same chain * repeat.

S **Materials:** Nufashond Rick Rack Braid No. 37; Crochet Cotton No. 50; Steel Hook No. 12.

Fasten thread in a point of braid, * ch. 9, 1 s. c. in next point. Repeat from * until work is length desired, ch. 5, turn.

21 row: 1 d. c. and ch. 1 in every 2d stitch on edge.

Working on other edge, 1 s. c. and ch. 9 in each point on edge. Break thread.

2d row: 1 s. c. in 7th of ch. 9, ch. 3, 1 tr. c. (wrap twice) each in next 4 ch., * ch. 5, 5 tr. c. on center 5 of next 9 ch., Repeat from * ending with 5 tr. c.

3d row: * 3 s. c. on center 3 tr. c., ch. 3, 1 d. c. in center of ch. 5, ch. 3, 1 d. c. in same place, ch. 3. Repeat from *.

T **Materials:** Nufashond Rick Rack Braid No. 25; Crochet Cotton No. 40; Steel Hook No. 12.

Pull thread through 1st 4 points on braid, make 1 sl. st., ch. 5, * pull thread through next 4 points on other edge of braid, make 1 sl. st., ch. 5, pull thread through next 4 points on 1st edge of braid, make 1 sl. st., ch. 5. Repeat from * until you have length desired.

Fasten thread in 2d point on 2d edge, ch. 9, * 1 s. c. in next point (center of scallop) ch. 5, 1 tr. c. (wrap twice) through next point on this scallop and point directly opposite on next scallop, ch. 5.

Repeat from * to end of row. Break thread.

2d row: 1 d. c. and ch. 2 in every 2d stitch.

Working on lower edge of scallops with wrong side of work toward you, fasten thread in 1st point on scallop, * ch. 5, 1 s. c. in center point, ch. 5, 1 s. c. through next point on this scallop and 1st point on next. Repeat from * ch. 5, turn.

21 row: * 1 d. c. in 4th ch., 1 picot (ch. 4, 1 s. c. in top of stitch just made) 1 d. c. in same place, ch. 1, 1 d. c. in s. c. in center point of scallop, 1 picot, 1 d. c. in same place, ch. 1, a group like this in 2d of next ch. 5, ch. 5, 1 s. c. in next s. c., ch. 5. Repeat from * to end of row. Break thread.

U **Materials:** Nufashond Rick Rack Braid No. 25; Crochet Cotton No. 30; Steel Hook No. 10.

Sew 2 pieces of braid together point to point, until you have length desired.

On upper edge, fasten thread in 1 point, * ch. 2, 1 d. c. in curve between points, ch. 2, 1 s. c. in next point.

Repeat from * break thread.

2d row: Fasten thread in 1st stitch, ch. 5, * 1 d. c. in d. c., ch. 2, 1 d. c. in s. c., ch. 2. Repeat from *. Break thread.

Take another piece of braid, fasten thread through 1st and 6th points on 1 edge, ch. 4, 1 s. c. through 2d and 5th points, ch. 4, 1 s. c. through 3d and 4th points, ch. 5, 1 s. c. through 5th and 10th points on other edge, ch. 4, 1 s. c. through 6th and 9th points, ch. 4, 1 s. c. through 7th and 8th points, ch. 5, 1 s. c. through 8th and 13th points on 1st edge, finish scallop as before. Continue this way until you have length desired. Break thread. Join 1 edge of this to lower edge of 2 pieces sewed together as follows: fasten thread through 1 point of scallop and 1st point of braid, * ch. 3, wrap, draw up a loop in curve, draw thread through 2, wrap, draw up a loop in curve directly opposite, draw thread through 2, draw thread through 3, 1 s. c. in next point on straight edge, ch. 3, 1 s. c. through next point of scallop and next point on straight edge. Repeat from *.

V **Materials:** Nufashond Wave Braid No. 41; Crochet Cotton No. 40; Steel Hook No. 10.

Fasten thread half way between curve and top of wave, ch. 8, * 1 d. c. to right of center of wave, ch. 1, 1 d. c. in center, ch. 1, 1 d. c. to left of center, ch. 5, 1 d. c. half way between top of wave and curve, 1 d. c. directly opposite on next wave, ch. 5. Repeat from * until work is length desired.

2d row: Fasten thread in 6th of 8 ch. at beginning of row, ch. 3, 1 d. c. each in next 4 stitches, * 2 d. c. in center d. c., 1 d. c. each in next 5 stitches, skip 4 ch. 1 d. c. each in next 5 stitches. Repeat from * to end of row. Break thread.

Nufashond Rick Rack Book

3d row: 1 d. c. and ch. 1 in every 2d stitch in row.
Working on lower edge with wrong side of work toward you, fasten thread $\frac{1}{4}$ inch from center of curve, ch. 5, * make 5 d. c. with 2 ch. between evenly spaced around the wave so that the last d. c. is opposite to where thread was fastened, 1 d. c. on next wave opposite last d. c. made, ch. 2. Repeat from * to end of row, ch. 1, turn.
2d row: 1 s. c. in last d. c. * 3 d. c. in loop of 2 ch., 1 s. c. in next stitch. Repeat from * to end of row.

W **Materials:** Nufashond Wave Braid No. 43; Crochet Cotton No. 40; Steel Hook No. 10.

Make * 4 tr. c. (wrap twice) evenly spaced with 1 ch. between in top of wave, ch. 5, 1 d. c. near curve between waves, 1 d. c. on next wave opposite d. c. just made, ch. 5. Repeat from * until work is length desired.
2d row: Fasten thread in ch. between 1st 2 tr. c., ch. 4, 1 tr. c. in same ch., * ch. 1, 2 tr. c. in next ch., ch. 1, 2 tr. c. in next ch., ch. 5, 2 tr. c. between next 2 tr. c. Repeat from * to end of row.

3d row: 1 d. c. and ch. 1 in every 2d stitch in row.
Working on other edge of braid with wrong side toward you make 7 tr. c. with 1 ch. between evenly spaced around top of wave, do not make a ch. between 7th tr. c. of 1 wave and 1st tr. c. on next wave.
2d row: 1 s. c. and 1 picot (ch. 4, 1 s. c. in top of s. c. just made) around each ch. 1 in preceding row.

X **Materials:** Nufashond Wave Braid No. 45; Crochet Cotton No. 30; Steel Hook No. 11.

Fasten thread in top of 1 wave, * ch. 5, 4 tr. c. (wrap twice) evenly spaced in curve between waves, in making the 1st tr. c. work off 2 loops twice, leaving last 2 loops on hook, work the next 2 tr. c. the same way, leaving the last loop on hook, in making the 4th tr. c. work off 2 three times, then work off last 4, ch. 5, 1 s. c. in top of next wave. Repeat from * until you have length desired. Break thread.

2d row: 1 d. c. and ch. 1 in every other stitch on edge. Break thread.
3d row: Fasten thread in 1st stitch, ch. 6, * skip 5 stitches, 1 d. c. in next stitch, ch. 1, 1 d. c. in same place, ch. 3. Repeat from *.
4th row: 1 d. c. and ch. 1 in every other stitch.
Working on lower edge make 8 tr. c. with 1 picot after each, evenly spaced on top of each wave.
To make picot, ch. 4 and make 1 s. c. in top of last tr. c. made.

Y **Materials:** Nufashond Wave Braid No. 49; Crochet Cotton No. 30; Steel Hook No. 11.

Fasten thread in center of curve between waves, ch. 4, make 9 d. c. with 1 ch. between at even distances around wave, ch. 1, * 1 d. c. in center of next curve, ch. 1, 2 d. c. with 1 ch. between on next wave opposite last 2, ch. 1, 1 s. c. in 8th d. c. on 1st wave (ch. 5, 1 s. c. in last ch. 1 made), 5 times, then ch. 1 and make 7 d. c. and ch. 1 around wave. Repeat from * until you have length desired. Break thread.

2d row: Fasten thread in center d. c. on wave, ch. 3, 1 s. c. in next d. c., * ch. 5, 1 s. c. in center loop of ch. 5 between waves, ch. 5, 1 s. c. each in 3 center d. c. on top of wave with 3 ch. between. Repeat from *.
3d row: Fasten thread in 1st loop of ch. 3, * ch. 3, skip 2 ch., 1 s. c. in next ch., ch. 5, skip 5 stitches, 1 s. c. in next stitch, ch. 3, 1 s. c. in next loop of ch. 3, ch. 2, 1 s. c. in next loop of ch. 3. Repeat from *.
4th row: 1 d. c. and ch. 2 in every 3d stitch on edge.
Working on lower edge, make 5 loops of ch. 5 caught down with 1 s. c. about $\frac{1}{4}$ inch apart, * ch. 2, 1 d. c. to right of curve between waves, 1 d. c. opposite one just made, ch. 2, 1 s. c. about $\frac{1}{4}$ inch from it, ch. 2, 4 loops of ch. 5 and 1 s. c. as before. Repeat from *. Break thread.
2d row: Ch. 5 and 1 s. c. in each loop of ch. 5, making 1 s. c. between 2 d. c. in center of wave.


Z **Materials:** Nufashond Rick Rack Braid No. 49; Crochet Cotton No. 40; Steel Hook No. 12.

Fasten thread in top of a wave, ch. 3, 1 d. c. about $\frac{1}{2}$ inch from fastening, * ch. 3, wrap 3 times, draw thread up about $\frac{1}{2}$ inch from d. c., work off 2 loops twice, wrap twice, draw up a loop in center of curve, work off 2 loops twice, wrap twice, draw up a loop opposite to where 1st one was drawn up, work off 2 loops until there are none left on the hook, ch. 3, 1 d. c. one-half inch from where last loop was drawn up, ch. 3, 1 s. c. in center of wave, ch. 3, 1 d. c. one-half inch from s. c. Repeat from * until you have length desired. Break thread.


2d row: Fasten thread in same place where it was fastened in 1st row, ch. 5, * skip 1 stitch, wrap, draw up a loop in next stitch, work off 2 loops, wrap, skip 1 stitch, draw up a loop in next stitch, work off 2 loops, work off 3 loops, ch. 3. Repeat from *.
3d row: Like 2d making the groups directly above those in 2d row.

4th row: 1 s. c. in each stitch.
Working on lower edge, fasten thread half way between top of wave, and curve, * make 4 tr. c. in curve with 1 picot between (3 picots), 1 s. c. opposite fastening, ch. 3, 1 s. c. in braid $\frac{1}{4}$ inch from last s. c., ch. 3, 1 s. c. $\frac{1}{4}$ inch from last s. c., ch. 3, 1 s. c. $\frac{1}{4}$ inch from last s. c. Repeat from *.


2d row: * 3 tr. c. in each picot of 1st row, 1 s. c. in 2d s. c. on wave, ch. 3, 1 s. c. in next s. c. Repeat from *.
3d row: Fasten thread in 1st tr. c., * ch. 5, turn, skip 2 ch., 1 d. c. each in next 3 ch., skip 3 tr. c., 1 s. c. in next tr. c. Do this 3 times in all, 5 s. c. in loop of ch. 3 in center of wave, 1 s. c. in 1st tr. c. Repeat from *.




V




W




X



Y



Z



Guest Towel

Materials: Nufashond Rick Rack Braid No. 37; Crochet Cotton No. 30; Steel Hook No. 10.
1st row: 1 s. c. and ch. 7 in each point on edge until you have length desired. Break thread.
2d row: 4 d. c. and ch. 3 in each loop of ch. 7. Break thread.
3d row: 4 d. c. and ch. 3 in each loop of ch. 3.
Work 3 rows like this on other edge of braid.
Make a narrow hem in edge of towel and sew insertion to it.




Apron

Materials: Nufashond Rick Rack Braid No. 37, 41, or 45, depending upon the individual taste.
This attractive apron shows what can be done by simply sewing on Nufashond Rick Rack Braid as an edging or insertion without crochet.

Maid's Apron, Collar and Cuff Set


Materials: Nufashond Rick Rack Braid No. 37, 41 or 45, depending upon the individual taste.

A very attractive set which illustrates only one of a thousand ways Nufashond Rick Rack Braid may be used as a dainty and effective trimming on articles of domestic and fancy needlework.



Luncheon Set

Materials: Nufashond Rick Rack Braid No. 25; Crochet Cotton No. 20; Steel Hook No. 10.



through double points, 4 ch., 1 s. c. through double points (13 points), ch. 5; repeat from 2d row.
Sew on hemmed linen centers—sizes desired.

Fold braid over 2 points, with top point towards left.

1 s. c. in 1st double point; 4 ch., 1 s. c. in next double point, * 4 ch., 1 s. c. in next point, repeat from * until you have 11 points, on inner edge; fold braid under 2 points, with top point towards left, 4 ch., 1 s. c. through 2 points, 4 ch., 1 s. c. through 2 points (13 points), ch. 5, turn.


2d row: 1 d. c. on 4 ch., * 3 ch., 1 d. c. on next 4 ch., repeat from *, ch. 5, turn. (12 d. c.)

3d row: 2 tr. c. in 2d space, * 2 ch., 2 tr. c. in next space; repeat from * (11 tr. c.) ch. 4, turn.


4th row: Skip 1st space, 1 d. c. in next space, * 1 ch., 1 d. c. in next space, repeat from * (10 d. c.)

5th row: 3 ch., skip 1st space, 1 d. c. in each space (9 d. c.)

6th row: 1 s. c. in each stitch of row, ch. 4, turn, join to 1st s. c.; ch. 5, 1 d. c. on side of 3d row; ch. 5, 1 d. c. on side of 1st row. 3 ch., slip stitch to edge of braid, 2 ch., slip stitch to 1st point; 4 ch., 1 s. c. through the 2 points (already folded) 4 ch., 1 s. c. through next point, 4 ch., 1 s. c. through each of next 8 single points, fold under, with top point towards left, 4 ch., 1 s. c.



B



C

Guest Towels

A

Materials: Nufashond Rick Rack Braid No. 25; Crochet Cotton No. 40; Steel Hook No. 10.

Insertion: 1 d. c. in 1st point of braid.
 * ch. 2, 1 d. c. in same place, ch. 2, 1 d. c. in next point.
 Repeat from * until work is length desired. Break thread.
 Repeat this on other edge of braid.

Make the narrowest hem possible in the towel, then crochet the insertion in as follows:
 1 s. c. in edge of towel, ch. 1, 1 s. c. between 1st 2 d. c. in insertion, ch. 1, 1 s. c. in edge of towel, ch. 1, 1 s. c. between 2d and 3d d. c. Continue this way on both edges until the insertion has been joined to the towel.

Lace: Cut 3 pieces of braid the length desired.
 Lay two of these pieces together point to point, fasten thread in 1st point through both pieces, * ch. 4, 1 slip stitch in next point. Repeat from * to end of row.
 Join the 3d piece in the same way.

On the top edge make 1 row same as 1st row of insertion and join to towel same as insertion was joined.
 To make the edge, fasten thread in 1st point of braid, * ch. 5, 1 s. c. in next point. Repeat from *.
 2d row: 7 s. c. in 1st loop of ch. 5, * 4 s. c. in next loop, ch. 5, turn, 1 s. c. in 4th s. c. in 1st loop, turn, 1 s. c. in loop of ch. 5 just made, 1 picot (to make a picot, ch. 4, 1 s. c. in last s. c. made), 3 s. c. in loop, 3 picots (all fastened in same s. c.), 3 s. c. in loop, 1 picot, 3 s. c. in 2d loop on edge, 7 s. c. in next loop. Repeat from *.

B

Materials: Nufashond Rick Rack Braid No. 21 and No. 13; Crochet Cotton No. 40; Steel Hook No. 10.

Insertion: 1 slip stitch through 1st and 6th points on one edge of braid, ch. 3, 1 sl. st. through 2d and 5th points, ch. 3, 1 sl. st. through 3d and 4th points, ch. 3, 1 sl. st. through 5th and 10th points on other edge, ch. 3, 1 sl. st. through 6th and 9th points, ch. 3, 1 sl. st. through 7th and 8th points, ch. 3 and work on the 1st edge again. Continue this way until you have length desired. Break thread.

Make the narrowest hem possible in the towel, lay edge of braid to edge of towel, make 1 s. c. through 1st point of braid and edge of towel, * ch. 6, 1 s. c. through next point of braid and edge of towel. Repeat from *. Do this on both edges.

Lace: Make a row of scallops same as insertion.
 Make a row of s. c. and 6 ch. across the top.
 Sew 2 pieces of narrow braid carefully together point to point, sew to the top of scallops and sew to towel.
 To finish lower edge, * 1 s. c. where 2 points are joined, 1 picot (ch. 4, 1 s. c. in 1st ch.), 1 s. c. in curve between points, 2 picots, 1 s. c. in point of scallop, 1 picot, 1 s. c. in same place, 2 picots, 1 s. c. in curve between points, 1 picot. Repeat from *.

C

Materials: Nufashond Rick Rack Braid No. 29; Crochet Cotton No. 30; Steel Hook No. 10.

Insertion: Lay two pieces of braid the desired length together, point to point, fasten thread in 1st point through both pieces, * ch. 4, 1 s. c. in next point. Repeat from *.
 Make a narrow hem in the towel, lay edge of braid to edge of towel, make 1 s. c. through 1st point of braid and edge of towel, * ch. 5, 1 s. c. through next point of braid and towel. Repeat from *. Do this on both edges.

Lace: Join the braid same as in the insertion, join to the towel with a row of 1 s. c. and ch. 5 across the top.
 To finish edge, fasten thread in 1st point, * ch. 7, 1 s. c. in next point. Repeat from *.
 Break thread
 2d row: 9 s. c. in 1st loop of ch. 7, * 9 s. c. in next loop, 5 s. c. in next loop, ch. 7, turn, 1 s. c. in 5th s. c. in 2d loop, ch. 7, 1 s. c. in 5th s. c. in 1st loop, turn, 9 s. c. in last loop made, 5 s. c. in next loop, ch. 7, turn, 1 s. c. in 5th s. c. of previous loop, turn, 2 s. c. in loop just made, 1 picot (ch. 4, 1 s. c. in last s. c. made), 2 s. c., 1 picot in same loop, 2 s. c., 1 picot, 2 s. c., 1 picot, 1 s. c., 4 s. c. to fill loop in 2d row, 4 s. c. in 3d loop in 1st row, 3 picots (all caught in same s. c.) 9 s. c. in next loop. Repeat from *.



Pincushion

Materials: Nufashond Rick Rack Braid No. 21; Crochet Cotton No. 40; Steel Hook No. 12; Round Cushion 4 inches across.

Fasten thread in 4th point on edge, ch. 4 (1 tr. c. and ch. 1), in next 9 points, ch. 2, turn.

2d row: 1 s. c. between every 2 tr. c., ch. 1, turn.

3d row: Insert hook through back loop of each s. c., draw thread through all loops on hook, to draw stitches together, ch. 7, 1 s. c. through 3d point and next point on edge, ch. 5, working on other edge of braid make 1 slip stitch through point between the last 2 used on 1st edge and the 2 points following it, ch. 7, skip 2 points on 1st edge, 1 s. c. in 3d point, ch. 4 (1 tr. c. and ch. 1), in next 9 points, ch. 2, turn.


Repeat from 2d row until there are 7 scallops.

Join, break thread. Make 1 d. c. in 1st of 5 center points on outer edge of scallop, *ch. 2, 1 d. c. in same point, ch. 4, 1 d. c. in next point. Repeat from * on 5 points, ch. 7, 1 s. c. through next point and corresponding point on next scallop, 1 tr. c. through next point and corresponding point on next scallop, ch. 7. Repeat from beginning of row around edge.


To finish edge make 5 d. c. separated by 2 ch. around 2 ch. between 1 d. c. on each point, 1 s. c. around ch. 4, 1 s. c. through 4th ch. in both ch. 7 between scallops, all around edge. Fasten, break thread.

To fill center, make a long stitch (wrap 3 times and work off 2 loops 4 times) in center point of small scallop, *make 2 more long stitches in same point, in making 2d stitch work off 2 loops 3 times leaving last 2 on hook, in making 3d long stitch, work off 2 loops 3 times, then draw thread through last 4 loops, make a long stitch in point of next scallop. Repeat from * on each point in center, join.

Put a puff of ribbon around edge of cushion and tack motif on it.



Handkerchiefs



Materials: Nufashond Rick Rack Braid No. 13; Crochet Cotton No. 80.

Sew braid to handkerchief. Fasten thread in point, ch. 3, s. c. in next point, repeat.

2d row. S. c. over 3 ch., ch. 5, s. c. over next 3 ch. and repeat.

3d row. Loops of 5 ch., fastening with a s. c. over loops of previous row.

Materials: Nufashond Rick Rack Braid No. 13; Crochet Cotton Lavender No. 70.


Sew braid to handkerchief by points.

Fasten thread in a point, ch. 3, 2 tr. in same place, fasten in next point, and repeat.

Materials: Nufashond Rick Rack Braid No. 13; Crochet Cotton Lavender No. 70.

Fasten thread in point, ch. 3, s. c. in next point, repeat.

2d row. S. c. over 3 ch., ch. 6, fasten back in 5th st. for a p., ch. 1, s. c. over next 3 ch., repeat.




Luncheon Set

Materials: Nufashond Rick Rack Braid No. 21; Crochet Cotton No. 50; Steel Hook No. 10.

Leave nice ends, and sew in when work is finished. Allow 7 spaces for each scallop. Cloth length 42", width 13". Add sides of 15" wide x 14" long, using $\frac{1}{2}$ " to sew to the main length. Sew with machine all around edges $\frac{1}{8}$ ", and baste back carefully.

- 6—Small doilies 3 $\frac{1}{4}$ " diameter, 12 scallops.
- 6—Next 5" diameter, 14 scallops.
- 4—Plate doilies 7 $\frac{1}{2}$ " diameter, 20 scallops.
- 1—Platter doily 8 $\frac{1}{2}$ " long x 6 $\frac{1}{2}$ " wide, 20 scallops.
- 1—Platter doily 11 $\frac{1}{2}$ " long x 8 $\frac{1}{2}$ " wide, 26 scallops.
- 2—Large round doilies 9" diameter, 26 scallops.



Cloth Edge for Each End

1st row: Begin s. c. 1" from inner corner, allow 1" on other corner.
 2d row: Ch. 5 d. c. 1. * ch. 2 d. c. 1 all around. 73 on 1st side 1 corner of 5 ch. 83 and 1 corner 73 on other side, * on all four ends.
 3d row: S. c. 1 ch. 2 sl. st. in 3d pt. of braid. Ch. 2. S. c. 1 in same space. * ch. 2 wrap 4 times, go in 3d space from beginning, take off 4 set 2, wrap 3 take off 3, set 3, wrap 2, take all off in two. Ch. 2 sl. st. in next pt. of braid ch. 3 sl. st. in next pt. Ch. 2, repeat the first puff of 4-3-2. Ch. 2 sl. st. to next pt. ch. 3 sl. st. in next pt. ch. 2 puff. Ch. 2 s. c. 1 in 3d space from center. Ch. 2 sl. st. in next pt. braid. Ch. 2 s. c. 1 in next space. Ch. 2 puff 1 and ch. 2 sl. st. in next pt. * at corners put 5 puffs.
 4th row: S. c. 1 on point * ch. 7 s. c. 1 for 4 spaces s. c. 1 s. c. 1 * on corners s. c. 3 pt. together.
 5th row: * s. c. 1 ch. 2 d. c. 2 in 4 ch. of previous row. P. 1 d. c. 2 ch. 2 s. c. 1 on next pt. *

Round Doily Edges

1st row: S. c. all around.
 2d row: Ch. 5 d. c. 1 * ch. 2 d. 1. * all around, allowing 7 spaces for every scallop. Close.
 3d row: Ch. 3 d. c. 1 in same space. * ch. 1 d. c. 2 in next * close.
 4th row: Ch. 5 d. c. 1 between the clusters. * Ch. 2 d. 1 *, having as many spaces as first row.
 5th row: S. c. ch. 5 s. c. 1 in next space ch. 2 in pt. of braid. * ch. 2 puff in 3d space ch. 2 sl. st. in next pt. ch. 3 sl. st. in next pt. ch. 2 puff ch. 2 sl. st. in next pt. ch. 3 sl. st. in next pt. ch. 2 puff ch. 2 sl. st. in next pt. ch. 2 s. c. 1 in 3d space from center ch. 5 s. c. 1 in next space. Ch. 2 sl. st. in next pt. Ch. 2 *.
 6th row: S. c. 1 for 3 pt. * ch. 7 s. c. 1 * for 4 pt.
 7th row: Same as on cloth.

Large Ring in Corner

Ch. 6 close.
 Ch. 5 d. c. 1 in center ch. 2 * d. c. 1 ch. 2 till 8 sections. Close.
 D. c. 4 in each section.
 Ch. 4 wrap 2 go in next post.
 Take off 2 sets 2 wrap 1 go in next post.
 Take off 1 set 2 warp 1 go in next post.
 Take all off in 2 ch. 2 sl. st. 1 in next pt. * ch. 3 sl. st. 1 to next pt. ch. 2 wrap 3 take off 3 sets of 2; wrap 2 take off 2 sets of 2; wrap 1 take off 1 set of 2; wrap A take all off in 2 ch. 2, sl. st. in next pt. *.
 5th row: * s. c. 1 on pt. ch. 7 *.
 6th row: * d. c. 3 tr. 2 p. 1 tr. 1 d. c. 3.

Small Ring in Corner

Ch. 6 close. Ch. 4 wrap 2 take off 2 sets 2; wrap 1 take off 1 set 2; warp 1 take off all in 2. Ch. 2 sl. st. 1 in pt. of braid. * ch. 2 sl. st. 1 in next pt. ch. 2; wrap 3 take off 3 sets 2; wrap 2 take off 2 sets 2; wrap 1 take off 1 set; wrap 1 take off all in two's. Ch. 2 sl. st. pt. * till 6 puff close.
 3d row: * S. c. 1 on pt. ch. 7 *.
 4th row: Same as large scallop.

Butterfly

Fasten thread on 3d pt. of braid s. c. 1 * ch. 1 s. c. 1 till 6 pt. are used. Close to 1st pt. * ch. 2 d. c. 1 in deep pt. Ch. 2 s. c. 1 on next pt. * for 9 pt. s. c. 1 in next. Reverse side to top using 9 pt. again and sl. st. to opposite side at each pt. to top of body. Ch. 5 on under side to 9 pt. from bottom on other side s. c. 1 for wing * ch. 4 s. c. 1 on next pt. * for 11 pt. S. c. 1 on 12 and 13 * ch. 4 s. c. 1 on next pt. * for 14 pt. sl. st. to first. Break thread cross

Nufashond Rick Rack Book

the braid over on right side of body at base of head leaving 2 pt. free. Fasten thread at 9th pt. from bottom s. c. 1 ch. 4 s. 1 on next pt. and reverse the 1st wing. Break thread, pass braid on wrong side of body 2 pt. join to 7 pt. from bottom and pt. of upper wing. * s. c. 1 ch. 4 * for 2 pt. using upper wing braid also. Then 6 free pt. s. c. 1 on next 2 pt. Ch. 4 s. c. 1 for 5 pt. join 5th pt. with 4th from bottom of body. Ch. 5 s. c. 1 for 3 pt. on body to top, close. Pass braid on under side of body 2 pt. to 4 from bottom and reverse other side close. Outer side. Fasten on 2 pt. from bottom on left side of body. Ch. 5 or 6 so does not span s. c. 1 on each pt. at ends ch. 1 more and at inner curves s. c. 1 over to next pt.

2d row: D. c. 2 tr. 2 p. 1 tr. 1 d. c. 2 on ends d. c. 3 tr. 2 p. 1 tr. 1 d. 3. Large ring in wing. Ch. 6 close. Ch. 5 d. 1 ch. 2 * d. c. 1 ch. 2 when 8 sections close. Puff of following in each.

Ch. 4 wrap 2 take off 2 sets 2; wrap 1 take off 1 set 2; wrap 1 take off all in 2 ch. 6. till 8 sec. are full close. * s. c. 2 ch. 4 s. 1 ch. 4 s. 1 ch. 4 s. 2 * in 2 upper and lower sec. Fasten to wing as you go along by center p. Small ring in upper wing. Ch. 8 close s. c. 1 ch. 4 * s. c. 2 ch. 4 till 8 p. Close sl. st. to 1st p. Ch. 4 s. c. 1 in same place ch. 2 s. c. 1 in next p. * ch. 2 and sl. st. to ring ch. 2 s. c. 1 in same place. Ch. 2 to next space. Small ring in lower wing. Ch. 6 close make 6 puff as in other ring. Ch. 6 between. Close. * s. c. 4 ch. 4 s. c. 4 *

Scarf

Materials: Nufashond Rick Rack Braid No. 29; Crochet Cotton No. 30; Steel Hook No. 10.

Medallion for Scarf:

Wrap thread over finger, 5 or 6 times; slip off finger and catch loop with a s. c., 3 ch.

1st row: 21 d. c., 5 ch., 22 d. c. on loop, 5 ch., slip stitch to 3d ch. at beginning of row, ch. 3.

2d row: * 1 d. c. over each d. c., 3 d. c. on 5 ch., 5 ch., 3 d. c. on 5 ch., repeat from *, slip stitch to 3d ch., ch. 3.

3d row: * 1 d. c. in every stitch, 3 d. c. on 5 ch., 5 ch., 3 d. c. on ch., repeat from *, slip stitch to 3d ch., ch. 5.

4th row: 1 d. c. in 3d stitch, * 5 ch., 1 d. c. in 3d stitch, repeat from * to middle (3 d. c., 5 ch., 3 d. c.) on loop of 5 ch. repeat from * to other end.


5th row: 5 ch., * (3 d. c., 3 ch., 3 d. c.) in 2d space, 5 ch. skip 1 space, repeat from *.

6th row: Like 5th row.

7th row: 5 ch., 3 s. c. on 3 ch., * 5 ch., 1 s. c. around 5 ch. of 5th and 6th rows, 5 ch., 3 s. c. on 3 ch. Repeat from *, making 5 s. c. in loop at each end.

Sew points of Rick Rack Braid around Medallion.


On sides, catch points of braid, with a French knot.



Candle Shade

Materials: Nufashond Rick Rack Braid No. 17; Crochet Cotton No. 50; Steel Hook No. 11.

Ch. 12, 25 d. cr. join with sl. st. ch. 5 skip 1st fasten in 3d st. with s. cr. repeat until there are 12, slip st. to center of ch. 5. Ch. 13 fasten with slip st. to 2d point of Rick Rack Braid. Crochet with s. cr. back on chain 10 times ch. 3 fasten to center of next ch. 5, chain 10 and fasten to 3d pt. of braid cr. back 7 times with s. cr., ch. 3 and fasten to center of ch. 5, ch. 10 fasten to 5th point of braid 7 s. cr. ch. 3 fasten to center of 4th ch. 5 repeat until there are 5 fastenings of 7 ch. each row cr. 13 ch. and fasten to 15th point of braid also 15th pt. of braid crossed, points even, using other end of braid, cr. 10 s. cr. back on ch. fasten to next center of ch. 5, ch. 10 fasten to 3d point of braid from crossing of braid repeat until there are 5 fastenings of the same way make 5 more oblongs. Make 5 ch. come



back fasten in 2d ch. to from picot ch. 2 fasten to point of braid ch. 5, repeat the round. Ch. 5 with d. cr. fasten in ch. where previous row is fastened repeat the round. Ch. 3 to form post 2 d. cr. in center of 5 ch. on previous row ch. 5 2 d. cr. in center of next 5 ch. previously row, 1 ch. 2 d. cr. center of next 5 ch. ch. 10 1 d. cr. with 1 ch. bet. in every other sl. until there are 17 d. cr. with 1 ch. bet. the last double being fastened in the 3d to last of 5 ch. on previous row. Ch. 10 2 d. cr. in center of ch., ch. 1 2 d. cr. center of next ch. 5 2 d. cr. in center of last 5 ch. 2 d. cr. in center of next 5 ch. or 1st 5 of 2d motif slip et up 3 ch. st. make 2 ch. 2 d. cr. in center of next 5 ch., ch. 3 fasten in 3d ch. of ch. 10 previously made ch. 7 1 d. cr. in chain and repeat with 1 ch. between until there are 17 d. cr. repeat the round.


4th, 5th and 6th row 1 d. cr. in every other space fastening only in ch. 5 ch. picot 2 ch. 1 double cr. in 3d space using only ch. st. repeat the round except 5th and 6th row; fastening is made top of each post instead of space.

7th ch. 7 with d. cr. fasten on top of every other post of previous row 8th ch. 3 fasten to point of Rick Rack Braid ch. 3 with s. cr. fasten to 1st st. of ch., ch. 3 fasten to braid ch. 3 with s. cr. fasten to 5th ch. st. repeat the round. 9th with 4 ch. between and picot fasten with sl. st. to every point of braid, 10th 2 d. cr. in picot, ch. 5 catch back in 2d ch. to form picot 2 double cr., picot, 2d cr. picot fasten in picot previous row with s. cr. 2 ch. repeat scallop on same manner the round. On lower edge cr. 6 ch. fasten to point of braid 6 ch. fasten to point of braid repeat the round. Fill angles same as upper edge except using single cr. to fasten ch. between instead of d 3d row 3 ch. fasten to point of braid 2 ch. fastening to every 5th st. of ch. on previous row.

Outer edge ch. 5 fasten back in 2d to form picot ch. 2 fasten to pt. of braid repeat the round.

chet 5 singles in each space through the lining and over the two edges together. On lower edge ch. 5 between each point. On these spaces crochet 4 s. c. one picot, 4 s. c. Run narrow ribbon through the beading at top. Make a bow of the 2-in. ribbon.

Take 5 points of Nufashond Rick Rack for strap, crochet on each side, same as lower edge of turn over buttons. Hold thread around finger and make 8 s. c. over it, draw up tightly, 16 s. c. in next row, 24 s. c. in next row 3 rows without increasing. Narrow by skipping every other stitch until back of button is covered.



Motiff of Cover, Centerpiece and Pillow

Materials: Nufashond Rick Rack Braid No. 49; Crochet Cotton No. 10; Steel Hook No. 7.


Ch. 5, join.

1st row: Ch. 4, * 1 d. c. in ring, ch. 1. Repeat from * until there are 11 d. c., ch. 1, join in 3d ch.

2d row: Ch. 6, 1 d. c. and ch. 3 in each space around row, join. (12 spaces.)

3d row: Ch. 3, 1 d. c. in 1st space, ch. 2, 1 s. c. in 1 point of braid, * ch. 2, wrap, draw up a loop in same space, wrap, draw thread through 2, wrap, draw up a loop in same place, draw thread through 2, wrap, draw up a loop in next space, draw thread through 2, wrap, draw up a loop in same place, draw thread through 2 three times, draw through last 2, ch. 2, 1 s. c. in next point of braid. Repeat from * until you have joined 12 points of braid, join.

Sew to linen as illustrated.



Collar

Materials: Nufashond Rick Rack Braid No. 17; Crochet Cotton No. 50; Steel Hook No. 10.

With needle and thread sew in second point of braid, span thread to next point of braid, fasten twice, span to next or fourth point, fasten, bring 5th point of braid close to the fourth point, twist thread around line spanned from third to fourth point, four times. Bring 6th point close to 3d point, twist around line four times and bring 7th to 2d point, this completes one point of star.

Fold back braid, beginning at the 1st point of braid and proceed as before until the 5 points of star have been completed. For centre of star, fasten thread with s. c. to centre of one of five points of star, ch. 4 fasten to next centre and so on around. Sew on stud.


Nine stars are needed to form collar.

To join three stars, ch. 12 join ch. 13, fasten back in 5 stitch from hook to form picot. Ch. 4 fasten to point of braid at ends of star (that have been joined with needle and thread) ch. 9 fasten back in 5th st. to form picot, ch. 5, then three double c. in ring, ch. 9 fasten back in 5th st. to form picot, ch. 4 fasten to next two points of braid, continue until 9 spokes have been made and 27 d. ch. in ring, thus joining three stars in each cluster.

Cut off piece of braid of 21 points, another piece of 46 points. Start at 1st point of shortest piece of braid c. 5 ch. fasten to 2d point of 2d piece of braid, 5 ch. fasten back to next point of shortest piece so on until 5 points have been fastened, 5 ch. fasten down in same point of 1st row forming a ring. Five more fastenings then twice in 11th point to form ring, continue until last point of shortest piece of braid is used.

Ch. 10 fasten in angle between middle and 2d point of star previously made, ch. 9 fasten back in 5th st. of ch. to form picot, ch. 5 fasten in end of spoke (made by joining 3 stars) also in next point of longest piece of braid, c. opposite together of braid until end is reached, join to star that forms middle of back of collar, or one side of collar. In same manner add four more pieces of braid reaching from points of stars in middle cluster to cluster in ends of collar. Fourth row having 25 points, fifth row 33 points, sixth row 36 points, seventh row 43 points.

In two hollow spaces along edges of both ends of collar c. ring with spokes and d. c. as made to join three stars. Begin at middle of back of collar and finish edge all around collar with braid joining to opposite points in same manner as previously made.



Corset Cover or Camisole

Materials: Nufashond Rick Rack Braid No. 21; Crochet Cotton No. 60; Steel Hook No. 10.

Center: For the yoke fasten thread on point and * ch. 15 s. c. in next point, ch. 4 sl. st. in fifth ch., ch. 4 s. c. in next point. Ch. 4 sl. st. back in same space. Repeat in 2 more points, making 4 in all. Ch. 10 s. c. to next point. Repeat this 36 times, then s. c. in 3 points to turn back. Ch. 5, fasten with sl. st. to sixth ch. on opposite side, ch. 9 s. c., in next point ch. 4 and sl. st., in fifth ch. of the 9 * ch. 4 s. c. in next point, ch. 4 sl. st. in same space. Repeat twice again or 4 points in all. Ch. 3, go across to the other center, ch. 3 sl. st. back to same space. Ch. 4 sl. st. in 5th of opposite side, ch. 5 s. c. in next point and sl. st. to join opposite point. Repeat the entire length, close braid under arm.

1st row, outer side: Work on wrong side, fasten thread on top point of design * ch. 5 d. c. 1 in next point ch. 9 s. c. in next point and s. c. in next point, s. c. 6 over the 9 ch. to pass up. Ch. 3, d. c. 1 in next point ch., 5 s. c. in next point. Repeat the entire row.

2d row: Sl. st. to space. Ch. 4 and tr. c. 1 in same space * ch. 3 tr. c. 2 in next space. Repeat to end join.

3d row: Sl. st. to space, ch. 4, tr. c. 2 in same space * ch. 2, tr. c. 3. Repeat to end and join.

4th row: * Ch. 3 * d. c. in each post and 2 at space till you have 18, then ch. 2, d. c. 1, st. post of the next cluster of 3 ch., 2 d. c. in 3d post. Repeat 3 times, then repeat from * all around.


First and second row on upper side same as the first and second row then break thread. Make shoulder straps with centers and first outer row, then fasten to yoke. Now make 3 rows only between straps, front and back, then make the row of 2 tr. c. and 3 ch. all around the inner space. Sl. st. to center of space and ch. 8 and wrap 3 times, draw through four sets of 2 * ch. 4, wrap 3 times, draw through four sets of 2. Repeat all around at corners, make post, but no ch. Ch. 3, tr. c. 2 in every space; join.

Scallop: Ch. 4, tr. c. 2, ch. 6, go back 4 for p., ch. 2, tr. c. 3, pass to next space and * tr. c. 3, ch. 6, go back 4 for p., ch. 2, tr. c. 3. Repeat all around, for arm hole repeat 2d row on the straps only, then make ribbon and scallop 4 rows as on other side.

Platter Doilies

Materials: Nufashond Rick Rack Braid Nos. 25, 29 or 33; Crochet Cotton No. 30.

Sew the Nufashond Rick Rack Braid on the edge of the doily, and finish with French knots in any color of cotton desired.



Rick Rack and Tatting

The doily and other rick rack and tatting work shown here simply suggest possibilities for luncheon sets, tumbler doilies, medallions for pillows and centerpieces, trimmings for table, bureau, and porch sets, lingerie, etc.


EXPLANATORY

Double stitch (d. s.): Two half stitches made with the shuttle, forming one stitch.
Ring (r.): The required number of double stitches made with the shuttle thread only, and drawn up into a ring.
Chain (ch.): A scallop or cord made with the ball thread, on the shuttle thread, not drawn up into a ring.
Picot (p.): A loop left between stitches: (l. p.) a long picot: (sm. p.) a very small picot.
Join: A loop drawn through a picot, shuttle passed through it, and thread drawn tightly. Or with the ball thread: or threads tied around.
Continuous thread: Thread unbroken between shuttle and ball.
Set of stitches: 4-4, or other number, are single stitches of the stated number, like "1st half d. st., then the same number of single sts., like the last half of d. st." This is one set of stitches.

(*) Repeat all within as many times as following number indicates.

Reverse: Turn the work and continue as before, but in an opposite direction.

- | | | | |
|--------|-----------------|--------|-------------------|
| r. | for ring | p. | for picot |
| l. r. | for large ring | j. | for join |
| s. r. | for small ring | st. | for stitch |
| c. r. | for center ring | d. st. | for double stitch |
| d. r. | for double ring | c. l. | for clover leaf |
| ch. | for chain | t. c. | for tatted cord |
| l. ch. | for long chain | * | for repeat |
| s. ch. | for short chain | | |



A Materials: Nufashond Rick Rack Braid No. 37; Crochet Cotton Blue No. 30; White No. 30.

Insertion: R., 3 d., p., 3 d., j. side of point, 3 d., p., 3 d., j. side of next point, d., 3 p., 3 d., turn; ch. 3 d., (p., 3 d.), 5 times; repeat from beginning for required length, then make same on the other side of braid.

B Materials: Nufashond Rick Rack Braid No. 37; Crochet Cotton Pink No. 30; White No. 30.

Heading: R., 4 d., (p., 2 d.), 2 times, j. 1st point of braid, 2 d., (p., 2 d.), twice, p., 4 d.; r., 4 d., j. last p. of 1st r., 2 d., (p., 2 d.), 3 times, j. between points, 2 d., (p., 2 d.), twice, p., 4 d.; r., 4 d., j. last p. of 2d r., 2 d., (p., 2 d.), twice, j. next p. of braid, (2 d., p.), 2 times, p., 4 d.; turn; ch. 4 d., p., 2 d., l. p., 4 d., p., 2 d., p., 2 d., p., 4 d., l. p., 2 d., p., 4 d., turn, repeat from beginning.

Edge: Join threads between first two points of braid, ch. 3 d., p., 3 d., p., 3 d., j. point, s. r., 7 d., p., 7 d.; d. r., inside r., 9 d., p., 9 d., turn; ch. (2 d., p.), 5 times, 2 d., j. p. of inside r., ch. 4 d., p., 4 d., draw up closely and j. same p., ch. 2 d., (p., 2 d.), 5 times, j. at base of same r., s. r., 7 d., p., 7 d., j. thread to same p., ch. 3 d., p., 3 d., p., 3 d., j. between points. Repeat from beginning.

C Materials: Nufashond Rick Rack Braid No. 37; Crochet Cotton Blue No. 30; White No. 30.

Edging: Join threads between points of braid. Ch. 4 sets of 4-4 sts., turn; s. r., 4 d., j. point of braid, 4 d., turn; l. r., 4 d., (p., 2 d.), 6 times, p., 4 d., turn; ch. 4 sets of 4-4 sts., j. 4th p. of l. r., ch. 4 sets of 4-4 sts., j. between s. r. and l. r., ch. 4 sets of 4-4 sts., j. between points of braid; repeat ch., turn; s. r., 4 d., j. next point, 4 d., turn; l. r., 4 d., (p., 2 d.), 6 times, p., 4 d., turn; ch. 4 sets of 4-4 sts., j. 1st p. of l. r., ch. 3 sets of 4-4 sts., turn; s. r., 2 d., (p., 2 d.), 2 times, j. over 4th p., 1st l. r., 2 d., (p., 2 d.), 3 times, turn; ch. 3 sets of 4-4 sts., j. 2d p. of 2d l. r., turn; ch. 3 sets of 4-4 sts., turn; s. r., 2 d., p., 2 d., j. 6th p. of last s. r., 2 d., (p., 2 d.), 5 times, turn; ch. 3 sets of 4-4 sts., j. 3rd p. of same l. r., turn; * ch. 4 sets of 4-4 sts., turn; s. r., 2 d., p., 2 d., j. 6th p. of last s. r., 2 d., (p., 2 d.), 5 times, turn; ch. 4 sets of 4-4 sts., j. next p. of l. r., turn; repeat from * once, then * ch. 3 sets of 4-4 sts., s. r., 2 d., p., 2 d., j. 6th p. of last s. r., 2 d., (p., 2 d.), 5 times, turn; ch. 3 sets of 4-4 sts., j. next p. of l. r. Repeat from * ch. 4 sets of 4-4 sts., j. between l. r. and s. r., ch. 4 sets of 4-4 sts., j. between points, repeat from beginning.

Heading: Join threads to 1st point of braid, * ch. 3 d., (p., 3 d.) 3 times, j. inside of braid half way from point, ch., 3 d., j. side of next point, ch., 3 d., j. last p. of ch., 3 d., p., 3 d., p., 3 d., j. next point of braid. Repeat from *.

D Materials: Nufashond Rick Rack Braid No. 37; Crochet Cotton White No. 30.


Join threads between first two points of braid, ch., 2 d., (p., 2 d.) 6 times, j. point of braid, ch., 2 d., (p., 2 d.) 6 times, turn; d. r., inside r., 10 d., p., 10 d., turn; ch., 2 d., p., 2 d., p., 2 d., j. next point of braid, 2 d., p., 2 d., p., 2 d., j. p. of inside r., s. ch., 4 d., d. r., same as last d. r., turn; ch., 2 d., p., 2 d., j. next point, 2 d., j. next point, 2 d., j. next point, 2 d., p., 2 d., j. p. of



last inside r., ch., 2 d., p., 2 d., p., 2 d., j. next point of braid, 2 d., p., 2 d., p., 2 d., j. at base of same r., s. ch., 4 d., j. p. of next inside r., ch., 2 d., p., 2 d., p., 2 d., j. next point of braid, 2 d., p., 2 d., p., 2 d., j. base of same r. reverse; ch., 2 d., (p., 2 d.) 6 times, j. next point of braid, ch., 2 d., (p., 2 d.) 6 times, j. between points of braid 2 d., (p., 2 d.) 6 times, j. next point of braid, 2 d., (p., 2 d.) 6 times, repeat from beginning of row.

Heading: Join threads in 4th p. of 1st ch., ch., 2 d., (p., 2 d.) 6 times, j. 3d p. of corresponding ch. of opposite side of scallop, ch., 2 d., (p., 2 d.) 6 times, j. 4th p. of next ch., ch., 2 d., (p., 2 d.) 6 times, j. 3d p. of next ch. Repeat from beginning.

Edge: Join threads to 1st point of outside of scallop, ch., 2 d., (p., 2 d.) 5 times, j. next point, ch., 2 d., (p., 2 d.) 5 times, j. next point, ch., 2 d., (p., 2 d.) 5 times, j. next point, ch., 2 d., (p., 2 d.) 5 times, j. next point, ch., 2 d., (p., 2 d.) 7 times, *, j. between next two points, ch., 2 d., (p., 2 d.) 7 times, j. next point, turn; r., 2 d., (p., 2 d.) 3 times, ch., 2 d., (p., 2 d.) 7 times, *, repeat from * to * twice, ch., 2 d., (p., 2 d.) 7 times, j. next point, repeat ch., j. next point, repeat ch., j. next point, (ch., 2 d., j. next point) 3 times, ch., 2 d., (p., 2 d.) 3 times, j. 4th p. of last ch., 2 d., (p., 2 d.) 3 times, j. next p., repeat from *. Then repeat chains and rings around bottom of scallop, and continue entire length.



Round Medallion or Doily

Materials: Nufashond Rick Rack Braid No. 41; Crochet Cotton Blue No. 30; White No. 30.

Center wheel: Wind shuttle, do not break from ball. Make r., 4 d., p., 4 d., p., 4 d., p., 4 d., draw up, turn, ch. 3 d., turn; r., 4 d. j., 3d., p. of 1st r., (4 d., p.) 4 times, 4 d., draw up; * turn; ch. 3 d., turn; r., 4 d., j. 5th p. of last r., 4 d., p., 4 d., p., 4 d., draw up, turn; ch. 3 d., (p., 3 d.), 5 times, j., 2d p., of last r., ch. 3 d., (p., 3 d.), 5 times turn; r., 4 d., p., 4 d., j. 2d p. of last r., 4 d., p., 4 d., draw up, turn; ch. 3d., turn; r., 4 d., j. last p. of last r., 4 d. j. 4th p. of next to the last r., 4 d., p., 4 d., p., 4 d., p., 4 d., draw up, repeat from * until there are 5 trefoils. Join last ch. to base of 1st r., cut threads and tie; lay aside till needed.

Now count twenty points of rick-rack braid with one more to lap for joining. Fill one shuttle with blue thread and one with white; tie ends of thread together. With the blue thread make * r., 4 d., p., (2 d., p.), 6 times, 4 d., draw up. Close up, make 2d r. like 1st, joining 1st p. to last p. of previous r., also make 3d the same, turn; wind white thread around fingers of left hand and with blue shuttle ch. 5 d., join 1st point of braid, continue ch. 5 d., turn; with white shuttle make r., of 7 d., j. braid, 7 d., draw up, turn; ch. 5 d., j. next point of braid, ch. 5 d., turn; with blue shuttle make r., 4 d., j. 4th p. of last r., (2d., p.) 4 times, 4 d., draw up. Ch. 5 d., j. same p. of braid, 5 d., turn; r., (with white thread), 7 d., j. braid, 7 d., draw up. Ch. 5 d., j. next point of braid, 5 d. Repeat from * all around. Cut threads but do not tie until the connecting ch. is made.

Connecting ch. is made thus: with a continuous thread of blue between shuttle and ball, j. thread to middle r. of clover leaf in row last made. * ch. first half of double stitch 4 times, then last half 4 times, repeat 3 times, * draw up closely, j. to wheel at 3d p. of ch., turn; repeat from * to *, j. 3rd p. of single r., turn; repeat ch., j. same p. of wheel turn; repeat ch., j. top p. of next clover leaf, continue all around, j. last ch. where 1st ch. began. Tie and cut threads then join the ends of braid neatly; j. end of previous row, tie and cut threads.

Outside row: With white thread continuous between shuttle and ball, j. thread to point of braid, *. Ch. (p., 2 d.), 6 times, j. braid, ch. 2 d., (p., 2 d.), 5 times, j. next point of braid. Repeat from * all around and fasten off.

Nufashond Rick Rack Book

Nufashond
MADE IN U.S.A.


1921 NEEDLEWORK LIBRARY 1922

BY FRANCES A. HARRIS



NUFASHOND RICK RACK BOOK, Vol. 5, illustrating many uses for the popular Rick Rack Braid.

PRICE 25 CENTS



NUFASHOND KNOTWORK BOOK illustrating new uses for Soutache Braid. It uses the "Square Knot" for the foundation in making Bags, Girdles, etc.

PRICE 10 CENTS



NUFASHOND CLUNY AND FILET LACE BOOK, Vol. 1, using Cluny and Filet Laces in a number of new and unique ways.

PRICE 25 CENTS

ALL THREE (3) BOOKS WILL BE SENT UPON RECEIPT OF 50 CENTS

NUFASHOND - Reading, Pa.

MADE IN
USA