

Compact and handy machine

You can make good use of the Classic 110.2 pressure washer. It is handy sized and the build-in trolley makes it easy to transport. This machine has a number of functions that cover basic cleaning needs and is used for tasks around the house such as cleaning of bicycles and small patios.

The Classic 110.2 is for typical domestic cleaning tasks like cleaning of flagstones, stairways, vehicles with a moderate use.

PRODUCT FACTS

- Click & Clean (C&C) nozzle system ensures quick and easy change of nozzle.
- Reliable aluminum pump.
- Trolley for high mobility.
- Automatic start/stop.
- Compact and easy to store.
- Light weight makes it easy to transport.
- Easy to handle and operate. Trolley included.



Gerni Australia 48 Egerton St Silverwater NSW 2128 Tel: 1300 556 710 - Fax: 02 8748 5970

www.gerni.com.au

Ref. no 126139526 Description GERNI Classic 110.2 (AUS) PRODUCT FEATURES		
Description GERNI Classic 110.2 (AUS) PRODUCT FEATURES GERNI Classic 110.2 (AUS) AUTOMATIC START/STOP I TROLLEY I CLICK & CLEAN (C&C) NOZZLE CONCEPT I ALUMINUM PUMP I GUN WITH QUICK CONNECTION AND SWIVEL I INCL. ACCESSORIES I 6411132 'FOAM SPRAYER CLICK & CLE I 126481144 G2 GUN WITH INTERM.TUBE I 126481142 G2 GUN WITH INTERM.TUBE I 126481142 G2 GUN WITH INTERM.TUBE I 126481143 POWERSPEED G2 I 126481144 G2 GUN WITH INTERM.TUBE I 126481145 G2 LANCE I 126481141 TORNADO G2 I Technical specifications GERNI CLASSIC C 110.2 CABLE LENGTH (M) S VOLTAGE (V) 320 MOTOR RATED POWER (KW) 1,4 POWER CONSUMPTION (A) 6,1 WAT	Model	GERNI CLASSIC C 110.2
PRODUCT FEATURES AUTOMATIC START/STOP TROLLEY AUTOMATIC START/STOP TROLLEY CLICK & CLEAN (C&C) NOZZLE CONCEPT ALUMINIUM PUMP GUN WTH QUICK CONNECTION AND SWIVEL INCL. ACCESSORIES INCL. ACCESSORIES I26481144 G2 QUN WITH INTERM.TUBE I26481144 G2 QUN WITH INTERM.TUBE I26481144 G2 QUN WITH INTERM.TUBE I26481142 SPOWERSPEED G2 I26481123 POWERSPEED G2 I26481124 SPOWERSPEED G2 I26481124 SPOWERSPEED G2 I26481124 SPOWERSPEED G2 I2648114 TORNADO G2 ICCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	Ref. no	126139526
AUTOMATIC START/STOP TAOLLEY AUTOMATIC START/STOP TAOLLEY CLICK & CLEAN (C&C) NOZZLE CONCEPT ALUMINUM PUMP GUN WITH QUICK CONNECTION AND SWIVEL INCL. ACCESSORIES E411132 'FOAM SPRAYER CLICK & CLE E411132 'FOAM SPRAYER CLICK & CLE E126481123 POWERSPEED G2 E126481123 POWERSPEED G2 E126481123 POWERSPEED G2 E126481123 POWERSPEED G2 E26481123 POWERSPEED G2 E26481124 POWERSPEED G2 E26481114 POWERSPEED G2 E2648111111111111111111111111111111111111	Description	GERNI Classic 110.2 (AUS)
TROLLEY CLICK & CLEAN (C&C) NOZZLE CONCEPT ALUMINIUM PUMP GUN WITH QUICK CONNECTION AND SWIVEL GUN WITH QUICK CONNECTION AND SWIVEL INCL. ACCESSORIES E411132 'FOAM SPRAYER CLICK & CLE 126481123 'FOAM SPRAYER CLICK & CLE 126481124 G2 GUN WITH INTERM.TUBE 126481125 POWERSPEED G2 126481123 POWERSPEED G2 126481124 POWERSPEED G2 12648114 POWERSPEED G2 126481114 POWERSPEED G2 1264023 126602 126602 126602 126602 126602 126602 126602 126602 126602 12	PRODUCT FEATURES	
CLICK & CLEAN (C&C) NOZZLE CONCEPT ALUMINIUM PUMP GUN WITH QUICK CONNECTION AND SWIVEL INCL. ACCESSORIES 6411132 *FOAM SPRAYER CLICK & CLE 126481144 G2 GUN WITH INTERM.TUBE 126481145 G2 LANCE 126481145 G2 LANCE 126481123 POWERSPEED G2 126481143 TORNADO G2 Technical specifications GERNI CLASSIC C 110.2 CABLE LENGTH (M) CABLE LENGTH (M) CABLE LENGTH (W) OTOR RATED POWER (KW) POWER CONSUMPTION (A) WATER FLOW QMAXOLEC (L/H) PUMP PRESSURE (BAR/MPA) max.110 / max.11 HOSE LENGTH (M)	AUTOMATIC START/STOP	
ALUMINIUM PUMP GUN WITH QUICK CONNECTION AND SWIVEL INCL. ACCESSORIES 6411132 *FOAM SPRAYER CLICK & CLE 126481142 G2 GUN WITH INTERM.TUBE 126481145 G2 LANCE 126481123 POWERSPEED G2 126481123 POWERSPEED G2 126481112 POWERSPEED G2 126481114 TORNADO G2 Technical specifications CABLE LENGTH (M) VOLTAGE (V) MOTOR RATED POWER (KW) POWER CONSUMPTION (A) WATER FLOW OMAX/QIEC (L/H) PUMP PRESSURE (BAR/MPA) MOX.110 / max.110 / max.111 HOSE LENGTH (M) 5	TROLLEY	
GUN WITH QUICK CONNECTION AND SWIVEL Image: Connection and Swivel Swive	CLICK & CLEAN (C&C) NOZZLE CONCEPT	-
INCL. ACCESSORIES 6411132 *FOAM SPRAYER CLICK & CLE 126481144 G2 GUN WITH INTERM.TUBE 126481145 G2 LANCE 126481145 G2 LANCE 126481123 POWERSPEED G2 126481114 TORNADO G2 GERNI CLASSIC C 110.2 CABLE LENGTH (M) VOLTAGE (V) MOTOR RATED POWER (KW) POWER CONSUMPTION (A) WATER FLOW QMAX/QIEC (L/H) PUMP PRESSURE (BAR/MPA) HOSE LENGTH (M) MOSE LENGTH (M)	ALUMINIUM PUMP	
6411132 *FOAM SPRAYER CLICK & CLE 6411132 *FOAM SPRAYER CLICK & CLE 641132 *FOAM SPRAYER CLICK & CLE 6410 * 310 740 * 310	GUN WITH QUICK CONNECTION AND SWIVEL	
126481144 G2 GUN WITH INTERM.TUBE Image: Comparison of	INCL. ACCESSORIES	
126481145 G2 LANCE I 126481123 POWERSPEED G2 I 126481123 POWERSPEED G2 I 126481141 TORNADO G2 I GERNI CLASSIC C 110.2 CABLE LENGTH (M) VOLTAGE (V) MOTOR RATED POWER (KW) POWER CONSUMPTION (A) I,4 POWER CONSUMPTION (A) I,4 PUMP PRESSURE (BAR/MPA) max. 110 / max. 11 HOSE LENGTH (M) 5	6411132 *FOAM SPRAYER CLICK & CLE	
126481123 POWERSPEED G2 I 126481123 POWERSPEED G2 I 126481114 TORNADO G2 I Technical specifications GERNI CLASSIC C 110.2 CABLE LENGTH (M) VOLTAGE (V) MOTOR RATED POWER (KW) 230 POWER CONSUMPTION (A) 6,1 WATER FLOW QMAX/QIEC (L/H) 440 - 310 PUMP PRESSURE (BAR/MPA) max. 110 / max. 11 HOSE LENGTH (M) 5	126481144 G2 GUN WITH INTERM.TUBE	
I26481114 TORNADO G2 Technical specifications GERNI CLASSIC C 110.2 CABLE LENGTH (M) 5 VOLTAGE (V) 230 MOTOR RATED POWER (KW) 230 POWER CONSUMPTION (A) 6,1 WATER FLOW QMAX/QIEC (L/H) 440 - 310 PUMP PRESSURE (BAR/MPA) max. 110 / max. 11 HOSE LENGTH (M) 5	126481145 G2 LANCE	
Technical specificationsGERNI CLASSIC C 110.2CABLE LENGTH (M)5VOLTAGE (V)230MOTOR RATED POWER (KW)1,4POWER CONSUMPTION (A)6,1WATER FLOW QMAX/QIEC (L/H)440 - 310PUMP PRESSURE (BAR/MPA)max. 110 / max. 11HOSE LENGTH (M)5	126481123 POWERSPEED G2	-
CABLE LENGTH (M)5VOLTAGE (V)230MOTOR RATED POWER (KW)1,4POWER CONSUMPTION (A)6,1WATER FLOW QMAX/QIEC (L/H)440 - 310PUMP PRESSURE (BAR/MPA)max. 110 / max. 11HOSE LENGTH (M)5	126481114 TORNADO G2	•
VOLTAGE (V) MOTOR RATED POWER (KW) POWER CONSUMPTION (A) WATER FLOW QMAX/QIEC (L/H) PUMP PRESSURE (BAR/MPA) HOSE LENGTH (M)	Technical specifications	GERNI CLASSIC C 110.2
MOTOR RATED POWER (KW) 1,4 POWER CONSUMPTION (A) 6,1 WATER FLOW QMAX/QIEC (L/H) 440 - 310 PUMP PRESSURE (BAR/MPA) max. 110 / max. 11 HOSE LENGTH (M) 5	CABLE LENGTH (M)	5
POWER CONSUMPTION (A) 6,1 WATER FLOW QMAX/QIEC (L/H) 440 - 310 PUMP PRESSURE (BAR/MPA) max. 110 / max. 11 HOSE LENGTH (M) 5	VOLTAGE (V)	230
WATER FLOW QMAX/QIEC (L/H) 440 - 310 PUMP PRESSURE (BAR/MPA) max. 110 / max. 11 HOSE LENGTH (M) 5	MOTOR RATED POWER (KW)	1,4
PUMP PRESSURE (BAR/MPA) max. 110 / max. 11 HOSE LENGTH (M) 5	POWER CONSUMPTION (A)	6,1
HOSE LENGTH (M) 5	WATER FLOW QMAX/QIEC (L/H)	440 - 310
	PUMP PRESSURE (BAR/MPA)	max. 110 / max. 11
MAX INLET TEMPERATURE (℃) 40	HOSE LENGTH (M)	5
	MAX INLET TEMPERATURE (°C)	40



DIMENSIONS LXWXH (MM)

WEIGHT (KG)

www.gerni.com.au

240x240x660

5,5

Accessories		Ref. no	Min. required	GERNI CLASSIC C 110.2	
1	Consumer pressure washer acc.				
	G2 GUN WITH INTERM.TUBE	126481144	1		
	*FOAM SPRAYER CLICK & CLE AN	6411132	1		

