



Revolutionary new deck system, superb performance

The all-new BR 652/752 series of compact ride-on scrubber/dryers from Nilfisk-Advance represents more than just the latest models.

It represents a huge step forward in cleaning innovation. In fact, a new benchmark has been set that puts these magnificently designed and engineered units way ahead of the competition.

Just look at the features. Super low noise level, ergonomic and a compact design that allows these machines to clean just about anywhere. Then there is the Ecoflex™ green-cleaning system that controls the consumption of water, detergent and energy so effectively that real savings can be gained without compromising performance!

And above all a totally new and patented scrubbing deck concept. Everything can be done just moving the steering wheel; as the machine turns, so too does the deck. Together with the new "intelligent" squeegee - which perfectly covers the scrubbing track without leaving traces - the Nilfisk concept delivers superb cleaning performance.

This solution is so efficient that side skirts are no longer needed.

PRODUCT FACTS





- New sliding deck concept; maximum comfort and performance, minimum efforts and maintenance
- New squeegee concept; a stable and reliable squeegee for the best pick up performance
- Ecoflex™ system minimises the environmental impact without compromising performance
- New ergonomic steering wheel concept with all working functions fully integrated
- Patented automatic speed control that significantly increases operator safety
- Super compact design makes cleaning of restricted space areas fast and easy
- Low noise mode makes daytime cleaning and cleaning of noise sensitive areas viable





Model	BR 652	BR 652	BR 652	BR 752	BR 752
Ref. no	20003065	9087260020	9087261020	20003075	9087262020
Description	SCRUBBER BR652 W/BAT.CHARGER UK	SCRUBBER BR 652	SCRUBBER BR 652 W/BAT.CHARGER	SCRUBBER BR752 W/BAT.CHARGER UK	SCRUBBER BR 752
PRODUCT FEATURES					
CYLINDRICAL BRUSH VERSION					
SOLUTION TANK WITH EASY DRAIN SYSTEM	■	■	■	■	■
ONE TOUCH CONTROL PANEL	■	■	■	■	■
NEW STEERING WHEEL WITH INTEGRATED FUNCTIONS	■	■	■	■	■
AUTOMATIC SPEED CONTROL SYSTEM	■	■	■	■	■
BACK UP WARNING ALARM	■	■	■	■	■
SAFETY INTERLOCK SWITCH	■	■	■	■	■
POLYURETHANE FRONT & REAR WHEELS	■	■	■	■	■
COMPACT SQUEEGEE CONCEPT	■	■	■	■	■
FOOT PEDAL WITH HEEL ADJUSTMENT	■	■	■	■	■
ECOFLEX PREPARED	■	■	■	■	■
SLIDING DECK SYSTEM (NO SIDE SKIRT)	■	■	■	■	■
ANTISHOCK RETRACTABLE DECK	■	■	■	■	■
DEBRIS TRAY	■	■	■	■	■
INCL. ACCESSORIES					
9098729000 BLADES PU 890MM/35 KIT	■	■	■	■	■
909 5676 000 CABLE EXTENSION UK PLUG	■			■	
9098198000 CHARGER BATTERY ON BOARD KIT	■		■	■	
9097290000 HOSE FILLING	■	■	■	■	■
909 5224 000 SPLASH GUARD DECK 650MM/26	■	■	■		
909 5345 000 SPLASH GUARD DECK 750MM/30				■	■
9098712000 TRAY DEBRIS KIT	■	■	■	■	■




Technical specifications	SCRUBBER BR652 W/BAT.CHARGER UK	SCRUBBER BR 652	SCRUBBER BR 652 W/BAT.CHARGER	SCRUBBER BR752 W/BAT.CHARGER UK	SCRUBBER BR 752
MAX SPEED (KM/H)	6	6	6	6	6
VOLTAGE (V)	24	24	24	24	24
IP PROTECTION CLASS	IPX3	IPX3	IPX3	IPX3	IPX3
INSULATION CLASS	III	III	III	III	III
RATED POWER (W)	1500	1500	1500	1500	1500
BRUSH MOTOR (W)	400	400	400	400	400
VACUUM MOTOR POWER (W)	420	420	420	420	420
AIRFLOW (L/SEC)	26.1	26.1	26.1	26.1	26.1
VACUUM (KPA)	14.2	14.2	14.2	14.2	14.2
SOUND PRESSURE LEVEL (dB(A))	65	65	65	65	65
MAXIMUM RUNNING TIME	3.5	3.5	3.5	3.5	3.5
PRODUCTIVITY RATE THEORETICAL/ ACTUAL (M²/H)	3960/2770	3960/2770	3960/2770	4260/2980	4260/2980
SCRUBBING WIDTH (MM)	660	660	660	710	710
MIN. TURN-AROUND AISLE WIDTH (CM)	150	150	150	150	150
MAX CLIMBING RATE (%)	16	16	16	16	16
WATER FLOW (L/M)	1/3	1/3	1/3	1/3	1/3
SOLUTION/RECOVERY TANK (L)	80/80	80/80	80/80	80/80	80/80
SQUEEGEE WIDTH (CM)	89	89	89	89	89
BRUSH PRESSURE (KG)	30/48	30/48	30/48	32/50	32/50
BRUSH SPEED (RPM)	230	230	230	230	230
BRUSHES/PADS QTY.	2 Disc	2 Disc	2 Disc	2 Disc	2 Disc
BRUSH SIZE (MM)	2x330	2x330	2x330	2x355	2x355
LENGTH X WIDTH X HEIGHT (CM)	136x67x120	136x67x120	136x67x120	136x75x120	136x75x120
BATTERY COMPARTMENT SIZE (LXWXH) (MM)	380x540x300	380x540x300	380x540x300	380x540x300	380x540x300
WEIGHT (KG)	175	175	175	177	177
OPERATING WEIGHT (KG)	446	446	446	448	448

Model	BR 752	BR 752C	BR 752C	BR 752C
Ref. no	9087263020	20003076	9087264020	9087265020
Description	SCRUBBER BR 752 W/BAT.CHARGER	SCRUBBER BR752C W/BAT.CHARGER UK	SCRUBBER BR752C	SCRUBBER BR752C W/BAT.CHARGER
PRODUCT FEATURES				
CYLINDRICAL BRUSH VERSION		■	■	■
SOLUTION TANK WITH EASY DRAIN SYSTEM	■	■	■	■
ONE TOUCH CONTROL PANEL	■	■	■	■
NEW STEERING WHEEL WITH INTEGRATED FUNCTIONS	■	■	■	■
AUTOMATIC SPEED CONTROL SYSTEM	■	■	■	■
BACK UP WARNING ALARM	■	■	■	■
SAFETY INTERLOCK SWITCH	■	■	■	■
POLYURETHANE FRONT & REAR WHEELS	■	■	■	■
COMPACT SQUEEGEE CONCEPT	■	■	■	■
FOOT PEDAL WITH HEEL ADJUSTMENT	■	■	■	■
ECOFLEX PREPARED	■	■	■	■
SLIDING DECK SYSTEM (NO SIDE SKIRT)	■			
ANTISHOCK RETRACTABLE DECK	■	■	■	■
DEBRIS TRAY	■	■	■	■
INCL. ACCESSORIES				
9098729000 BLADES PU 890MM/35 KIT	■	■	■	■
909 5676 000 CABLE EXTENSION UK PLUG		■		
9098198000 CHARGER BATTERY ON BOARD KIT	■	■		■
9097290000 HOSE FILLING	■	■	■	■
909 5224 000 SPLASH GUARD DECK 650MM/26				
909 5345 000 SPLASH GUARD DECK 750MM/30	■			
9098712000 TRAY DEBRIS KIT	■	■	■	■

Technical specifications	SCRUBBER BR 752 W/BAT.CHARGER	SCRUBBER BR752C W/BAT.CHARGER UK	SCRUBBER BR752C	SCRUBBER BR752C W/BAT.CHARGER
MAX SPEED (KM/H)	6	6	6	6
VOLTAGE (V)	24	24	24	24
IP PROTECTION CLASS	IPX3	IPX3	IPX3	IPX3
INSULATION CLASS	III	III	III	III
RATED POWER (W)	1500	1900	1900	1900
BRUSH MOTOR (W)	400	600	600	600
VACUUM MOTOR POWER (W)	420	420	420	420
AIRFLOW (L/SEC)	26.1	26.1	26.1	26.1
VACUUM (KPA)	14.2	14.2	14.2	14.2
SOUND PRESSURE LEVEL (dB(A))	65	65	65	65
MAXIMUM RUNNING TIME	3.5	3.5	3.5	3.5
PRODUCTIVITY RATE THEORETICAL/ ACTUAL (M ² /H)	4260/2980	4260/2980	4260/2980	4260/2980
SCRUBBING WIDTH (MM)	710	710	710	710
MIN. TURN-AROUND AISLE WIDTH (CM)	150	150	150	150
MAX CLIMBING RATE (%)	16	16	16	16
WATER FLOW (L/M)	1/3	1/3	1/3	1/3
SOLUTION/RECOVERY TANK (L)	80/80	80/80	80/80	80/80
SQUEEGEE WIDTH (CM)	89	89	89	89
BRUSH PRESSURE (KG)	32/50	35	35	35
BRUSH SPEED (RPM)	230	720	720	720
BRUSHES/PADS QTY.	2 Disc	2 Cyl.	2 Cyl.	2 Cyl.
BRUSH SIZE (MM)	2x355	710	710	710
LENGTH X WIDTH X HEIGHT (CM)	136x75x120	136x81x120	136x81x120	136x81x120
BATTERY COMPARTMENT SIZE (LXWXH) (MM)	380x540x300	380x540x300	380x540x300	380x540x300
WEIGHT (KG)	177	180	180	180
OPERATING WEIGHT (KG)	448	451	451	451

Accessories	Ref. no	Min. required	BR 652	BR 752	BR 752C
Batteries and Chargers					
	CABLE EXTENSION UK PLUG	909 5676 000	1	+	+
	BATT. 6V-200AH WET TUBULAR MONOBLOC	80563200	4	+	+
	BATT. 6V-180AH GEL MONOBLOC	80564000	4	+	+
	CHARGER HF 24V 20A SB120R	80522420	1	■	■
ON-BOARD CHARGER					
	CHARGER BATTERY ON BOARD KIT	9098198000	1	+	+
Padholders					
	PAD HOLDER KIT CPL 330MM W/GEN	909 5330 000	2	+	
	PAD HOLDER KIT CPL 355MM W/CENTER LOCK	909 5331 000	2		+
Pad 13" / 330mm					
	PAD 13 330MM ECO BLACK 5PCS	10001910	1	+	
	PAD 13 330MM ECO BLUE 5PCS	10001911	1	+	
	PAD 13 330MM ECO BROWN 5PCS	10001912	1	+	
	PAD 13 330MM ECO GREEN 5PCS	10001913	1	+	
	PAD 13 330MM ECO RED 5PCS	10001914	1	+	
	PAD 13 330MM ECO WHITE 5PCS	10001915	1	+	
	PAD 13 330MM DIAMOND LINE RED 2PCS	10002320	2	+	
	PAD 13 330MM DIAMOND LINE BLUE 2PCS	10002321	2	+	
	PAD 13 330MM DIAMOND LINE YELLOW 2PCS	10002322	2	+	
	PAD 13 330MM DIAMOND LINE GREEN 2PCS	10002323	2	+	
	PAD 13 330MM RED 5PCS	82256900	2	+	
	PAD 13 330MM WHITE 5PCS	82257000	2	+	
	PAD 13 330MM BLACK 5PCS	82257100	2	+	
	PAD 13 330MM GREEN 5PCS	82257200	2	+	
	PAD 13 330MM BLUE 5PCS	82322000	2	+	
	PAD 13 330MM BROWN 5PCS	82322100	2	+	

Accessories	Ref. no	Min. required	BR 652	BR 752	BR 752C
 355mm	Pad 14" / 355mm				
	PAD 14 355MM ECO BLACK 5PCS	10001916	1		+
	PAD 14 355MM ECO BLUE 5PCS	10001917	1		+
	PAD 14 355MM ECO BROWN 5PCS	10001918	1		+
	PAD 14 355MM ECO GREEN 5PCS	10001919	1		+
	PAD 14 355MM ECO RED 5PCS	10001920	1		+
	PAD 14 355MM ECO WHITE 5PCS	10001921	1		+
	PAD 14 350MM DIAMOND LINE RED 2PCS	10002324	2		+
	PAD 14 350MM DIAMOND LINE BLUE 2PCS	10002325	2		+
	PAD 14 350MM DIAMOND LINE YELLOW 2PCS	10002326	2		+
	PAD 14 350MM DIAMOND LINE GREEN 2PCS	10002327	2		+
	PAD 14 355MM BLUE 5PCS	L00190796	2		+
	PAD 14 355MM BROWN 5PCS	L00190797	2		+
	PAD 14 355MM RED 5PCS	L00190798	2		+
	PAD 14 355MM WHITE 5PCS	L00190799	2		+
	PAD 14 355MM BLACK 5PCS	L00277005	2		+
PAD 14 355MM GREEN 5PCS	L00306400	2		+	
 330mm	Brush disc. 330mm				
	BRUSH d.330 PROLENE PPL	909 5332 000	2	+	
	BRUSH d.330 MIDGRIT 240	909 5334 000	2	+	
	BRUSH d.330 MIDLITE GRIT	909 5336 000	2	+	
	BRUSH d.330 PROLITE	909 5338 000	2	+	
BRUSH d.330 UNION MIX	909 5340 000	2	+		
 355mm	Brush disc 355				
	BRUSH d.370 PROLENE PPL	909 5333 000	2		+
	BRUSH d.370 MIDGRIT 240	909 5335 000	2		+
	BRUSH d.370 MIDLITE GRIT	909 5337 000	2		+
	BRUSH d.370 PROLITE	909 5339 000	2		+
BRUSH d.370 UNION MIX	909 5341 000	2		+	
 	Brush, cylindrical				
	BRUSH POLYPROPYLENE 28 RED	56412046	2		+
	BRUSH SOFT NYLON 28 YELLOW	56412191	2		+
	BRUSH HARD NYLON 28 NATURAL	56412192	2		+
	BRUSH 180 GRIT 28 BLUE/GREY	56412193	2		+
	BRUSH 80 GRIT 28 BLACK	56412194	2		+
BRUSH 46 GRIT 28 ORANG/BROWN	56412195	2		+	

Accessories	Ref. no	Min. required	BR 652	BR 752	BR 752C	
Squeegees, blades, skirts and splash guards						
	SPLASH GUARD DECK 650MM/26	909 5224 000	1	+		
	SPLASH GUARD DECK 750MM/30	909 5345 000	1		+	
	SPLASH GUARD W/BRISTLES	9097474000	1	+		
	SPLASH GUARD W/BRISTLES	9097475000	1		+	
	BLADES RUBBER KIT 890MM/35	9097804000	1	+	+	+
	BLADES PU 890MM/35 KIT	9098729000	1	■	■	■
	BLADES SQUEE.RED 890MM/35 KIT	9099211000	1	+	+	+
Others						
	FILTER ANTIFOAMING	909 5065 000	1	+	+	+
	HOSE FILLING	9097290000	1	+	+	+
	MOP AND TRASH KIT	9097815000	1	+	+	+
	BEACON FLASHING KIT	9098164000	1	+	+	+
	MOTOR VACUUM 3 STAGE 670W 24V	9098455000	1	+	+	+
	BASKET KIT	9098480000	1	+	+	+
	TRAY DEBRIS KIT	9098712000	1	+	+	+
	BRUSH DECK 650MM/26 KIT	9098741000	1	+	+	
	BRUSH DECK 750MM/28 KIT	9098742000	1	+	+	
	SILENCER BUZZER KIT	9098772000	1	+	+	+
Detergent equipment						
	ECOFLEX KIT	9097818000	1		+	+