

All-In-One range

All-In-One vacuum cleaners: ready to be used, designed for your specific application



# As efficient as simple

Simplicity is the main concept behind the all-in-one range. We are talking about the simplicity of receiving the right combination for your application. You can now choose between 6 different models built according to the main needs of 6 different segments and equipped with the best accessory kit which enhances the efficiency of your vacuum cleaner making it become the perfect solution for you. Your task? Just plug and play... and continue doing your job without any thought.



**GENERAL  
CLEANING**



## VHS120 General cleaning

The #General Cleaning vacuum cleaner is compact but powerful. It's equipped with the perfect accessories kit which includes the most commonly used final tools. Using this industrial vacuum means getting a cleaner working environment in few minutes.



**BUILDING &  
CONSTRUCTION**



## VHS120 H-Class Building & Construction

The focus here is providing total safety. The #Building&Construction vacuum cleaner is in H Class to collect safely very fine material. It is equipped with the Longopac® system which is ideal for vacuuming and bagging material cleaned up. The system allows to collect the material directly in "endless" polythene bags, which can be closed and disposed of. This means that you can clean in total safety without coming into contact with the vacuumed material.



**BAKERY**



## VHS120 FN Bakery

For cleaning the inside of the oven, we recommend the use of the #Bakery vacuum cleaner which is equipped with a NOMEX® filter (self-extinguishing material) and a specific accessory kit suitable for vacuuming hot substances. You will get total hygiene, avoid any cross contamination and ensure top product quality.



**WINERY**



## VHO200 Winery

In the winery sector, it's important to wash the machinery and the floors with the high pressure washers. After that, the best way to keep the environment clean and dry is using the #Winery vacuum cleaner, specifically designed for the recovery of liquids. The model is equipped with the ejection kit for an easy and fast disposal of the collected liquids. Built in stainless steel, it allows to recover even acid liquids.



**METAL  
MAINLY FOR CHIPS COLLECTION**



## VHS120 CC GV Metal - Chips

The #Metal - Chips vacuum cleaner is ideal when the main need is cleaning the machine tools and the floors, and you have to recover 60% of metal chips and 40% of oil. This model is equipped with grid and valve for separating solids from liquids inside the container. The solid material deposits on the grill, whilst the liquids can be drained via the manual valve fitted to the bottom of the container. In this way the primary filter doesn't come in direct contact with incoming liquids or sharp objects.

**MAINLY FOR OIL COLLECTION**



## VHO200 Metal - Liquids

The #Metal - Liquids vacuum cleaner is ideal when the main need is emptying the tanks, and you have to recover 60% of liquids and 40% of metal chips. This model is equipped with an ejection kit, perfect for the expulsion of the collected liquids which are filtered from the solid waste and can be recycled into the machine tools.

### INDUSTRIAL KIT



### ANTI-SHOCK KIT



### OVEN KIT



### ALIMENTARY KIT







### MACHINERY CLEANING KIT



### OIL-PROOF KIT



# Discover the range

VERSION		ACCESSORIES KIT	SECTOR/ APPLICATION		
VHS120		<b>INDUSTRIAL KIT</b>	General Cleaning		
		<b>Standard</b>		<ul style="list-style-type: none"> <li>Zinc-plated reduction Ø 50/40</li> <li>5m Polyurethane hose with sleeves</li> <li>Chromed handgrip</li> <li>Wheeled floor nozzle for dust and liquids (width 400mm)</li> <li>Rubber cone</li> <li>Round brush with Nylon bristles (80mm)</li> <li>Zinc-plated flat-tip crevice nozzle (length 500mm)</li> <li>Zinc-plated junction fitting</li> </ul>	
		<b>H class (HC)</b>		<ul style="list-style-type: none"> <li>Chromed reduction</li> <li>5 m flex conductive hose</li> <li>2 conductive sleeves</li> <li>Chromed handgrip</li> <li>Wheeled anti-shock floor nozzle for</li> <li>dust (width 400mm) with silicone lips</li> <li>Zinc plated curved fitting</li> <li>Antistatic round brush</li> <li>Zinc plated flat lance</li> <li>Conductive cone</li> </ul>	B&C
		<b>Nomex filter (FN)</b>		<ul style="list-style-type: none"> <li>High temperature flexible hose (3 meters + metal ties) with zinc-plated reduction and fitting</li> <li>Aluminum 1 m extension (3 pieces)</li> <li>with quick-fit coupling</li> <li>Wheeled nozzle for oven cleaning</li> <li>Sliding PTFE sleeve</li> </ul>	Bakery
VHO200		<b>MACHINERY CLEANING KIT</b>	Metal - Chips collection		
		<b>Cyclone + Grid &amp; Valve (CC GV)</b>		<ul style="list-style-type: none"> <li>Zinc-plated hose connector</li> <li>5 m Polyurethane hose+Sleeves</li> <li>Zinc-plated curved connector</li> <li>Antistatic Cone</li> <li>Antistatic rubber nozzle</li> </ul>	
VHO200		<b>OIL-PROOF KIT</b>	Metal - Liquids collection		
		<b>Ejection kit (oil discharge)</b>		<ul style="list-style-type: none"> <li>Zinc-plated hose connector</li> <li>5 m Antistatic anti-oil Rubber hose</li> <li>Zinc-plated curved connector</li> <li>Antistatic Cone</li> <li>Zinc-plated Crevice nozzle</li> <li>Oil discharge kit</li> </ul>	
VHO200		<b>ALIMENTARY KIT</b>	Winery		
		<b>Ejection kit (alimentary discharge)</b>		<ul style="list-style-type: none"> <li>Stainless steel hose connector</li> <li>5 m FDA rubber hose</li> <li>Stainless steel handgrip</li> <li>Stainless steel floor nozzle for liquids (width 400mm)</li> <li>Stainless steel connection joint</li> <li>FDA Silicon cone</li> <li>Alimentary discharge kit</li> </ul>	

## Technical specifications

Description	Unit	VHS120 #GENERAL CLEANING	VHS120 FN #BAKERY	VHS120 HC #B&C	VHS120 CC GV #METAL - CHIPS	VHO200 #METAL - LIQUIDS	VHO200 #WINERY
	P/N	4012300068	4012300136	4012300070	4012300135	4010400054	4010400053
Voltage	V	230	230	230	230	230	230
Frequency	Hz	50	50	50	50	50	50
Protection class	IP	44	44	44	44	44	44
Insulation class	Class	I	I	I	I	I	I
Rated power	kW	2	2	2	2	2,4	2,4
Airflow without hose	L/min	5200	5200	5200	5200	4500	4500
Airflow without hose	m³/h	312	312	312	312	270	270
Vacuum max	kPa	21	21	21	21	23	23
Vacuum max	mbar	210	210	210	210	230	230
Sound pressure level	dB(A)	74	74	74	74	70	70
Container capacity	L	37	37	-	37	-	-
Longopac capacity	L	-	-	25	-	-	-
Max liquid capacity	L	-	-	-	-	75	75
Shaving capacity	L	-	-	-	-	22	22
Main filter type		L Class Polyester	L Class Polyester	M Class Polyester With Glued Seams	L Class Polyester	-	-
Main filter area	cm²	16000	16000	16000	16000	-	-
Upstream hepa filter h14 area	cm²	-	-	16000	-	-	-
Inlet	mm	50	50	50	50	50	50
Length x width x height	cm	56x57x101,5	56x57x101,5	63x62,8x130	56x57x101,5	58x88x123	58x88x123
Weight	kg	38	38	53	38	60	60