

## Medium sized scrubber/dryer makes cleaning fast and easy

The Nilfisk SC450 walk behind Scrubber/Dryer performs equally well on the floors of schools, hospitals, shops, warehouses and offices as on the bottom line. It is designed with easy maintenance, low consumption of water, detergents and energy in mind. For the manager as well as the operator SC450 is an easy choice.

The Nilfisk SC450 walk behind Scrubber/Dryer has large 40/45L solution and recovery tanks with an automatic shut off of the vacuum motor when the tanks are full, preventing overflows. The tanks are crack, dent and chemical resistant.

The Nilfisk SC450 is easy to maintain, easy to use and with low noise levels is an easy choice for your business.





- The low noise level enables daytime cleaning for increased comfort and efficiency
- Polyethylene corrosion proof rotomolded tank ensures durability
- Automatic squeegee release when hitting obstacles provides reliable use and extended lifetime of equipment
- Large recovery tank and removable lid for easy cleaning
- Fast and hygienic
- Most electrical components are placed in dedicated waterproof box for reliability and safety



Picture shown may not represent model quoted

In line with Nilfisk tradition, the SC450 combines performance, reliability, productivity and ease of use in a well designed all round scrubber/dryer.

• Standard equipment

Included accessories		Ref. no.	Min. required	SCRUBBER SC450 53 B PROD
	Disc Brush 530 mm			
	BRUSH PROLENE MEDIUM	L08837025	1	
	Squeegee Blade			
	BLADES NON MARKING	9100000279	1	
	Battery			
	BATT. 12V-105AH GEL	80564400	2	
	On-Board Charger			
	CHARGER BATTERY CPL KIT	909 6739 000	1	

Model	SCRUBBER SC450 53 B PROD
Ref. no.	9087370020PA

PRODUCT FEATURES

Cable version	
Battery version	
Blades can be used on 4 edges	•
Battery level indicator	•
Ergonomic handle with two safety switches	•
Quick change system for squeegee blades	•



Medium sized scrubber/dryer makes cleaning fast and easy


Model	SCRUBBER SC450 53 B PROD
Ref. no.	9087370020PA

PRODUCT FEATURES

Squeezable drain hose	•
Squeegee	







Technical specifications	SCRUBBER SC450 53 B PROD
Plug type	-
Volt/frequency (V/Hz)	
Protection class / ip protection	IPX4
Rated power (W)	1650
Airflow (l/sec)	23
Sound pressure level at 1.5 m (dB(A) ISO 3744)	68
Productivity theoretical/ actual (m <sup>2</sup> /h)	2150
Handle vibration level m/s <sup>2</sup>	<2.5
Scrubbing width (mm)	530
Max climbing rate (%)	2
Water flow (l/m)	0.4-1.8
Cable length (m)	-
Solution/recovery tank (l)	40/45
Squeegee width (mm)	
Brush/pad diameter (mm)	530
Brush pressure (kg)	34
Brush speed (RPM)	154
Brush/pad speed (RPM)	154
Brush quantity and type	
Length x width x height (cm)	117.4x76x98
Battery compartment size (LxWxH) (mm)	350x350x300
Weight (kg)	76
Gross weight (gvw) (kg)	190

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	SCRUBBER SC450 53 B PROD
	Pad 20" / 508 mm			
	PAD 20 508MM ECO RED	10001959	1	
	External Charger			
	CHARGER HF 24V 30A	80542432	1	○



## Medium sized scrubber/dryer makes cleaning fast and easy

Accessories		Ref. no.	Min. required	SCRUBBER SC450 53 B PROD
	Battery			
	BATT. 12V-105AH GEL	80564400	2	○
	Other			
	COUNTER HOUR 24V KIT	9096951000	0	
	FILTER ANTIFOAMING	909 5065 000	1	○
	HOSE FILLING	9097290000	1	
	Pad Holder			
	PAD HOLDER 21 530MM	9099671000	1	
	PAD HOLDER SHORT TRIM 530	L08837018	1	○
	On-Board Charger			
	CHARGER BATTERY CPL KIT	909 6739 000	1	○
	Squeegee Blade			
	BLADES NON MARKING	9100000279	1	○
	BLADES POLYURET.KIT 30"	909 6858 000	1	○
 530mm	Disc Brush 530 mm			
	AGLITE GRIT 500 BRUSH	L08837067	1	○
	BRUSH DYNA GRIT 80	L08837066	1	○
	BRUSH MAGNA GRIT 46	L08837065	1	
	BRUSH MIDGRIT 240 MEDIUM	L08837029	1	○
	BRUSH MIDLITE GRIT 180	L08837028	1	○
	BRUSH PROLENE MEDIUM	L08837025	1	○
	BRUSH PROLITE SOFT	L08837026	1	○
	BRUSH UNION MIX 530MM	L08837027	1	○