For critical cleaning applications, a HEPA filter can be fitted. Other options include a range of nozzles for special cleaning applications, re-usable cloth dust collection bag, telescopic tube and Phase 1 pre-separator. The obvious choice for vacuum cleaning in theatres, cinemas, shops and coaches and a great complementary duster. UZ964 ERGOCLEAN makes cleaning in hard-to-navigate places easy.

- Machine weighs only 2,9 kg, and rests comfortably on operator's hips
- Left or right hand operation
- HEPA filter and a wide range of nozzles for special applications are available
- Ideal for stairs, tight spaces and overhead cleaning
- 15m cable gives wide working radius



Picture shown may not represent model quoted

 Standard equipment 				
	Included accessories	Ref. no.	Min. required	CVAC UZ964 HIPVAC
Hose Vacuun	n Cleaner			
\bigcap	HOSE CMP WITH SUCTION CON	140 5691 000	0	•
Hard Floor No	ozzle			
	FLOOR NOZZLE D32 BRUSH	107407311	0	•
Round Brush	Nozzle			
	ROUND BRUSH (32) 70MM	11276901	0	
Crevice Nozz	le			
	CREVICE NOZZLE 32 MM	010 3098 500	0	•
	CREVICE NOZZLE 32 PLASTIC	81530400	0	
Combination Nozzle				
	SMALL COMBI NOZZLE 32MM	011 3104 500	0	•



	Included accessories	Ref. no.	Min. required	CVAC UZ964 HIPVAC
Filter				
	HEPA FILTER	140 7160 010	0	
Tube				
/	EXTENSION TUBE ALU 32MM	011 6431 500	0	•
	TELESCOPIC TUBE 32MM ALUM	011 8130 500	0	
	TELESCOPIC TUBE (32)STEEL	81906500	0	
Bag				
Sall	DUST BAG 5 PC	140 6554 010	0	•
Model			C	VAC UZ964 HIPVAC
Ref. no.			ç	05 2424 010
PRODUCT FE	ATURES			
Dust bag, 5 pc	35			•
Dust bag (1 po	cs)			•
Technical spe	cifications		C	CVAC UZ964 HIPVAC
Energy efficier	ncy class			na
Annual energy	r consumption (kWh/year)			na
Dust pick up on carpet				na
Dust pick up o	n hard floor			na
Dust re-emiss	ion class			na
Sound power	evel dB(A) IEC/EN 60335-2-69			na
Plug type				AUS
Voltage (V)				240
Frequency (Hz)				50/60
IP protection of	lass			IP20
Rated power (W)			700



Technical specifications	CVAC UZ964 HIPVAC
Suction power end of tube (W)	160
Airflow (L/sec)	28
Vacuum at nozzle (kPa)	19
Sound pressure level DB(A) IEC/EN 60335-2-69	
Sound pressure level (dB(A) BS 5415)	52
Sound power level (dB(A) IEC 704)	70
Cable length (m)	15
Dust bag capacity (L)	2.2
Main filter area (cm ²)	1000
Brush diameter (mm)	-
Length x width x height (mm)	370x210x200
Weight (kg)	2.9

 \bullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	CVAC UZ964 HIPVAC
Nozzle		·		
	CARPET NOZZLE 32 ALUMIN	11476200	0	
- Sico	CARPET NOZZLE 32 MM	11276800	0	
	FLOOR BRUSH 32 ALUMINIUM	11476301	0	
for the second	WHEELED FLOOR NOZZLE 32	82366900	0	
Tube		,		
/	EXTENSION TUBE ALU 32MM	011 6431 500	0	•
	TELESCOPIC TUBE 32MM ALUM	011 8130 500	0	0



	Accessories	Ref. no.	Min. required	CVAC UZ964 HIPVAC
	TELESCOPIC TUBE (32)STEEL	81906500	0	0
Crevice Nozzl	e	1		
	CREVICE NOZZLE 32 MM	010 3098 500	0	•
	CREVICE NOZZLE 32 PLASTIC	81530400	0	0
	CREVICE NOZZLE 32 PLASTIC	81141200	0	
Hose Vacuum	Cleaner			
\bigcap	HOSE CMP WITH SUCTION CON	140 5691 000	0	•
	HOSE WITH SLEEVE	140 7082 000	0	0
Bag		1		
	CLOTH BAG	140 6908 000	0	0
	DUST BAG 5 PC	140 6554 010	0	•
	DUST BAG 10PACK UZ964	140 6554 020	0	0
Combination I	Combination Nozzle			
	SMALL COMBI NOZZLE 32MM	011 3104 500	0	•
Vac Nozzle Dry				
10	FLOOR BRUSH 32 MM	11426700	0	
Upholstery No	ozzle			



	Accessories	Ref. no.	Min. required	CVAC UZ964 HIPVAC
	UPHOLSTERY NOZZLE 32 PLAS	32043700	0	
Filter				
CT	EXHAUST FILTER	140 6555 000	0	0
	HEPA FILTER	140 7160 010	0	0
	PREFILTER (**ROUND**)	140 6794 010	0	0
Cone Nozzle				
	FLEXIBLE NOZZLE (32) PLAS	81140900	0	
Round Brush Nozzle				
	ROUND BRUSH (32) 70MM	11276901	0	0
Hard Floor Nozzle				
	FLOOR NOZZLE D32 BRUSH	107407311	0	•

