The future of wet and dry vacuum cleaning

VL500 is ideall[^] suited for hotels, contract cleaners, education, e¢hibition and conference centers as , ell as public buildings, manufacturing and industrial applications. A failsafe filter design makes operation eas due to the abilit to hace indicidual, et and dr filters, orking simultaneousl. Each filter is specific for either a , et or dr application ensuring macimum performance. With the special dual filtration s^{*} stem, Nilfisk VL500 can be used in , hateçer ençironment, , et or dr^, , ithout the need to change filters. The unique design and features of VL500 is deceloped in partnership , ith Nilfisk customers. VL500 is açailable in different configurations and çarious container si: es; 35, 55 and 75 liter. Go to the specific factsheet for further information.

- Eas' changing of filters, ith a hinged motor head to protect the machine and speed up the process
- The dual filtration s^stem allo, s the machine to clean both, et and dr applications, ithout the need to change filter
- Multi fit hose connector, stainless steel tube, accessor storage and no:: le parking



Picture sho, n ma^ not represent model quoted

The VL500 series of , et and dr^ çacuum cleaners is offering performance and reliabilit that ensure lo, total cost of o, nership and at the same time, has features making dail cleaning tasks easier, faster and safer.

Standard equipment

	Included accessories	Ref. no.	Min. required	VL500 35 BSF 220-240V/50-60 EU	VL500 35 BDF 220-240V/50-60 EU	VL500 35 BSF 220-240V/50 UK		
_//	Vac No:: le Wet							
	FLOOR NOZZLE D32 RUBBER STRIP	107407310	1					
4	Vac No:: le Dr^							
	FLOOR NOZZLE D32 BRUSH	107407311	1					
P	Round brush no: : le							
	BRUSH NOZZLE D32	107407312	1					
Sec. 15.	Creçice no: : le							
	CREVICE NOZZLE D32	107407334	1					
/	Tube							
	EXTENSION TUBE D32 - SS	107407309	1					
	Hose Vacuum cleaners							
	HOSE D32 1.9M CPL	107407308	1					
連	Filters							
	SACK FILTER	107407296	1					
	CARTRIGE FILTER 35L	107407297	1					
	WET FILTER 35L	107407299	1					



The future of wet and dry vacuum cleaning

Standard equipment

	Included accessories	Ref. no.	Min. required	VL500 35 BDF 220-240V/50 UK	VL500 35 BSF 220-240V/50 AU/NZ	VL500 35 BSF 120V/60 US		
_ //	Vac No:: le Wet							
	FLOOR NOZZLE D32 RUBBER STRIP	107407310	1					
_1	Vac No:: le Dr [^]							
	FLOOR NOZZLE D32 BRUSH	107407311	1					
P	Round brush no: : le							
	BRUSH NOZZLE D32	107407312	1					
Sister .	Creçice no: : le							
	CREVICE NOZZLE D32	107407334	1					
/	Tube							
	EXTENSION TUBE D32 - SS	107407309	1					
	Hose Vacuum cleaners							
	HOSE D32 1.9M CPL	107407308	1					
	Filters							
	SACK FILTER	107407296	1					
	CARTRIGE FILTER 35L	107407297	1					
	WET FILTER 35L	107407299	1					

Standard equipment

	Included accessories	Ref. no.	Min. required	VL500 35 BDF 230V/50 ZA	VL500 35 BDF 230V/50HZ CN			
	Vac No: : le Wet							
	FLOOR NOZZLE D32 RUBBER STRIP	107407310	1					
4	Vac No∷ le Drˆ							
	FLOOR NOZZLE D32 BRUSH	107407311	1					
P	Round brush no: : le							
	BRUSH NOZZLE D32	107407312	1					
The same of the sa	Creçice no: : le							
	CREVICE NOZZLE D32	107407334	1					
/	Tube							
	EXTENSION TUBE D32 - SS	107407309	1					
	Hose Vacuum cleaners							
	HOSE D32 1.9M CPL	107407308	1					
連	Filters							
	SACK FILTER	107407296	1					
	CARTRIGE FILTER 35L	107407297	1					
	WET FILTER 35L	107407299	1					



The future of wet and dry vacuum cleaning VL500 35 BSF VL500 35 BDF VL500 35 BSF Model 220-240V/50-60 EU 220-240V/50-60 EU 220-240V/50 UK Ref. no. 107405155 107405160 107405170 PRODUCT FEATURES **TUBE HOLDER DUAL FILTER SYSTEM** STORAGE OF ACCESSORIES VL500 35 BSF 120V/60 US VL500 35 BDF VL500 35 BSF Model 220-240V/50 UK 220-240V/50 AU/NZ Ref. no. 107405171 107405179 107405189 PRODUCT FEATURES **TUBE HOLDER DUAL FILTER SYSTEM** STORAGE OF ACCESSORIES VL500 35 BDF 230V/50 ZA VL500 35 BDF 230V/50HZ CN Model Ref. no. 107405202 107405534 PRODUCT FEATURES **TUBE HOLDER DUAL FILTER SYSTEM** STORAGE OF ACCESSORIES VI 500 35 BSF VI 500 35 BDF VL500 35 BSF Technical specifications 220-240V/50-60 EU 220-240V/50-60 EU 220-240V/50 UK RATED POWER (W) 1350 1350 1350 AIRFLOW (L/SEC) 48 48 48 VOLTAGE (V) 220-240 220-240 220-240 CABLE LENGTH (M) 10 10 10 WEIGHT (KG) 11.5 12.5 11.5 VACUUM AT NOZZLE (KPA) 20 20 20 TANK CAPACITY (L) 35 35 35 DUST BAG CAPACITY (L) 18 18 18 SUCTION POWER END OF TUBE (W) 250 250 250 FREQUENCY (HZ) 50-60 50-60 50-60 PLUG TYPE EU EU UK SOUND PRESSURE LEVEL (DB(A) BS 5415) 62 62 62 SOUND POWER LEVEL (DB(A)IEC 704) 81 81 81 INLET (MM) 32 32 32



HOSE LENGTH (M)

1.9

1.9

1.9

The future of wet and dry vacuum cleaning

Technical specifications	VL500 35 BSF 220-240V/50-60 EU	VL500 35 BDF 220-240V/50-60 EU	VL500 35 BSF 220-240V/50 UK
IP PROTECTION CLASS	IP24	IP24	IP24
LENGTH X WIDTH X HEIGHT (CM)	46¢42¢73	46¢42¢73	46¢42¢73
POWER PIEC (W)	1250	1250	1250
SACK FILTER AREA (CM2)	1051	-	1051
WET FILTER AREA (CM2)	-	1051	-
CARTRIDGE FILTER AREA (CM2)	-	2070	-
Technical specifications	VL500 35 BDF 220-240V/50 UK	VL500 35 BSF 220-240V/50 AU/NZ	VL500 35 BSF 120V/60 US
RATED POWER (W)	1350	1350	1100
AIRFLOW (L/SEC)	48	48	45
VOLTAGE (V)	220-240	220-240	120
CABLE LENGTH (M)	10	10	15
WEIGHT (KG)	12.5	11.5	11.5
VACUUM AT NOZZLE (KPA)	20	20	20
TANK CAPACITY (L)	35	35	35
DUST BAG CAPACITY (L)	18	18	18
SUCTION POWER END OF TUBE (W)	250	250	220
FREQUENCY (HZ)	50-60	50	60
PLUG TYPE	UK	AU/NZ	US
SOUND PRESSURE LEVEL (DB(A) BS 5415)	62	62	62
SOUND POWER LEVEL (DB(A)IEC 704)	81	81	81
INLET (MM)	32	32	32
HOSE LENGTH (M)	1.9	1.9	1.9
IP PROTECTION CLASS	IP24	IP24	IP24

Technical specifications	VL500 35 BDF 230V/50 ZA	VL500 35 BDF 230V/50HZ CN
RATED POWER (W)	1350	1350
AIRFLOW (L/SEC)	48	48
VOLTAGE (V)	220-240	220-240
CABLE LENGTH (M)	10	10
WEIGHT (KG)	12.5	12.5
VACUUM AT NOZZLE (KPA)	20	20

46¢42¢73

1250

1051

2070



LENGTH X WIDTH X HEIGHT (CM)

CARTRIDGE FILTER AREA (CM2)

POWER PIEC (W)

SACK FILTER AREA (CM2)

WET FILTER AREA (CM2)

46¢42¢73

1250

1051

46¢42¢73

1000

1051

The future of wet and dry vacuum cleaning

Technical specifications	VL500 35 BDF 230V/50 ZA	VL500 35 BDF 230V/50HZ CN
TANK CAPACITY (L)	35	35
DUST BAG CAPACITY (L)	18	18
SUCTION POWER END OF TUBE (W)	250	250
FREQUENCY (HZ)	50-60	50-60
PLUG TYPE	ZA	CN
SOUND PRESSURE LEVEL (DB(A) BS 5415)	62	62
SOUND POWER LEVEL (DB(A)IEC 704)	81	81
INLET (MM)	32	32
HOSE LENGTH (M)	1.9	1.9
IP PROTECTION CLASS	IP24	IP24
LENGTH X WIDTH X HEIGHT (CM)	46¢42¢73	46¢42¢73
POWER PIEC (W)	1250	1250
SACK FILTER AREA (CM2)	-	-
WET FILTER AREA (CM2)	1051	1051
CARTRIDGE FILTER AREA (CM2)	2070	2070

Standard equipment, Supplementar accessories, Mountable equipment

	Accessories	Ref. no.	Min. required	VL500 35 BSF 220-240V/50-60 EU		VL500 35 BSF 220-240V/50 UK		
	Bag							
	FLEECE FILTER BAG 5 PCS ATTIX 40/50	302004004	1					
1	Filters							
	SACK FILTER	107407296	1					
	CARTRIGE FILTER 35L	107407297	1					
	WET FILTER 35L	107407299	1					
	CARTRIDGE FILTER 35L HEPA	107409006	1					
	Hose Vacuum cleaners							
	HOSE D32 1.9M CPL	107407308	1					
/	Tube							
	EXTENSION TUBE D32 - SS	107407309	1					
_//	Vac No:: le Wet							
	FLOOR NOZZLE D32 RUBBER STRIP	107407310	1					
	Vac No::le Dr^							
	FLOOR NOZZLE D32 BRUSH	107407311	1					
P	Round brush no: : le							
	BRUSH NOZZLE D32	107407312	1					



The future of wet and dry vacuum cleaning

Accessories		Ref. no.	Min. required	VL500 35 BDF 220-240V/50-60 EU	
William .	Creçice no::le				
	CREVICE NOZZLE D32	107407334	1		

Standard equipme	nt, Supplementar accessories, Mountable equipment							
	Accessories	Ref. no.	Min. required	VL500 35 BDF 220-240V/50 UK	VL500 35 BSF 220-240V/50 AU/NZ	VL500 35 BSF 120V/60 US		
	Bag							
No.	FLEECE FILTER BAG 5 PCS ATTIX 40/50	302004004	1					
連	Filters							
	SACK FILTER	107407296	1					
	CARTRIGE FILTER 35L	107407297	1					
	WET FILTER 35L	107407299	1					
	CARTRIDGE FILTER 35L HEPA	107409006	1					
	Hose Vacuum cleaners							
	HOSE D32 1.9M CPL	107407308	1					
/	Tube							
	EXTENSION TUBE D32 - SS	107407309	1					
_//	Vac No: : le Wet							
7	FLOOR NOZZLE D32 RUBBER STRIP	107407310	1					
_1	Vac No: : le Dr^							
	FLOOR NOZZLE D32 BRUSH	107407311	1					
P	Round brush no: : le							
	BRUSH NOZZLE D32	107407312	1					
16.16.20	Creçice no: : le							
	CREVICE NOZZLE D32	107407334	1					

Standard equipment, Supplementar accessories, Mountable equipment

	Accessories	Ref. no.	Min. required	VL500 35 BDF 230V/50 ZA	VL500 35 BDF 230V/50HZ CN			
// <u>//</u>	Bag	'	,					
	FLEECE FILTER BAG 5 PCS ATTIX 40/50	302004004	1					
建	Filters							
	SACK FILTER	107407296	1					
	CARTRIGE FILTER 35L	107407297	1					
	WET FILTER 35L	107407299	1					
	CARTRIDGE FILTER 35L HEPA	107409006	1					
	Hose Vacuum cleaners							
	HOSE D32 1.9M CPL	107407308	1					



The future of wet and dry vacuum cleaning

	Accessories	Ref. no.	Min. required	VL500 35 BDF 230V/50 ZA	VL500 35 BDF 230V/50HZ CN			
/	Tube							
	EXTENSION TUBE D32 - SS	107407309	1					
_//	Vac No:: le Wet							
	FLOOR NOZZLE D32 RUBBER STRIP	107407310	1					
_1	Vac No: : le Dr^							
	FLOOR NOZZLE D32 BRUSH	107407311	1					
P	Round brush no::le							
	BRUSH NOZZLE D32	107407312	1					
William .	Creçice no:: le							
	CREVICE NOZZLE D32	107407334	1					

