

### **SECTION 1: PRODUCT IDENTIFICATION**

PRODUCT NAME SALICYLIC ACID, USP

PRODUCT CODE 0091

SUPPLIER MEDISCA Inc.

Tel.: 1.800.932.1039 | Fax.: 1.855.850.5855 661 Route 3, Unit C, Plattsburgh, NY, 12901 6641 N. Belt Line Road, Suite 130, Irving, TX, 75063

MEDISCA Pharmaceutique Inc.

Tel.: 1.800.665.6334 | Fax.: 514.338.1693 4509 Rue Dobrin, St. Laurent, QC, H4R 2L8

21300 Gordon Way, Unit 153/158, Richmond, BC V6W 1M2

**MEDISCA Australia PTY LTD** 

Tel.: 1.300.786.392 | Fax.: 61.2.9700.9047

Unit 7, Heritage Business Park

5-9 Ricketty Street, Mascot, NSW 2020

EMERGENCY PHONE CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

NSW Poisons Information Centre: 131 126

National Chemical Emergency Centre 44(0)1235239670

RECOMMENDED USES Manufacturing and Compounding

RESTRICTIONS ON USE Not applicable

## **SECTION 2: HAZARDS IDENTIFICATION**

GHS CLASSIFICATION Acute Toxicity - Oral (Category 4)

Skin Irritation (Category 2) Eye Damage (Category 1)

Toxic to Reproduction (Category 2)

**PICTOGRAM** 

Danger





SIGNAL WORD

HAZARD STATEMENT(S)

Harmful if swallowed.

Causes skin irritation.

Causes serious eye damage.

Suspected of damaging fertility or the unborn child .

ADVERSE PHYSIOCHEMICAL, HUMAN HEALTH AND ENVIRONMENTAL

**EFFECTS** 

Not Applicable.



PRECAUTIONARY STATEMENT(S) Prevention Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves Wear eye and face protection. Wash hands thoroughly after handling.

Do not touch eyes.

Obtain, read and follow all special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves, protective clothing, eye and face protection and hearing protection.

**Response** IF SWALLOWED: Immediately call a poison center. Get medical help.

Rinse mouth.

IF ON SKIN: Wash with plenty of water. If skin irritation occurs, get medical help. Take off

contaminated clothing and wash it before reuse.

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical help; Immediately call a poison center

or medical professional.

IF EXPOSED OR CONCERNED: Get medical advice.

Store locked up:

**Disposal** Dispose of contents and/or container in accordance with local regulations.

HMIS CLASSIFICATION Health Hazard 3 Flammability 1

Reactivity 0 Personal Protection E

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME

Benzoic acid, 2-hydroxy-

BOTANICAL NAME Not applicable

SYNONYM 2-Hydroxybenzoic acid; 2-Carboxyphenol; 2-Hydroxybenzenecarboxylic acid

CHEMICAL FORMULA C7H6O3

CHEMICAL FAMILY Aromatic carboxylic acid (Salicylate)

CAS NUMBER 69-72-7

ALTERNATE CAS NUMBER Not applicable

MOLECULAR WEIGHT 138.122

COMPOSITION

CHEMICAL NAME	CAS NUMBER	EC NUMBER	% BY WEIGHT
SALICYLIC ACID	69-72-7	200-712-3	100

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as health hazards and hence require reporting in this section.

#### **SECTION 4: FIRST-AID MEASURES**

IN CASE OF EYE CONTACT Flush with copious amounts of water for 15 minutes, separating eyelids with fingers. If irritation persists seek

medical aid.

IN CASE OF SKIN CONTACT Wash with soap & water for 15 minutes. If irritation persists seek medical aid.

**IF SWALLOWED**Call a physician. Wash out mouth with water. Do not induce vomiting without medical advice.

**IF INHALED** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a

physician



MEDICAL ATTENTION AND SPECIAL TREATMENT

Get emergency medical help.

SYMPTOMS CAUSED BY EXPOSURE

Not expected to present a significant hazard under anticipated conditions of normal use.

### SECTION 5: FIREFIGHTING MEASURES

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL

Not applicable

FLAMMABLE PROPERTIES

May be combustible at high temperature

HAZARDOUS COMBUSTION PRODUCTS

Under fire conditions, hazardous fumes will be present.

**SUITABLE & UNSUITABLE** 

**EXTINGUISHING MEDIA** 

Small fire: dry chemical, CO<sub>2</sub> or water spray. Large fire: dry chemical, CO<sub>2</sub>, alcohol resistant foam or water spray. Do not get water inside containers.

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

PERSONAL PRECAUTIONS

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

**METHODS & MATERIAL FOR** 

On land, sweep or shovel into suitable containers. Minimize generation of dust.

CONTAINMENT

**CLEANUP PROCEDURE** 

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. Shut off all sources of ignition. Evacuate the area. If necessary, employ water fog to disperse the vapors. Absorb the matter with compatible vermiculite or other absorbing material. Place in a suitable container and retain for disposal. Ventilate and clean the affected area. Do not flush into sewerage system or to drains.

REFERENCE TO OTHER SECTIONS

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## **SECTION 7: HANDLING AND STORAGE**

PRECAUTIONS FOR SAFE HANDLING

Do not inhale. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Wash thoroughly after handling. Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.

CONDITIONS FOR SAFE STORAGE

Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination

STORAGE CONDITIONS

Store in original container, tightly sealed, protected from direct sunlight and moisture.

Short term excursions up to 40°C are acceptable.

#### SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

Last Revision: 01/2023 SALICYLIC ACID, USP Page 3 of 8



	Country	Limit value-8 hours		Limit value-Short Term		IDLH	REL	Advisory	Notes
		ppm	mg/m³	ppm	mg/m³				
OSHA	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
ACGIH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
NIOSH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
WEEL	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
HSIS	Australia	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
HSE	UK	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
GESTIS	Add Country	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A

N/L = Not listed; N/A = Not Available

PELs are 8-hour TWAs = Limit value - Eight hours

Ceiling or Short-Term TWA = STEL = Limit value - Short term

EXPOSURE GUIDELINES Consult local authorities for provincial or state exposure limits. Particulates not otherwise regulated, respirable

fraction: 5 mg/m3

PERSONAL PROTECTIVE EQUIPMENT Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by WHMIS or OSHA's

eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. **Skin:** Wear appropriate gloves to prevent skin exposure. **Clothing:** Wear appropriate protective clothing to minimize contact with skin. **Respirators:** Follow WHMIS or OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. **Thermal Hazards:** For products representing a

thermal hazard, appropriate Personal Protective Equipment should be used.

SPECIFIC ENGINEERING CONTROLS

Adequate mechanical ventilation. Fumehood, eye wash station, and safety shower.

BIOLOGICAL MONITORING

Not available

CONTROL BANDING

Not available

NOTES USP: ELV: Industrial: TWA: 3000 micrograms/m³

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

PHYSICAL STATE Solid

**DESCRIPTION** White crystals, usually in fine needles, or fluffy, white, crystalline powder.

SOLUBILITY Slightly soluble in water and in benzene; freely soluble in alcohol and in ether; soluble in boiling water; sparingly soluble in chloroform.

ODOR Almost odorless

FLAMMABILITY May be combustible at high temperature

**BOILING POINT** DECOMPOSITION Not available **AUTO-IGNITION** 540 °C, 1004 °F 211 °C, 411.8 °F **TEMPERATURE TEMPERATURE** (20 mm Hg) **EVAPORATION RATE** Non volatile **EXPLOSIVE LIMIT** Not available **FLASH POINT** 157.22 °C, 314.996 °F (Closed Cup) LOWER FLAMMABLE/ 1.4% MELTING/FREEZING (157-161)°C, 2.26 (37°C) (OCTANOL-WATER) **POINT** (314.6-321.8)°F **EXPLOSIVE LIMIT(S)** 



PARTICLE CHARACTERISTICS	Not available	OXIDIZING PROPERTY	Not available	рН	2.4 (saturated solution)
RELATIVE DENSITY (WATER = 1)	Not available	SPECIFIC GRAVITY	1.443 (20°C)	UPPER FLAMMABLE/ EXPLOSIVE LIMIT(S)	Not available
VAPOR DENSITY (AIR = 1)	4.8	VAPOR PRESSURE	0.0000109 kPa (25°C)	VISCOSITY	Not available

The physical data presented above are typical values and should not be construed as a specification.

## **SECTION 10: STABILITY AND REACTIVITY**

REACTIVITY Not established

Stable under recommended storage conditions **CHEMICAL STABILITY** 

**INCOMPATIBLE MATERIALS** Strong oxidants. Iron salts. Spirit nitrous ether. Lead acetate. Bases.

HAZARDOUS DECOMPOSITION

**PRODUCTS** 

Toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides and other gases may occur

HAZARDOUS POLYMERIZATION Will not occur Not established POSSIBLITY OF HAZARDOUS

REACTION

**CONDITIONS TO AVOID** Moisture, sunlight and extreme temperatures

### **SECTION 11: TOXICOLOGICAL INFORMATION**

**ACUTE TOXICITY** Oral: Rat: LD50: (mg/kg): 891

Dermal: Rabbit LD50: (mg/kg): > 10,000 Inhalation: Rat: LC50: (mg/L/4hr): Not available

SKIN CORROSION/IRRITATION Causes skin irritation

Skin: Rabbit: 500 mg/day Standard Draize; Result: Mild irritation

SERIOUS EYE DAMAGE/EYE Causes serious eye damage

**IRRITATION** Eye: Rabbit: 100 mg/day Standard Draize; Result: Severe irritation.

RESPIRATORY SENSITIZATION Due to lack of data the classification is not possible.

SKIN SENSITIZATION Based on available data, the classification criteria are not met.

Mouse ear swelling test. Result: Not sensitizing Based on available data, the classification criteria are not met.

**GERM CELL MUTAGENICITY** Ames test (E. coli). Result: Negative.

Ames test (S. typhimurium TA100). Result: Weakly mutagenic with activation.

Ames test (S. typhimurium). Result: Negative.

In vivo chromosomal aberration test (mouse bone marrow). Result: Negative. In vivo sister chromatid exchange (mouse bone marrow). Result: Negative.

Rec Assay. Result: Evidence of DNA damage.

Reverse gene mutation assay (Saccharomyces cerevisiae). Result: Positive.

CARCINOGENICITY **OSHA** SALICYLIC ACID is not listed.

> NTP SALICYLIC ACID is not listed.



IARC SALICYLIC ACID is not evaluated.

California This product does not contain any chemicals known to the State of California to cause

**Proposition 65** cancer, birth defects, or any other reproductive harm.

ADDITIONAL CARCINOGENICITY INFORMATION

Due to lack of data the classification is not possible.

REPRODUCTIVE TOXICITY

Suspected of damaging fertility or the unborn child. Salicylates are associated with increased prenatal and newborn mortality, anemia, prolonged pregnancy, maternal bleeding complications, and prolonged or complicated deliveries when used therapeutically in the third trimester of pregnancy. It has been suggested that maternal ingestion of salicylates may cause premature closure of the fetal ductus arteriosus and lead to pulmonary hypertension in some infants.

Rat: 150 mg/kg Gavage Study; Result: Increased fetal mortality, delayed growth, and birth defects.
Rat: 300 mg/kg Gavage Study; Result: Maternal toxicity, fetal mortality, cranial and skeletal malformations.
Mouse: 500 mg/kg Single dose study; Result: Fetal muscular and skeletal malformations.

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE

Based on available data, the classification criteria are not met.

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE

Based on available data, the classification criteria are not met.

ASPIRATION HAZARDS

Based on available data, the classification criteria are not met.

CIONO AND OVARDTONO O

ROUTES OF EXPOSURE:

SIGNS AND SYMPTOMS OF EXPOSURE

Dermal

EARLY ONSET SYMPTOMS RELATED TO EXPOSURE:

Not available

DELAYED HEALTH EFFECT FROM EXPOSURE:

Salicylates: Coma. Respiratory failure. Cardiovascular collapse. Kidney, liver, and pancreas damage.

Gastrointestinal bleeding. Death.

Symptoms related to the physical, chemical, and toxicological characteristics

Salicylates: Heartburn. Nausea. Vomiting. Stomach pain. Diarrhea. Ringing in ears. Headache. Dizziness. Drowsiness. Visual disturbances. Flushing. Sweating. Thirst. Agitation. Confusion. Fast breathing. Mental status

changes. Delirium. Seizures.

Medical conditions aggravated by exposure

Salicylates: Anemia. Bleeding disorders. Impaired liver function. Impaired kidney function. Diabetes. Asthma.

Circulatory disorders.

POTENTIAL HEALTH EFFECTS Inhalation Harmful if inhaled. Causes respiratory tract irritation.

Ingestion Harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

**Skin** Harmful if absorbed through skin. Causes skin irritation.

**Eyes** Causes serious eye damage.

### **SECTION 12: ECOLOGICAL INFORMATION**

ECOTOXICITY EC50: 48 Hr: Crustacea: Daphnia magna: (mg/L): 870

LC50: 96 Hr: Fish: Pimephales promelas: (mg/L): 1380

EC50: 72 or 96 Hr: Algae (or other aqua plants): (mg/L): Not available

PERSISTENCE AND DEGRADABILITY
BIOACCUMULATIVE POTENTIAL

Readily biodegradable. Not expected to bioaccumulate.

BIOACCOMOLATIVE FOTE

LogPow: 2.26

MOBILITY IN SOIL

Henry's Law Constant: 7.34E-09 atm-m3/mole (25°C)

Water solubility: 2240 mg/L (25°C)

OTHER ADVERSE EFFECTS

Not available

This product is not intended to be released into the environment

Last Revision: 01/2023 SALICYLIC ACID, USP Page 6 of 8



## **SECTION 13: DISPOSAL CONSIDERATIONS**

DISPOSAL METHODS Dispose of in accordance with federal / local laws and regulations. Avoid release into the environment.

## **SECTION 14: TRANSPORT INFORMATION**

UN PROPER SHIPPING NAME Not dangerous good

UN NUMBER Not applicable
CLASS Not applicable
PACKING GROUP Not applicable

**AUSTRALIA** 

HAZCHEM Not applicable

<u>EU</u>

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE

IBC CODE

Not Listed

ENVIRONMENTAL HAZARDS Not available SPECIAL SHIPPING INFORMATION Not applicable

## **SECTION 15: REGULATORY INFORMATION**

#### UNITED STATES REGULATIONS

	Chemical Name & CAS	CERCLA 40 CFR Part 302.4	SARA (Title III) 40 CFR Part 372.65	EPA 40 CFR Part 355		Right-to-know Pennsylvania New Jersey Massachusetts			California Prop 65
SA	LICYLIC ACID 69-72-7	N/L	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

#### **AUSTRALIAN REGULATIONS**

Chemical Name & CAS	Poisons and Therapeutic Goods	Therapeutic Goods Act	Code of Practices - Illicit Drug Precursors	Poisons Standard	Work Health and Safety Regulations	Inventory of Industrial Chemcials
SALICYLIC ACID 69-72-7	N/L	Listed as Schedule 3	N/L	Listed	N/L	N/L

N/L = Not Listed

#### **EU REGULATIONS**

Chemical Name & CAS	REACH ANNEX XVII	REACH ANNEX XIV	EC 1005/2009	EC 850/2004	EC 1107/2009	PIC - Prior Informed Consent Regulation	EC 2012/18
SALICYLIC ACID 69-72-7	N/L	N/L	N/L	N/L	N/L	N/L	N/L



N/L = Not Listed; X = Listed

Any EU regulation not listed above is not applicable to this product.

SUBJECT TO INTERNATIONAL

Not applicable

**AGREEMENT** 

## **SECTION 16: OTHER INFORMATION**

**REFERENCES** 

ABBREVIATIONS AND ACRONYMS

Available upon request

ACGIH - American Conference of Governmental Industrial Hygienists; AIHA WEEL - American Industrial Hygiene Association Workplace Environment Exposure Levels; CAESAR - Computer Assisted Evaluation of industrial chemical Substances According to Regulations; CAS - Chemical Abstract Service; CERCLA -Comprehensive Environmental Response, Compensation, and Liability Act; EC50 - Effective Concentration, 50%; EPA - Environmental Protection Agency; GHS - Global Harmonized System; HMIS - Hazardous Materials Information System; HSE - Health and Safety Executive; HSIS - Hazardous Substances Information System; IARC - International Agency for Research on Cancer; IDLH - Immediately Dangerous to Life or Health; IRFMN - Ready Biodegradability Model; ISS - Instituto Superiore Sanità; LC50 - Lethal Concentration, 50%; LD50 - Lethal Dose, 50%; MSHA - Mine Safety and Health Administration; NIOSH - National Institute for Occupational Safety and Health; NTP - National Toxicology Program; OSHA PEL - Occupational Safety & Health Administration Permissible Exposure Limits; QSAR - Quantitative Structure-activity relationship; REL -Recommended Exposure Limit; SARA - Superfund Amendments and Reauthorization Act; STEL - Short Term Exposure Limit; TLV - Threshold Limit Value; TWA - Time Weighted Average; WHMIS - Workplace Hazardous Materials Information System

LAST REVISION

01/2023 05/2021

**SUPERSEDES** 

For a list of changes to the SDS since the last version, please communicate with MEDISCA at www.medisca.com

**DISCLAIMER** 

This document was created in accordance with OSHA, Safe Work Australia and WHMIS regulations. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. MEDISCA® shall not be held liable for any damage resulting from handling or from contact with the above product. Recipients of the product must take responsibility for observing existing laws and regulations.

SUPPLEMENTARY INFORMATION

For all country specific requirements not outlined on this Safety Data Sheet, please request Supplementary Page to this Safety Data Sheet.

Last Revision: 01/2023 SALICYLIC ACID, USP Page 8 of 8