



CM 12N

UNIVERSAL MAGNETIC CAR MOUNT

Dear Customer,

We would like to congratulate you on your purchase. We are doing our best to give our customers top quality products and service, and we are here to answer any question you may have on our email: support@bestrix.com

This manual has been created in order to help you assemble your new magnetic car mount for the first time.

Sincerely,
BesTrix Team

**CM 12N**

UNIVERSAL MAGNETIC CAR MOUNT

Installation Guide

The new and improved Bestrix CM 12 Magnetic Car Mount provides extra safety and convenience for your smartphone and it is compatible to most types of vehicles and can be easily installed on any smooth surfaced dashboard. The magnetic head design allows you to rotate your phone at any angle and is compatible to all smartphone devices including all iPhones and Androids.

**Scan the QR Code
for a video user manual**



- ✓ Please read this user manual carefully and follow the instructions to ensure your satisfaction from our product
- ✓ Do not operate phone and holder while driving.

- 1** A. **For best practice** use the included dashboard mounting pad on curved or textured surfaces.
- B. **Important note!** the adhesive tape is not reusable. Please test the position of the mount before removing the protective cover and sticking it to your dash.
- C. **Important!** Clean the chosen area with the alcohol pad (included). Allow to fully dry before installing the Dashboard pad.



D. Peel protective film off the Dashboard pad, and place the sticky side down. press and rub around Dashboard pad to ensure firm adhesive grip



We recommend letting the Dashboard pad sit for 2 hours Before applying




- 2** A. Adjust the angles of the mount's arm and the magnetic head before locking them.



Attach the mount to the Dashboard/Windshield

- B. Remove the protection paper from the gel pad.
C. Move the locking lever to “unlocked” position.



Unlocked



Locked

D. Press down the suction cup's base to remove all air from underneath.



E. While pressing the suction cup's base down, move the locking lever to "Lock".



F. Place one metal plate between your phone and your case, you don't have to glue it on your phone or your case.



G. All that's left is to attach your phone onto the magnet head, you may place it in any angle you would like of 360 degrees. To detach it you simply grab the phone and pull it off the mount.



- 3 In order to renew the suction cup, simply rinse it under warm water and let it dry.



Scan the QR Code to Get a
***FREE 1 Year Warranty Extension**



Valid for 30 days from the purchase date*

If you have any question you can contact us at:
support@bestrix.com

www.bestrix.com