LIMITED EDITION



FREESTANDING DESIGNER FIREPLACE





EcoSmart Fire's LIMITED EDITION of concrete coated freestanding fireplaces add a modern touch to any space. Durable and lightweight, they also add amazing warmth and remarkable ambiance to indoor and outdoor areas - without the fuss, without any building work, and without any mess.

Portable Fireplace

You'll have the ability to move these contemporary, stylish pieces of portable furniture from room to room. Or, relocate your bioethanol fireplace from inside your residence to the outside during parties or festivities and store away through the warmer months if space is an issue. And take it with you if you move house!

No Flue, No Chimney, No Electricity Connection

Our freestanding fireplaces offer an easy and immediate, environmentally friendly solution to adding warmth and ambience to any location.



Disclaimer. All product specifications and data are subject to change without notice and believed to be correct at the time of publication. The Fire Company Ply Ltd (TFC), its affiliates, agents, and employees, and all persons acting on its or their behalf (colledively, "The Fire Company"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any ofther disclosure relating to any product. TFC disclaims any and all liability arising out of the use or application of any product described herein to its any information provided herein to the maximum extent permitted by law. The product specifications of our otherwise modify TFC PLS terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct OTFC. Customers using or selling from such use or sale. Please contact authorised personnel from TFC to obtain written terms and conditions regarding products designed for such applications. Images are indicative only.



ASPECT



Application	Indoor & Outdoor	
Materials	Fluid™ Concrete Technology, Grade 304 Stainless Steel	
Weight	49.6kg [109lbs] Weight includes burner.	
Surround Colour & SKU	Natural	ESF.1.D.ASP.CNA
Optional Accessories	Plasma Fire Screen, Echo Fixings	

BURNER INFORMATION*

Burner	BK5	
Fuel Type	e-NRG Bioethanol	
Fuel Capacity	5 Litres [1.3 Gallons]	
Heats on Average (when used indoors)	Over 35 square metres [376.7 square feet]	
Burn Time	7 - 11 hours (approx)	
Minimum Room Size	70 cubic metres [2472 cubic feet] per fireplace.	

*These values are indicative only and may vary depending on the model purchased, installation, and the seasonal resource used to manufacture e-NRG.

Global Compliance

This model complies with existing standards in the USA, Europe, UK and Australia. Subject 1370 UL Listed, EN 16647 BSI Certified, ACCC Safety Mandate compliant.



FOR MORE INFORMATION PLEASE REFERENCE THE CLEARANCE & INSTALLATION MANUAL

Disclaimer. All product specifications and data are subject to change without notice and believed to be correct at the time of publication. The Fire Company Ply Ltd (TFC), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "The Fire Company"), disclaim any and all liability or any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. TFC disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not are or otherwise modify TFC PLS terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct OTFC. Customers using or selling from such use or sale. Please contact authorised personnel from TFC to obtain written terms and conditions regarding products designed for such applications. Images are indicative only.