

# **SAFETY DATA SHEET**

LIPOTEC SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Date: March 2020 Revision: 07

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING		
1.1 PRODUCT IDENTIFIER	HILURLIP® functional ingredient WS	
	CODE ES155	
1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE	This mixture is intended to be used exclusively as a	
OR MIXTURE AND USES ADVISED AGAINST	COSMETIC INGREDIENT	
1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA	LIPOTEC S.A.U.	
SHEET	Polígon Industrial Camí Ral	
	C/Isaac Peral 17	
	08850 Gavà (Barcelona)	
	SPAIN	
	Phone. +34 93 638 80 00	
	Fax. +34 93 638 93 93	
	E-mail: LipotecCommercial@lubrizol.com	
1.4 EMERGENCY TELEPHONE NUMBER	704.10.00.87 (Spain)	

#### **SECTION 2: HAZARDS IDENTIFICATION**

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

According to Regulation (EC) No 1272/2008

Acute Tox. 4, H332

### 2.2 LABEL ELEMENTS

According to Regulation (EC) No 1272/2008



Warning

Contains isohexadecane H332: Harmful if inhaled

P261: Avoid breathing vapours.

P271: Use only outdoors or in a well-ventilated area.

P304 + P340: IF INHALED: Remove person to fresh air and

keep comfortable for breathing. P312: Call a doctor if you feel unwell.


EUH066: Repeated exposure may cause skin dryness or

cracking.

2.3 OTHER HAZARDS

According to Regulation (EC) No 1272/2008 None known if handled in accordance with good industrial

hygiene and safety practice





SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS	
3.1 SUBSTANCES	-
3.2 MIXTURES	HILURLIP® functional ingredient WS is an oil containing active ingredients. This mixture contains the following ingredients classified as hazardous according to Regulation (EC) No 1272/2008 (CLP):

Name Product identifier		Classification according to Regulation CLP	Concentration
Hydrocarbons, C4, 1,3-			
butadiene-free, polymd.,	(CAS no.) 93685-80-4	Acute Tox. 4, H332	> 45%
tetraisobutylene fraction,	(EC no.) 297-628-2	Asp. Tox. 1, H304	7 43/0
hydrogenated			
	(CAS no.) 122-99-6	Acuto Toy 4 H202	
2-Phenoxyethanol	(EC no.) 204-589-7	Acute Tox. 4, H302	0.9580 - 1.1709%
	(REACH no.) 01-2119488943-21-XXXX	Eye Irrit. 2, H319	

SECTION 4: FIRST AID MEASURES	
4.1 DESCRIPTION OF FIRST AID MEASURES	
General advice	Remove contaminated clothing and wash with water
Skin contact	Rinse with water
Eye contact	Rinse immediately with plenty of water.
Ingestion	Not toxic. If discomfort symptoms appear, call a physician
Inhalation	Remove to fresh air and keep at rest in a position
	comfortable for breathing. Call a doctor if you feel unwell.
4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS,	Harmful if inhaled. Repeated exposure may cause skin
BOTH ACUTE AND DELAYED	dryness or cracking.
4.3 INDICATION OF ANY IMMEDIATE MEDICAL	Treat symptomatically.
ATTENTION AND SPECIAL TREATMENT NEEDED	

SECTION 5: FIREFIGHTING MEASURES		
5.1 EXTINGUISHING MEDIA	Water, carbon dioxide, foam, dry powder	
5.2 SPECIAL HAZARDS ARISING FROM THE	Unknown	
SUBSTANCE OR MIXTURE		
5.3 ADVICE FOR FIREFIGHTERS	No special requirements needed	

SECTI	SECTION 6: ACCIDENTAL RELEASE MEASURES			
6.1	PERSONAL	PRECAUTIONS,	PROTECTIVE	Avoid direct eye contact. Avoid breathing vapours.
EQUI	EQUIPMENT AND EMERGENCY PROCEDURES			
6.2 ENVIRONMENTAL PRECAUTIONS			None known	
6.3 METHODS AND MATERIAL FOR CONTAINMENT		ONTAINMENT	A spill can be contained by capping the container	
AND	CLEANING UP			For cleaning up a spill use a suitable absorbent and pump it
				into the correct container
6.4 R	EFERENCE TO C	THER SECTIONS		See section 8

This version substitutes a previous version FG-05-01/2 version 5



SECTION 7: HANDLING AND STORAGE	
7.1 PRECAUTIONS FOR SAFE HANDLING	Handle in accordance with good industrial hygiene and safety practice.
	Avoid spills.
	Do not eat, drink and smoke in work areas.
7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY	Keep the product in a clean, cool and dark place
INCOMPATIBILITIES	Avoid extreme environmental conditions.
7.3 SPECIFIC END USE(S)	See subsection 1.2

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTEC	TION
8.1 CONTROL PARAMETERS	Handle in accordance with good industrial hygiene and
	safety practice
8.2 EXPOSURE CONTROLS	
APPROPRIATE ENGINEERING CONTROLS	-
INDIVIDUAL PROTECTION MEASURES	
Eye/Face protection	Safety glasses
Skin protection	Gloves
	Wear appropriate clothing to prevent any possibility of skin
	contact
Respiratory protection	Use appropriate respiratory protection if exposure to
	vapours is likely.
Thermal hazards	-
ENVIRONMENTAL EXPOSURE CONTROLS	Environmental protection legislation for every country must
	be observed

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1 INFORMATION ON BASIC PHYSICAL AND

**CHEMICAL PROPERTIES** 

**Appearance** Opaque gel Colour White to grey Odour рΗ Melting point Freezing point Initial boiling point **Boiling range** Flash point > 95°C Evaporation rate Flammability Upper/lower flammability limits Upper/lower explosive limits Vapour pressure Vapour density Relative density Solubility

This version substitutes a previous version FG-05-01/2 version 5

Partition coefficient n-octanol/water



Auto-ignition temperature	-
Decomposition temperature	-
Viscosity	2000 - 8000 cPs (spindle 4/20 rpm)
Explosive properties	-
Oxidising properties	-
9.2 OTHER INFORMATION	kinematic viscosity > 20,5 mm2/s (40°C)

SECTION 10: STABILITY AND REACTIVITY	
10.1 REACTIVITY	No reactivity hazards known
10.2 CHEMICAL STABILITY	The substance/mixture is stable if stored and handled as
	recommended
10.3 POSSIBILITY OF HAZARDOUS REACTIONS	No hazardous reactions known if stored and handled as
	recommended
10.4 CONDITIONS TO AVOID	None known if stored and handled as recommended
10.5 INCOMPATIBLE MATERIALS	None known
10.6 HAZARDOUS DECOMPOSITION PRODUCTS	No hazardous decomposition products known if stored and
	handled as recommended

SECTION 11: TOXICOLOGICAL INFORMATION	
11.1 INFORMATION ON TOXICOLOGICAL EFFECTS	
Acute toxicity	Harmful if inhaled
Skin irritation	Not considered irritant. Repeated exposure may cause skin
	dryness or cracking.
Eye irritation	Not considered irritant
Corrosivity	-
Sensitisation	Not considered sensitising
Repeated dose toxicity	-
Carcinogenicity	-
Mutagenicity	-
Toxicity for reproduction	-
INFORMATION ON LIKELY ROUTES OF EXPOSURE	No health effects known for the substance/mixture
SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL	No potential adverse health effects or symptoms known.
AND TOXICOLOGICAL CHARACTERISTICS	
OTHER INFORMATION	-

SECTION 12: ECOLOGICAL INFORMATION	
12.1 TOXICITY	Not determined
12.2 PERSISTENCE AND DEGRADABILITY	Not determined
12.3 BIOACCUMULATIVE POTENTIAL	Based on product properties, no bioaccumulation is
	expected. The product has not been tested
12.4 MOBILITY IN SOIL	Not determined
12.5 RESULTS OF PBT AND vPvB ASSESSMENT	Not determined
12.6 OTHER ADVERSE EFFECTS	None known

om | LUBRIZOL LIFE SCIENCE

SECTION 13: DISPOSAL CONSIDERATIONS	
13.1 WASTE TREATMENT METHODS	This material and its container should be disposed safely
	avoiding release to the environment
	National and regional provisions that may be in force should
	be observed

SECTION 14: TRANSPORT INFORMATION	
14.1 UN NUMBER	Not applicable
14.2 UN PROPER SHIPPING NAME	Not applicable
14.3 TRANSPORT HAZARD CLASS(ES)	Not applicable
14.4 PACKING GROUP	Not applicable
14.5 ENVIRONMENTAL HAZARDS	Not applicable
14.6 SPECIAL PRECAUTIONS FOR USER	None
14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II	Not applicable
OF MARPOL AND THE IBC CODE	

SECTION 15: REGULATORY INFORMATION		
15.1 SAFETY, HEALTH AND ENVIRONMENTAL	Relevant national laws should be carefully observed	
REGULATIONS/LEGISLATION SPECIFIC FOR THE		
SUBSTANCE OR MIXTURE		
15.2 CHEMICAL SAFETY ASSESSMENT	No chemical safety assessment has been carried out for the	
	substance/mixture	

#### **SECTION 16: OTHER INFORMATION**

Evaluation of the need of classification/no classification under Regulation (EC) No 1272/2008 has been carried out by evaluating the available information on the substance/mixture.

#### List of abbreviations and acronyms:

- PBT: Persistent, Bioaccumulative and Toxic.
- vPvB: very Persistent and very Bioaccumulative.
- CLP: Classification, Labelling and Packaging.

#### List of relevant hazard statements and precautionary statements:

- H302: Harmful if swallowed.
- H332: Harmful if inhaled.
- H304: May be fatal if swallowed and enters airways.
- H319: Causes serious eye irritation.
- P261: Avoid breathing vapours.
- P271: Use only outdoors or in a well-ventilated area.
- P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P312: Call a doctor if you feel unwell.

#### Training for workers:

- No special training required

LUBRIZOL LIFE SCIENCE

#### Indication of changes:

Section	Change	Comments
1.3	E-mail address	Modification
2.2	Label elements	Modification
3.2	Hazardous substances	Modification
8.2	Skin protection	Modification
9.1	Odour	Elimination

All the information and instructions contained in this Safety Data Sheet are based on the current state of scientific and technical knowledge at the date indicated on the present Safety Data Sheet. Lipotec S.A.U. shall not be held responsible for any defect in the product covered by this Safety Data Sheet. The information contained herein is based on the present state of our knowledge and does not therefore guarantee certain properties. Recipients of our product must take responsibility for observing existing laws and regulations.

The trademarks referenced herein are owned by The Lubrizol Corporation or its affiliates.

#### Disclaimer

The information including the claims and supporting data provided in this document are provided for informational purposes only, upon the express condition that the User make its own assessment of the appropriate use of such information. While the information contained herein is believed to be reliable, there are no representations, guarantees, or warranties of any kind made as to its accuracy, suitability for particular applications, how the product(s) will perform in combination with other substance or in the User's process or the results obtained. All expressed and implied warranties are disclaimed. Lubrizol and its affiliates MAKE NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. The User is solely responsible for ensuring that products marketed to consumers comply with all relevant laws and regulations and assumes all risk and liability of any use or handling of any materials. User agrees to indemnify and hold harmless Lubrizol and its affiliates for any and all actions arising from User's use of any information including claims in this publication, including, but not limited to, use in advertising and finished product label claims, and not present this publication as evidence of finished product claim substantiation to any regulatory authority. It is the User's sole responsibility to determine if there are any issues relating to patent infringement relating to the supplied information. Nothing contained herein is to be considered as permission, recommendation, nor as an inducement to practice any patented invention without permission of the patent owner.

 $\hbox{@ 2020 The Lubrizol Corporation. All Rights Reserved}.$