

February, 2015

3M™ General Use Masking Tape 201+

Product Description

3M™ General Use Masking Tape 201+ is a tan colored crepe paper masking tape for holding, bundling, sealing, non-critical masking applications and a vast number of other jobs where a pressure sensitive tape is needed.



Product Features

- General use tape for light and medium duty applications.
- Rubber-based adhesive sticks to a variety of surfaces.
- Smooth and conformable crepe paper backing is easy to handle, apply, and remove in one piece.
- Easily hand tearable, yet resists slivering.
- Temperature resistant up to 200°F (66°C) for 30 minutes.
- Offered in bulk and individually wrapped rolls.

3M™ General Use Masking Tape 201+

Technical Information Note

The following technical information and data should be considered representative or typical only and should not be used for specification purposes.

Typical Physical Properties

| Property | Values | | Method |
|----------------------|-------------|---------|------------|
| Color | Natural | | |
| Total Tape Thickness | 0.11 mm | 4.4 mil | ASTM D3652 |
| Backing | Crepe Paper | | |
| Adhesive | Rubber | | |

Typical Performance Characteristics

| Property | Values | | Method | Dwell/Cure Time | Substrate | Notes |
|-----------------------|------------------------|-------------------------|------------|-----------------|-----------------|------------------------|
| 180° Peel Adhesion | 2.7 N/cm | 25 oz/in | ASTM D3330 | Initial | Stainless Steel | 12 in/min (300 mm/min) |
| Tensile Strength | 33.3 N/cm | 19 lb/in | ASTM D3759 | | | |
| Elongation at Break | 8 % | | ASTM D3759 | | | |
| Temperature Use Range | 30 minutes up to 93 °C | 30 minutes up to 200 °F | | | | |

3M™ General Use Masking Tape 201+

Available Sizes

| Property | Values | |
|----------------------|--------|-------|
| Standard Roll Length | 55 m | 60 yd |

Storage and Shelf Life

Store under normal conditions of 70°F (21°C) and 50% R.H. in the original carton. To obtain best performance, use within 18 months from date of manufacture.

Trademarks

3M is a trademark of 3M Company.

References

| Property | Values | Method |
|-------------------------|---|------------|
| 3m.com Product Page | https://www.3m.com/3M/en_US/company/us/all-3m-products/~/3M-General-Use-Masking-Tape-201?N=5002385+3293193659&rt=rudmil | ASTM D3652 |
| Safety Data Sheet (SDS) | https://www.3m.com/3M/en_US/company/us/SDS-search/results/?gsaAction=msdsSRA&msdsLocale=en_US&co=ptn&q=201+in | ASTM D3652 |

ISO Statement

This Industrial Adhesives and Tapes Division product was manufactured under a 3M quality system registered to ISO 9001 standards.

3M™ General Use Masking Tape 201+

Information

Technical Information: The technical information, guidance, and other statements contained in this document or otherwise provided by 3M are based upon records, tests, or experience that 3M believes to be reliable, but the accuracy, completeness, and representative nature of such information is not guaranteed. Such information is intended for people with knowledge and technical skills sufficient to assess and apply their own informed judgment to the information. No license under any 3M or third party intellectual property rights is granted or implied with this information.

Product Selection and Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a workplace hazard assessment and reviewing all applicable regulations and standards (e.g., OSHA, ANSI, etc.). Failure to properly evaluate, select, and use a 3M product and appropriate safety products, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property.

Warranty, Limited Remedy, and Disclaimer: Unless a different warranty is specifically stated on the applicable 3M product packaging or product literature (in which case such warranty governs), 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. If a 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability: Except for the limited remedy stated above, and except to the extent prohibited by law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.

3M™ General Use Masking Tape 201+



3M United States
3M Center
St. Paul, MN 55144-1000
800-362-3550
www.3M.com

Please recycle.
© 3M 2021. All Rights Reserved.

The brands listed above are trademarks of 3M