

TURN  
ON  
YOUR  
ATTITUDE

Lampitude



# CONTENTS

---

Special Color

Decorative

Recharge

Product Index



# SPECIAL COLORS – 2024

สีพิเศษ Finishing ใหม่ล่าสุดจาก Lamptitude ให้คุณเลือกได้แบบ Custom ที่จะมอบความแตกต่างให้กับไฟตกแต่งในบ้านคุณ โดยชุดสีใหม่ของเราสามารถเลือกสีและสั่งผลิตได้กับโคมรุ่นพิเศษ ซึ่งพาลูกสีใหม่มีหลากหลายพื้นผิวและเฉดสีให้เลือก เปิดโอกาสความเป็นไปได้ใหม่ ๆ ในการแมทช์ให้เข้ากับเฟอร์นิเจอร์ รวมถึงวัสดุตกแต่งอื่น ๆ ภายในบ้าน

สีพิเศษมีพื้นผิวให้เลือกทั้งหมด 3 แบบ (Coarse/Satin/Smooth) และ มีหลายสีให้เลือกใช้



# COLORS & TEXTURE



Titanium



Anodized Brush Brass



Brush Coffee



Silver Coffee



Arctic Gold



White



Anodized Black



Foggy Nickel



Bronze

## Colours & Texture

### Texture

#### Coarse หรือ Brush

Coarse ให้ผิวสัมผัสที่มันทั้งด้าน โดยมีสัมผัสสาก มีเส้นเห็นเป็น Brush หรือ Hairline ได้อย่างชัดเจน โดยเนื้อเส้นที่ละเอียดจากกรรมวิธีผลิตแบบพิเศษ ทำให้รู้สึกถึง Brush กว่าผสมความเนื้อละเอียดจากความถี่ของเส้นไว้อย่างลงตัว ช่วยเพิ่มความโดดเด่นในสไตล์ Modern Contemporary หรือ Modern Luxury ได้อย่างมีระดับ โดยมีสีที่ตอบโจทย์ถึง 6 สีให้เลือกใช้

#### Satin

Satin ให้ผิวสัมผัสลักษณะด้าน เนื้อสีเนียนละเอียดเห็นพิกเมนต์เม็ดสีที่ผสานกัน ซึ่งให้ประกายเงาเล็กน้อยชวนให้นึกถึงผิวสัมผัสแบบพ่นทรายแต่เนียนละเอียดมากกว่า ทำให้ได้ความรู้สึกเรียบหรูเมื่อตั้งคอมไฟจะให้ความรู้สึกเรียบง่ายกว่าพิเศษไม่เหมือนใคร เป็นผิวสัมผัสที่มอบความสุนทรีย์แบบร่วมสมัยอย่างแท้จริง

#### Smooth

Smooth เนื้อสีเนียนเรียบสุดคลาสสิกใช้งานง่าย สามารถเลือกตกแต่ง มีกซ์เอนด์แมทซ์ได้หลากหลายสไตล์ สี Plain เรียบง่ายที่ถูกเลือกโทนมาอย่างพิเศษด้วยผิวสัมผัสแบบด้าน ทำให้เนื้อสัมผัสดูอ่อนโยนและมีความ Minimalist ในตัวเอง พร้อมจะเติมเต็มและส่งเสริมวัสดุอื่นๆในบ้านคุณได้เป็นอย่างดี

### Colours

Titanium : สีเทาอ่อน โทนสว่าง ให้ความรู้สึก Futuristic/Modern/Manly

Foggy Nickel : สีเทาเข้มนิวกิลสไตล์ Industrial/Modern/sophisticated

Bronze : สีเทาเข้มเหลืองบรอนซ์ ให้ความรู้สึก Smart/Modern Contemporary

Anodized Brush Brass : สีทองเหลืองแบบผิวด้านสุดคลาสสิก สไตล์ Luxurious/Classic/Mid Century

Anodized Brush Coffee : สีน้ำตาลทึบ copper เหมาะกับสไตล์ Contemporary / Vintage Contemporary

Anodized Black : สีดำเข้ม ให้ความรู้สึกแบบด้า Anthracite เหมาะกับสไตล์ Loft/Mancave/Modern Contemporary


Silver Coffee : สี Taupe น้ำตาลทองหม่น ให้ความรู้สึกเรียบหรู Luxury Contemporary/Cozy

Arctic Gold : สีทองหม่น ทึงวาทังด้านสไตล์ Luxury Contemporary / Elegant/Classic Contemporary

White : Pure White สีขาวवलสุดคลาสสิก ให้ความรู้สึก Peaceful/Modern/Minimalist

6 colors can be for all models. But anodized color need to check the size and structure before the production.





DARK-W  
LED 2 x 6W  
AC 220-240V 50Hz  
CCT 3000K  
CRI 90  
Lumen power 840LM  
Beam angle 120°  
Lifetime 30,000 Hrs  
IP44  
Dimmable  
LED driver included



WALL LAMP

# DARK



# VENTI









# VENTI


## HANGING LAMP

VENTI-P4  
 LED COB 7W  
 AC 220-240V 50/60 Hz  
 3000K  
 CRI ≥90  
 Lumen power 527LM  
 Beam angle 90°  
 Lifetime 35,000 Hrs  
 IP20  
 3steps dim with touch switch (Hold for stepless dimmer)  
 Integrated touch switch and LED power adapter included

- Foggy Nickel
- Satin Gold
- White



VENTI-T  
 LED COB 7W  
 AC 220-240V 50/60 Hz  
 3000K  
 CRI  $\geq$ 90  
 Lumen power 527LM  
 Beam angle 90°  
 Lifetime 35,000 Hrs  
 IP20  
 3steps dim with touch switch (Hold for stepless dimmer)  
 Integrated touch switch and LED power adapter included



# VENTI

## Table Lamp

The table lamp is a seemingly simple object and plays a much larger role in our lives than we often realize. It bathes us in warm light for reading, creates a cozy atmosphere for relaxation, and even adds a touch of personality to our decor.

โคมไฟตั้งโต๊ะเป็นสิ่งที่ดูเรียบง่ายและมีบทบาทในชีวิตของเรามากกว่าที่เราคิด สามารถเลือกแสง Ambient และ Task Lighting ได้ เช่นสำหรับการอ่านหนังสือ สร้างบรรยากาศสบาย ๆ สำหรับการพักผ่อน และยังเพิ่มเอกลักษณ์ให้กับการตกแต่งของเราอีกด้วย



ALUMINIUM MATERIAL



## Experience superior beauty with Venti lamps.

สัมผัสความงามเหนือระดับกับโคมไฟ Venti

การเลือกใช้โคมไฟภายในบ้านไม่เพียงแต่เพื่อการให้แสงสว่างเท่านั้น แต่ยังเป็นชิ้นงานตกแต่งที่สามารถเพิ่มสีสันให้กับพื้นที่ภายในบ้านของคุณได้อย่างมีสไตล์

โคมไฟรุ่น Venti โดดเด่นด้วยพื้นผิวที่เป็น Aluminium ซึ่งผสมผสานระหว่างดีไซน์ที่ทันสมัยและความเรียบหรู สามารถสร้างแสงและเงาเพื่อให้แสงส่องกระจายเข้ากับพื้นที่ภายในบ้านของคุณ ช่วยเพิ่มความลึกและมีมิติให้กับบรรยากาศภายในห้อง

นอกจากความสวยงามแล้ว โคมไฟรุ่น Venti ยังมาพร้อมความสามารถในการปรับแสงที่หลากหลาย เพื่อให้คุณสามารถปรับความสว่างให้เหมาะสมกับสถานการณ์และอารมณ์ของคุณได้อย่างเหมาะสม ไม่ว่าจะเป็นแสงสว่างที่อบอุ่นสำหรับการพักผ่อนหรือแสงสีขาวสดใสสำหรับการทำงาน








# VENTI

CEILING LAMP



## CEILING LAMP

VENTI-C  
 LED 9W  
 CCT 3000K  
 CRI ≥90  
 IP20  
 Dimmable driver included  
 LED driver included



- Foggy Nickel
- Satin Gold
- White

# TARGA

**" Design can be art.  
Design can be aesthetics.  
Design is so simple,  
that's why it is so complicated. "**

- Paul Rand

การรวมเทคโนโลยีและดีไซน์ให้เกิดความสมบูรณ์  
Targa โคมไฟรูปทรงเส้นสายโค้งมน เรียบง่ายแต่มีเสน่ห์ สามารถสร้างแสงที่เป็นเอกลักษณ์  
และปรับระดับความสว่างได้ รวมถึงมีความหลากหลายในการใช้งาน เช่น ในห้องนอนเพื่อสร้างบรรยากาศ  
ที่อบอุ่นและเงียบสงบ หรือในห้องนั่งเล่นเพื่อเสริมสร้างความอบอุ่นและเป็นส่วนต่อจากนี้  
ยังเหมาะสำหรับการใช้งานในสถานที่ทำงาน เพื่อเพิ่มความกระตือรือร้นและสร้างบรรยากาศ  
ที่เต็มไปด้วยความคิดสร้างสรรค์






# TARGA




## CEILING LAMP

TARGA-CB  
LED 38W  
AC 220-240V 50Hz  
CCT 3000K  
CRI 90  
Lumen power 2250LM  
Lifetime 35,000 Hrs  
Dimmable  
IP20  
LED driver included





# TARGA



TARGA-PS  
LED 20W  
AC 220-240V 50Hz  
CCT 3000K  
CRI 90  
Lumen power 1400LM  
Lifetime 35,000 Hrs  
Dimmable  
IP20  
LED driver included

TARGA-PB  
LED 30W  
AC 220-240V 50Hz  
CCT 3000K  
CRI 90  
Lumen power 2000LM  
Lifetime 35,000 Hrs  
Dimmable  
IP20  
LED driver included











**"As we work to create  
light for others,  
we naturally light our  
own way."**

- Mary Anne Radmacher


# VYRO

# VYRO

## HANGING LAMP

VYRO-PS  
LED 17W  
AC 220-240V 50Hz  
CCT 3000K + 4000K  
CRI 90  
Lumen power 300LM  
Lifetime 35,000 Hrs  
Dimmable  
IP20  
LED driver included

VYRO-PB  
LED 20W  
AC 220-240V 50Hz  
CCT 3000K + 4000K  
CRI 90  
Lumen power 350LM  
Lifetime 35,000 Hrs  
Dimmable  
IP20  
Dimmable LED driver included



○ White







# WYRO


## WALL LAMP

VYRO-W  
LED 11W  
AC 220-240V 50Hz  
CCT 3000K + 4000K  
CRI 90

● white

Lumen power 610LM  
Lifetime 35,000 Hrs  
Dimmable  
IP20  
Driver included






VYRO-T-LCF  
 LED 15W  
 AC 220-240V 50/60 Hz  
 3000K  
 CRI 90  
 Lumen power 728LM  
 Beam angle Diffused beam  
 Lifetime 35,000 Hrs  
 IP20  
 3steps dim with touch switch  
 LED power adapter included

 Light Coffee

# WYRO

TABLE LAMP

VYRO-TB-WW  
 LED 10W  
 AC 220-240V 50Hz  
 CCT 3000K  
 CRI 90  
 Lumen power 280LM  
 Lifetime 35,000 Hrs  
 Dimmable 3 steps dim with touch switch  
 IP20  
 LED power adapter included








# VYRO

TABLE LAMP

VYRO-TS-WW  
LED 10W  
AC 220-240V 50Hz  
CCT 3000K  
CRI 90  
IP20  
Lumen power 450LM  
Lifetime 35,000 Hrs  
Dimmable 3 step dim with touch switch  
LED power adapter included




  White



HANGING LAMP

# VIRIO



VIRIO-PP  
LED COB 9W  
DC 48V  
CCT 3000K  
CRI 90  
Lumen power 550LM  
Beam angle 48 °  
Lifetime 35,000 Hrs  
Non-dim  
IP20  
LED power supply not included

● Arctic Gold  
○ White












# TIRIO

TIRIO-P  
LED 10.5W  
AC 220-240V 50Hz  
CCT 3000K  
CRI 90  
LED driver included

Space Grey   
Arctic Gold 



HANGING LAMP





HANGING LAMP

# AURAS



AURAS-PS  
 LED 17W  
 AC 220-240V 50/60 Hz  
 CCT 3000K + 4000K  
 CRI 90  
 Beam angle 60°  
 Lumen Power 420LM  
 Lifetime 35,000 Hrs  
 Dimmable  
 Dimmable LED driver included

AURAS-PB  
 LED 20W  
 AC 220-240V 50/60 Hz  
 CCT 3000K + 4000K  
 CRI 90  
 Beam angle 60°  
 Lumen Power 490LM  
 Lifetime 35,000 Hrs  
 Dimmable  
 Dimmable LED driver included



● Space Grey






**"There is always light.  
If only we're brave enough  
to see it. If only we're brave  
enough to be it."**

- Amanda Gorman



# VOLTIS

HANGING LAMP



VOLTIS-P120  
LED 38W  
AC 220-240V 50/60 Hz  
CCT 3000K  
CRI 90  
Lumen power 3800LM  
Beam angle Diffused beam  
Lifetime 30,000 Hrs  
Dimmable  
IP20  
Dimmable LED driver included

● Brushed Gold  
● Space Grey




# ZENIC



ZENIC-60  
ZENIC-90  
ZENIC-120  
LED 25W / 32W / 43W  
AC 220-240V 50/60 Hz  
3000K  
CRI 90  
Lumen power 2000LM / 2560LM / 3440LM  
Beam angle Diffused beam  
Lifetime 30,000 Hrs  
Dimmable  
IP20  
Dimmable LED driver included


- Nickel
- Arctic Gold



# KYGO

## TRACK LIGHT 1-CIRCUIT

KYGO-TRACK  
1 x GU10 MAX 8W  
1-CIRCUIT 3 WIRE TRACK LIGHT  
AC 220-240V 50/60Hz  
IP20  
Bulb not included






# KYGO

## SURFACE MOUNTED DOWNLIGHT

KYGO-CEIL  
1 x GU10 MAX 8W  
AC 220-240V 50/60Hz  
IP20  
Bulb not included






# KYGO


## WALL LAMP

KYGO-W  
1 x GU10 MAX 8W  
AC 220-240V 50/60Hz  
IP20  
Bulb not included





# KYGO



## HANGING LAMP



KYGO-PS  
1 x GU10 MAX 8W  
AC 220-240V 50/60Hz  
IP20  
Bulb not included



# KYGO

## HANGING LAMP

KYGO-P30  
KYGO-P60  
KYGO-P90  
LED COB 6W  
AC 220-240V 50Hz  
CCT 3000K  
CRI 90  
Lumen power 510LM  
Beam angle 36°  
Lifetime 35,000 Hrs  
Dimmable  
IP20  
LED driver included





**In the realm of interior design, lighting serves as a cornerstone for setting the mood and ambiance of a space. Among the array of lighting options available.**

floor lamps stand tall as versatile fixtures capable of both illuminating and accentuating the aesthetic of any room. Let's explore the elegance and functionality of floor lamps and how they can enhance your home with their unique charm.

# ASTRA

## FLOOR LAMP

ASTRA-F  
LED SMD 18W  
AC 220-240V 50/60Hz  
CCT 3000K  
CRI 90  
Lumen power 900LM  
3 Steps dim with touch switch  
Lifetime 35,000 Hrs  
IP20  
LED power adapter included


● Space Grey  
● Arctic Gold



# ASTRIN














# ASTRIN WALL LAMP


- Shiny Black 
- Chrome 
- Rose Gold 



ASTRIN-W  
 LED DOB 2 x 4W  
 AC 220-240V 50Hz  
 CCT 3000K  
 CRI ≥90  
 Lumen power 136LM  
 Beam angle 90°  
 Lifetime 35,000 Hrs  
 Non-Dim  
 IP20  
 Non-Dim LED driver included



ASTRIN-W2  
 LED DOB 2 x 6W  
 AC 220-240V 50Hz  
 CCT 3000K  
 CRI ≥90  
 Lumen power 410LM  
 Beam angle 90°  
 Sensor Dimmable  
 Lifetime 35,000 Hrs  
 IP20  
 LED driver included






# ASTRIN

## HANGING LAMP

ASTRIN-P  
LED COB 12W  
AC 220-240V 50Hz  
CCT 2700K  
CRI ≥90  
Lumen power 860LM  
Beam angle 90°  
Sensor Dimmable  
IP20  
LED driver included



- Shiny Blackt
- Chrome
- Rose Gold





# RUMI






# RUMI

## CEILING LAMP

● Sanded White

RUMI-CS-WW  
 1 x LED SMD 8W  
 AC 100-240V, 50/60 Hz  
 CCT 3000K  
 CRI 90  
 Lumen power 975LM  
 Dimmable  
 Lifetime 35,000 Hrs  
 IP44  
 LED driver included

RUMI-CM-WW  
 1 x LED SMD 10W  
 AC 100-240V, 50/60 Hz  
 CCT 3000K  
 CRI 90  
 Lumen power 1150LM  
 Lifetime 35,000 Hrs  
 Dimmable  
 IP44  
 LED driver included





# RUMI

RUMI-WS  
LED SMD 7W  
AC 220-240V 50Hz  
CCT 3000K  
CRI 90  
Lumen power 870LM  
Dimmable  
Lifetime 35,000 Hrs  
IP44  
LED Driver included

- Sanded White
- Sanded Black




WALL LAMP




# RUMI

## RECESSED DOWNLIGHT

RUMI-REC-WW  
LED SMD 9W  
AC 220-240V 50/60 Hz  
3000K  
CRI 90  
Lumen power 970LM  
Beam angle Diffused  
Lifetime 35,000 Hrs  
IP20  
Dimmable LED driver included



○ White






# VOL

## RECESSED DOWNLIGHT

VOL-REC-24D-WW  
LED SMD 10W  
AC 220-240V 50/60 Hz  
3000K  
CRI 90  
Lumen power 1075LM  
Beam angle 24°  
Lifetime 35,000 Hrs  
IP20  
Dimmable LED driver included

○ White




# DYNA






DYNA-T  
LED 6W  
AC 220-240V 50Hz  
CCT 3000K  
CRI 90  
Lumen power 250LM  
Beam angle Diffused beam  
Sensor dimmer  
IP20  
LED power adapter included

● White  
● Black



# DYNA

TABLE LAMP



**"Light must come from inside. You cannot ask the darkness to leave; you must turn on the light."**

- Sogyal rinpoche

TABLE LAMP




FLOOR LAMP



DYNA-F  
 IP20  
 LED6W  
 AC 220-240V 50Hz  
 CCT 3000K  
 CRI 90  
 Lumen power 250LM  
 Beam angle Diffused beam  
 Sensor dimmer  
 IP20  
 LED power adapter included

- White
- Black



FLOOR LAMP **DYNA**

# SOLIX





# SOLIX


## TABLE LAMP

SOLIX-T  
LED 6W  
AC 220-240V 50Hz  
CCT 3000K  
CRI 90  
LED power adapter included



## TABLE LAMP

- Space Gray
- White



FLOOR LAMP




# SOLIX

FLOOR LAMP

SOLIX-F  
LED 6W  
AC 220-240V 50Hz  
CCT 3000K  
CRI 90  
LED power adapter included

● Space Gray  
○ White



# RODO

**Simplicity is the ultimate sophistication.**

หัวใจสำคัญของการแต่งบ้านสไตล์มินิมอล คือ ความเรียบง่าย ที่น้อยแต่มาก เรียบ ๆ แต่สวย ไม่จำเป็นต้องใช้องค์ประกอบมากมาย ซึ่งโคมไฟก็เป็นหนึ่งในนั้น


รุ่น RODO โคมห้อยสีขาวจึงเหมาะที่จะนำมา Match กับเฟอร์นิเจอร์ ด้วยรูปทรงกลม ขอบมน ที่ตัดความเหลี่ยมของขอบโต๊ะได้ดี ไม่ว่าจะป็นโต๊ะไม้ ไซนส์สนทนากาหรือโต๊ะรับประทานอาหาร ก็สามารถนำมาตกแต่งได้อย่างลงตัว





# RODO

HANGING LAMP





RODO-P60  
LED SMD 60W  
AC 220-240V 50/60 Hz  
CCT 3000K / 3500K / 4000K (CCT select by Dip Switch)  
CRI 80  
Beam angle Diffused beam  
Lumen Power 5100LM  
Lifetime 30,000 Hrs  
Dimmable  
Dimmable LED driver included


RODO-P40  
LED SMD 30W  
AC 220-240V 50/60 Hz  
CCT 3000K / 3500K / 4000K (CCT select by Dip Switch)  
CRI 80  
Beam angle Diffused beam  
Lumen Power 1800LM  
Lifetime 30,000 Hrs  
Dimmable  
Dimmable LED driver included

●  
Sanded White





# RODO



## CEILING LAMP

RODO-C40-WW  
LED SMD 36W  
AC 220-240V 50/60 Hz  
CCT 3000K / 3500K / 4000K  
(CCT select by Dip Switch)  
CRI 80  
Beam angle Diffused beam  
Lumen Power 2700LM  
Lifetime 30,000 Hrs  
Dimmable  
Dimmable LED driver included

RODO-C80-WW  
LED SMD 92W  
AC 220-240V 50/60 Hz  
CCT 3000K / 3500K / 4000K  
(CCT select by Dip Switch)  
CRI 80  
Beam angle Diffused beam  
Lumen Power 6900LM  
Lifetime 30,000 Hrs  
Dimmable  
Dimmable LED driver included


● Sanded White







# CO HANGING LAMP COON



| Ø250 Ø300 Ø400 Ø600 Ø800 Ø1200 |

PLAYBALL-P  
1 x E27 MAX 20W  
Bulb not included

○ White










CO  
COON

# PLAYBALL



| 0250 0300 0400 0600 0800 |



## EXTERIOR BOLLARD LAMP

PLAYBALL-O-25  
PLAYBALL-O-30  
PLAYBALL-O-40  
PLAYBALL-O-60  
PLAYBALL-O-80  
1 x E27  
AC 220-240V 50/60 Hz  
IP65  
Bulb not included

○ White





**Simple form easy to  
combine with any  
garden decoration  
style thanks to its  
simple, round, white  
shape.**




# VOR

## HANGING LAMP

VOR-P60  
VOR-P80  
LED SMD 50W  
AC 220-240V 50/60 Hz  
CCT 3000K + 4000K  
CRI 80  
Beam angle Diffused beam  
Lumen Power 2300LM  
Lifetime 30,000 Hrs  
Dimmable  
Dimmable LED driver included


● Sanded Black





# UNITO


## HANGING LAMP




UNITO-P150  
LED SMD 80W  
AC 220-240V 50/60 Hz  
CCT 3000K + 4000K  
CRI 80  
Beam angle Diffused beam  
Lumen Power 4000LM  
Lifetime 30,000 Hrs  
Dimmable  
Dimmable LED driver included

- Sanded Black
- Brushed Gold





# NUVOL



## HANGING LAMP

NUVOL-P90  
NUVOL-P120  
NUVOL-P150  
LED SMD 80W  
AC 220-240V 50/60 Hz  
CCT 3000K  
CRI 80  
Beam angle Diffused beam  
Lumen Power 4000LM  
Lifetime 30,000 Hrs  
Dimmable

○ Sanded Black




# FLIPPER



## WALL LAMP

FLIPER-W  
LED SMD 18W  
AC 220-240V 50Hz  
CCT 3000K  
CRI 90  
Lumen power 850LM  
Dimmable  
Lifetime 35,000 Hrs  
IP20  
LED Driver included

- Black
- Chrome
- White







# LIL

## Wall Lamp

LIL-R60  
LED SMD 25W  
AC 100-240V 50/60 Hz  
CCT 4000K  
CRI 80  
Lumen power 1250LM  
Lifetime 30,000 Hrs  
Touch switch dimmer  
IP44  
LED power supply included



LIL-R80  
LED SMD 30W  
AC 100-240V 50/60 Hz  
CCT 4000K  
CRI 80  
Lumen power 1500LM  
Lifetime 30,000 Hrs  
Touch switch dimmer  
IP44  
LED power supply included



- Sanded White
- Brushed Gold




# STELL



## WALL LAMP

STELL-W  
LED 6W  
AC 220-240V 50Hz  
CCT 3000K  
CRI 90  
Touch switch  
Lifetime 35,000 Hrs  
Dimmable LED driver included  
IP40  
Driver included

- Champagne
- Sanded White




# NESSO

## Wall Lamp

NESSO-W  
LED SMD 4W  
AC 220-240V 50/60 Hz  
CCT 3000K  
CRI 90  
Lumen power 290LM  
Beam angle 32°  
Lifetime 35,000 Hrs  
IP20  
Non-Dim  
Driver included


○ White





We are **humble**

We create carefully designed portable mood lights, made to last.



# humble

atmosphere, anywhere



LONG  
BATTERY LIFE



WARM &  
DIMMABLE



WATERPROOF  
IP65



WIRELESS  
CHARGING



CONTROL FROM  
A DISTANCE



BUILT  
FOR LIFE



TWO IN YELLOW HIGH GLOSS FINISH.



# One.



Dark grey  
HUMTL00101



White marble  
HUMTL00103



Walnut  
HUMTL00104



Gold  
HUMTL00106



Black  
HUMTL00116



Beige  
HUMTL00119



Moss  
HUMTL00117



Cinnamon  
HUMTL00118




Black wood  
HUMTL00109



Oak  
HUMTL00110

One  
Aluminium  
IP65 - waterproof  
Weight 0,31 kg - 0.69 lbs  
E27 low-voltage bulb  
Power: 0,45 W  
Kelvin: 2200k  
Dimmable: 3 levels  
Battery capacity: 4000 mAh

Control: Toggle switch on bottom of base  
Charging cable: USB-C to USB-A  
Adapter: 5V 2A (= 10W, recommended)  
5V 3A (= 15W, max)  
Battery life  
Low: 100 - 140 hours  
Medium: 60 - 80 hours  
High: 30 - 40 hours



# Table lamp



# Re-charge



# Two.



Gold  
HUMTL00201



Black  
HUMTL00208



Beige  
HUMTL00211



Gold / Frosted  
HUMTL00204



Black / Frosted  
HUMTL00209



Beige / Frosted  
HUMTL00212



Black / Smoked  
HUMTL00210



Gold / Smoked  
HUMTL00205



Gold / Emerald linen  
HUMTL00213



Black / Brown linen  
HUMTL00215



Beige / Beige linen  
HUMTL00214



Two-CobaltBlue  
HUMTL00216




Two-Ivory  
HUMTL00218



Two-Yellow  
HUMTL00217

Two  
Aluminium  
IP65 - waterproof  
Weight 0,26 kg - 0.57 lbs  
G4 LED  
Power: 0,45 W  
Kelvin: 2600k  
Dimmable: 3 levels  
Battery capacity: 2400 mAh  
Charging cable: USB-C to USB-A

Control: Toggle switch on bottom of base  
Adapter: 5V 2A (= 10W, recommended)  
5V 3A (= 15W, max)  
Battery life  
Low: 70 - 95 hours  
Medium: 22 - 30 hours  
High: 12 - 17 hours







Bronze / Frosted  
HUMTL00403



Gold / Frosted  
HUMTL00401



Gold / Smoked  
HUMTL00402




Bronze / Smoked  
HUMTL00404

# .Firefly

Firefly  
Aluminium  
IP65 - waterproof  
Weight 0,26 kg - 0.57 lbs  
G4 LED  
Power: 0,45 W  
Kelvin: 2200k  
Dimmable: 3 levels  
Battery capacity: 3000 mAh

Charging cable: USB-C to USB-A  
Control: Toggle switch on bottom of base  
Adapter: 5V 2A (= 10W, recommended)  
5V 3A (= 15W, max)  
Battery life  
Low: 100 - 140 hours  
Medium: 60 - 80 hours  
High: 20 - 28 hours



# Bug.



Gold  
HUMTL00303



Black  
HUMTL00301



Beige  
HUMTL00302



Gold / Frosted  
HUMTL00306



Black / Frosted  
HUMTL00304



Beige / Frosted  
HUMTL00305

Bug  
Aluminium  
IP65 - waterproof  
Weight 0,635 kg - 1.4 lbs  
G4 LED  
Power: 0,5 W  
Kelvin: 2600k  
Dimmable: 3 levels (normal mode)  
Continuous (smart mode)  
Battery capacity: 8240 mAh  
Charging cable: USB-C to USB-A

Control: Toggle switch on bottom of base  
Touch control on the side  
Smart control (smart mode)  
Adapter: 5V 2A (= 10W, recommended)  
5V 3A (= 15W, max)  
Battery life  
Low: 75 - 100 hours  
Medium: 36 - 48 hours  
High: 18 - 25 hours





# .Bee



Bee-BeigeFrosted  
HUMWL00106



Bee-BeigeSmoked  
HUMWL00105



Bee-BlackFrosted  
HUMWL00102



Bee-BlackSmoked  
HUMWL00101



Bee-GoldFrosted  
HUMWL00104




Bee-GoldSmoked  
HUMWL00103



Bee  
Aluminium  
IP65 - waterproof  
Weight 0,51 kg - 1,12 lbs  
E27 low-voltage bulb  
Power: 0,5 W  
Kelvin: 2300k  
Dimmable: 3 levels (normal mode)  
Continuous (smart mode)  
Battery capacity: 8240 mAh / 3,7 V  
Charging cable: USB-C to USB-A

Control: Toggle switch on bottom of base  
Touch control on the side  
Smart control (smart mode)  
Adapter: 5V 2A (= 10W, recommended)  
5V 3A (= 15W, max) Adapter: 5V 2A (= 10W, recommended)  
5V 3A (= 15W, max)  
Battery life  
Low: 70 - 95 hours  
Medium: 22 - 30 hours  
High: 12 - 17 hours



# Lighting ergonomics

สำหรับระบบการให้แสงสว่างหลักเรียกได้ว่าเป็นหัวใจสำคัญของการออกแบบแสงสว่างเลยก็ว่าได้เพราะเป็นการออกแบบระบบสำหรับการใช้งานโดยแสงหลักเหล่านี้จะกำหนดให้แสงสว่างจึงต้องมีการออกแบบให้เพียงพอต่อมาตรฐานการใช้งานในแต่ละพื้นที่


กระบวนการออกแบบแสงสว่างคือการคิดคำนวณตลอดจนการวางแผนเกี่ยวกับระบบแสงสว่างเพื่อหาความส่องสว่างให้เพียงพอต่อการใช้งานรวมถึงมาตรฐานในแต่ละพื้นที่ในกรณีที่พักอาศัยนั้นๆมีการกำหนดแสงที่ต้องใช้เอาไว้อย่างชัดเจน โดยการออกแบบแสงจะต้องพิจารณาในหลายๆปัจจัยไม่ว่าจะเป็นขนาดของพื้นที่ที่ต้องออกแบบการตกกระทบและการสะท้อนระหว่างพื้น,ผนัง,เพดานตลอดจนการจัดวางระบบแสงหลักและแสงรองเพื่อให้เกิดความสว่างให้เป็นไปตามมาตรฐานที่กำหนดไว้

การรวมหลักการออกแบบแสงสว่างให้เป็นไปตามหลักการ ergonomics เข้าไปในพื้นที่นั้นเป็นสิ่งที่สำคัญสำหรับการเพิ่มประสิทธิภาพในเรื่องความสบายโดยการพิจารณาปัจจัยเช่นความสว่างอุณหภูมิสีการลดแสงสะท้อนความเป็นระเบียบเรียบร้อยและความสามารถในการปรับเปลี่ยนเพื่อให้ผู้ออกแบบสามารถสร้างสภาพแวดล้อมที่เหมาะสมให้กับผู้ใช้งาน

การจัดการรูปแบบดวงโคมและแสงสว่างที่เหมาะสมกับพื้นที่นั้นๆเป็นสิ่งสำคัญที่เราต้องคำนึงถึงไม่ว่าจะเป็นในพื้นที่ใดๆของตัวบ้าน เช่น หน้าบ้าน ห้องนั่งเล่น ห้องครัว หรือแม้กระทั่งห้องน้ำ การจัดแสงสว่างให้เหมาะสมไม่เพียงแต่การสร้างแสงสว่างให้พื้นที่แต่ทั้งยังสามารถสร้างความสวยงามและระยะที่ใช้ใช้งานได้อย่างมีประสิทธิภาพระหว่างดวงโคมกับผู้ใช้งานได้อีกด้วย

PRODUCT NAME	CATEGORY
1 VEXA-W	Exterior Wall lamp
2 ZENIC-90	Hanging lamp
3 JBALL-W1	Exterior Wall lamp
4 AURAS-PS	Hanging lamp
5 SOLIX-F	Floor lamp
6 VYRO-TB	Table lamp

# Color temperature guide




อุณหภูมิสีมีความสำคัญเนื่องจากส่งผลต่อวิธีที่เรารับรู้สีตลอดจนอารมณ์และบรรยากาศของพื้นที่หรือฉาก

ในการออกแบบแสงสว่างและการตกแต่งภายในสามารถใช้อุณหภูมิสีเพื่อสร้างบรรยากาศหรืออารมณ์เฉพาะในพื้นที่ได้ตัวอย่างเช่น อุณหภูมิสีที่อบอุ่นมักใช้ในที่พักอาศัยเพื่อสร้างบรรยากาศที่อบอุ่นและน่าดึงดูดใจในขณะที่อุณหภูมิสีที่เย็นมักใช้ในเชิงพาณิชย์หรืออุตสาหกรรมเพื่อสร้างสภาพแวดล้อมการทำงานที่สว่างและมีประสิทธิภาพมากขึ้น

นอกจากนี้อุณหภูมิสียังเป็นสิ่งสำคัญในการรับประกันว่าสีที่เราเห็นนั้นแม่นยำและสม่ำเสมอในแหล่งกำเนิดแสงต่างๆอุณหภูมิสีอาจส่งผลต่อลักษณะที่ปรากฏของสีและการเปลี่ยนแปลงของอุณหภูมิสีอาจทำให้สีดูแตกต่างจากที่เห็นขึ้นภายใต้แหล่งกำเนิดแสงอื่นการใช้อุณหภูมิสีที่สอดคล้องกันในพื้นที่หรือฉากที่กำหนดช่วยให้มั่นใจได้ว่าสีที่เราเห็นมีความถูกต้องและสม่ำเสมอ

## How lighting Affects Productivity

โดยทั่วไปอุณหภูมิสีจะวัดเป็นเคลวิน (K) ซึ่งเป็นหน่วยของอุณหภูมิสัมบูรณ์ การวัดจะขึ้นอยู่กับสีของแสงที่เกิดจากแหล่งกำเนิดแสงเมื่อได้รับความร้อนจนถึงอุณหภูมิที่กำหนด





# Color Rendering index

## ค่าความถูกต้องของสี




CRI 70+  
พื้นที่การใช้งาน Offices and Shops  
สำหรับการใช้งานโดยเฉลี่ย



CRI 80+  
พื้นที่การใช้งาน Private home,  
Offices and Sales areas สำหรับการ  
ใช้งานโดยเฉลี่ย



CRI 90+  
พื้นที่การใช้งาน Museums,  
Galleries, Exquisite dining and  
Exclusive products in stores  
สำหรับการใช้งานโดยเฉลี่ย



เป็นค่าที่บ่งบอกคุณภาพของแสงที่ส่องไปที่วัตถุทำให้เห็นสีของวัตถุได้ถูกต้องมาก-น้อยเพียงใดโดยค่าความถูกต้องของสีหรือCRIนี้จะมีค่าอยู่ระหว่าง0-100โดยเป็นการเปรียบเทียบกับแสงจากดวงอาทิตย์ในช่วงกลางวันที่มีค่าCRI=100ดังนั้นหากหลอดไฟดวงใดมีค่าCRIต่ำจะทำให้สีของวัตถุที่อยู่ภายใต้แสงจากหลอดไฟดวงนั้นเพี้ยนไปได้


หลอดไฟแต่ละชนิดก็จะให้ค่าCRIไม่เท่ากันโดยสำหรับงานทั่วไปควรอยู่ระหว่าง70-80ถือว่าเป็นที่ยอมรับได้แต่สำหรับงานที่ต้องการมาตรฐานต้องการความถูกต้องของสีมากที่สุดจะต้องใช้หลอดไฟที่ให้ค่าCRIสูงถึง95-100ซึ่งจะให้แสงที่ใกล้เคียงกับแสงดวงอาทิตย์ทำให้เรามองเห็นสีของวัตถุใกล้เคียงกับธรรมชาติมากที่สุดจึงจะเป็นที่ยอมรับได้

ค่ามาตรฐานการป้องกันซึ่งจะเป็นค่าแสดงระดับการป้องกันของกล่องแผงไฟฟ้าหรืออุปกรณ์ไฟฟ้านั้นเองโดยที่ค่าIPนั้นจะแสดงด้วยตัวเลข2หลักคือรูปแบบการแสดงมาตรฐานจะเป็น IPXX ซึ่ง XX คือตัวเลขดังกล่าว เช่น IP65, IP67, IP68 เป็นต้น โดยที่ตัวเลขหลักแรกจะหมายถึงการป้องกันจากของแข็งซึ่งจะมีตั้งแต่0-6ส่วนตัวเลขหลักที่สองจะหมายถึงการป้องกันจากของเหลวซึ่งจะมีตั้งแต่0-8


### General remark

เราขอแนะนำให้ติดตั้งโดยช่างไฟฟ้าที่ผ่านการรับรองและมีความชำนาญเท่านั้นในกรณีที่พื้นที่ทำความสะอาดด้วยเครื่องฉีดน้ำค่า IP RATING ไม่ควรต่ำกว่า IP 65

We advise to have the lighting devices installed only by a qualified electrician. In case the area is cleaned with water jets, then a minimum of IP 65 is required.



# Ingress Protection Rating



# Contact

**Ekamai (Head office)**  
 02-392 6371-5  
 02-392 1837-8  
 02-392 1839  
 02-392 2822  
 info@lamptitude.net



**Chiangmai**  
 053-241 036  
 053-242 487  
 053-243 425  
 lamptitude\_cm@yahoo.co.th



คุณสามารถค้นหาเรา  
 เจอได้ง่ายๆโดยพิมพ์  
**lamptitude**



สแกนคิวอาร์โค้ดหรือ  
 พิมพ์ **@lamptitude**

Lamptitude

www.lamptitude.com

Lamptitude  
**RESERVE**

www.lamptitudereserve.com



# PROJECT INDEX

A				
ASTRA-F-SGY				
ASTRA-F-AGD	58			
ASTRIN-P-DCH				
ASTRIN-P-BK				
ASTRIN-P-RG	66			
ASTRIN-W2-RG				
ASTRIN-W2-DCH				
ASTRIN-W2-BK	64			
ASTRIN-W-RG				
ASTRIN-W-DCH				
ASTRIN-W-BK	64			
AURAS-PB-SGY	42			
AURAS-PS-SGY	42			
B				
BEE	134			
BUG	131			
C				
COCOON-P-25A				
COCOON-P-30A				
COCOON-P-40A				
COCOON-P-60A				
COCOON-P-80A				
COCOON-P-120A	97			
D				
DARK-W-DG				
DARK-W-AGD				
DARK-W-SGY	1			
DYNA-F-WW				
DYNA-F-BK	82			
DYNA-T-WW				
DYNA-T-BK	79			
F				
FIREFLY	129			
FLIPER-W-WW				
FLIPER-W-BK				
FLIPER-W-CR	113			
K				
KYGO-CEIL-SGY				
KYGO-CEIL-MB				
KYGO-CEIL-VG	50			
KYGO-P30-6W-3.0K-36D-MB-D				
KYGO-P30-6W-3.0K-36D-SGY-D	55			
KYGO-P30-6W-3.0K-36D-VG-D				
KYGO-P60-6W-3.0K-36D-MB-D				
KYGO-P60-6W-3.0K-36D-SGY-D	55			
KYGO-P60-6W-3.0K-36D-VG-D				
KYGO-P90-6W-3.0K-36D-VG-D				
KYGO-P90-6W-3.0K-36D-MB-D				
KYGO-P90-6W-3.0K-36D-SGY-D	55			
KYGO-PS-MB				
KYGO-PS-SGY				
KYGO-PS-VG	54			
KYGO-TRACK-VG				
KYGO-TRACK-SGY				
KYGO-TRACK-MB	47			
KYGO-W-MB				
KYGO-W-SGY				
KYGO-W-VG	51			
L				
LIL-R60-WW				
LIL-R60-GD	116			
LIL-R80-GD				
LIL-R80-WW	116			
N				
NESSO-W-GM				
NESSO-W-WW	120			
NUVOL-P90-BK				
NUVOL-P150-BK				
NUVOL-P120-BK	112			
O				
ONE	125			
P				
PLAYBALL-O-25				
PLAYBALL-O-30				
PLAYBALL-O-40				
PLAYBALL-O-60				
PLAYBALL-O-80	104			
R				
RODO-C40-WW	96			
RODO-C80-WW	96			
RODO-P40-WW	93			
RODO-P60-WW	93			
RUMI-CM-WW	78			
RUMI-CS-WW	69			
RUMI-REC-WW	73			
RUMI-WS-WW				
RUMI-WS-BK	72			
S				
SOLIX-F-WW				
SOLIX-F-SGY	88			
SOLIX-T-WW				
SOLIX-T-SGY	85			
STELL-W-WW				
STELL-W-CHP	118			
T				
TARGA-CB-WW				
TARGA-CB-AGD				
TARGA-CB-SGY	19			
TARGA-PB-AGD				
TARGA-PB-SGY				
TARGA-PB-WW				21
TARGA-PS-SGY				
TARGA-PS-WW				
TARGA-PS-AGD				21
TIRIO-P-SGY				
TIRIO-P-AGD				39
TWO				128
U				
UNITO-P150-BK				
UNITO-P150-GD				109
V				
VENTI-C-WW				
VENTI-C-SGY				
VENTI-C-AGD				14
VENTI-P4-WW				
VENTI-P4-AGD				
VENTI-P4-FGY				6
VENTI-T-FGY				
VENTI-T-AGD				
VENTI-T-WW				7
VIRIO-PP-WW				
VIRIO-PP-AGD				36
VOL-REC-24D-WW				76
VOLTIS-P120-BGD				
VOLTIS-P120-SGY				44
VOR-P60				107
VOR-P80				107
VYRO-PB				27
VYRO-PS				27
VYRO-TB-WW				32
VYRO-T-LCF				31
VYRO-TS-WW				34
VYRO-W-WW				29
Z				
ZENIC-60-AGD				
ZENIC-90-AGD				
ZENIC-120-AGD				46
ZENIC-60-NK				
ZENIC-90-NK				
ZENIC-120-NK				46

ขอสงวนสิทธิ์ในการเปลี่ยนแปลงสินค้าและราคา  
โดยไม่ต้องแจ้งให้ทราบล่วงหน้าในกรณีผิดพลาดจากการพิมพ์  
สินค้าขาดตลาดหรือสินค้าหมดก่อนกำหนด

The company reserves a right to change the prices and products  
without giving prior notice,  
in case of printing error or product run out of stock.



