


PROJECT : _____
SALE : _____



Product

Dimension



Specification


| | |
|---------------|------------------------|
| SERIES | : LIV |
| ITEM CODE | : LIV-W-BK |
| DESCRIPTION | : WALL LAMP |
| SIZE | : W340 X H300 (mm) |
| INSTALLATION | : SURFACE MOUNTED WALL |
| DRILL SIZE | : - |
| WEIGHT | : 1 KG |
| MATERIAL | : POWDER COATED STEEL |
| COLOR | : BLACK |
| REFLECTOR | : N/A |
| DIFFUSER | : N/A |
| IP RATING | : 20 |
| LIGHT SOURCES | : LED OR INCANDESCENT |
| SOCKET | : E27 X 1 |
| WATTS | : MAX 40W |
| VOLT | : 220-240V 50/60Hz |
| CCT | : - |
| CRI | : - |
| BEAM ANGLE | : - |
| LUMEN POWER | : - |
| LIFETIME | : - |
| CONTROL GEAR | : - |
| ACCESSORIES | : - |
| REMARKS | : BULB NOT INCLUDED |

PROJECT : _____
SALE : _____



Product

Dimension



Specification


| | |
|---------------|------------------------|
| SERIES | : LIV |
| ITEM CODE | : LIV-W-BS |
| DESCRIPTION | : WALL LAMP |
| SIZE | : W340 X H300 (mm) |
| INSTALLATION | : SURFACE MOUNTED WALL |
| DRILL SIZE | : - |
| WEIGHT | : 1 KG |
| MATERIAL | : POWDER COATED STEEL |
| COLOR | : BRASS |
| REFLECTOR | : N/A |
| DIFFUSER | : N/A |
| IP RATING | : 20 |
| LIGHT SOURCES | : LED OR INCANDESCENT |
| SOCKET | : E27 X 1 |
| WATTS | : MAX 40W |
| VOLT | : 220-240V 50/60Hz |
| CCT | : - |
| CRI | : - |
| BEAM ANGLE | : - |
| LUMEN POWER | : - |
| LIFETIME | : - |
| CONTROL GEAR | : - |
| ACCESSORIES | : - |
| REMARKS | : BULB NOT INCLUDED |

PROJECT : _____
SALE : _____

Lampitude

Product

Dimension



Specification

| | |
|---------------|------------------------|
| SERIES | : LIV |
| ITEM CODE | : LIV-W-WH |
| DESCRIPTION | : WALL LAMP |
| SIZE | : W340 X H300 (mm) |
| INSTALLATION | : SURFACE MOUNTED WALL |
| DRILL SIZE | : - |
| WEIGHT | : 1 KG |
| MATERIAL | : POWDER COATED STEEL |
| COLOR | : WHITE |
| REFLECTOR | : N/A |
| DIFFUSER | : N/A |
| IP RATING | : 20 |
| LIGHT SOURCES | : LED OR INCANDESCENT |
| SOCKET | : E27 X 1 |
| WATTS | : MAX 40W |
| VOLT | : 220-240V 50/60Hz |
| CCT | : - |
| CRI | : - |
| BEAM ANGLE | : - |
| LUMEN POWER | : - |
| LIFETIME | : - |
| CONTROL GEAR | : - |
| ACCESSORIES | : - |
| REMARKS | : BULB NOT INCLUDED |

Head office 299/1 (Ekamai) Klongton-Nua, Wattana, Bangkok Thailand 10110

Tel (02) 392 6371-5 FAX (02) 392 1839 Email info@lampitude.net www.lampitude.net