



PROJECT : _____

SALE : _____

Lampitude®
TURN ON YOUR ATTITUDE

Product

Dimension



Specification

| | | |
|--------------|---|--|
| ITEM CODE | : | ST-WS12-100-WH |
| SERIES | : | ST-WS12 |
| BRAND | : | LAMPITUDE |
| LAMP TYPE | : | LED |
| LAMP BASE | : | LED 5W 3000K BEAM ANGLE 120° |
| DESCRIPTION | : | WALL LAMP |
| INSTALLATION | : | SURFACE MOUNTED WALL |
| MATERIAL | : | POWDER COATED ALUMINUM, POLYCARBONATE DIFFUSER |
| COLOR | : | WHITE |
| CONTROL GEAR | : | LED DRIVER INCLUDED |
| REFLECTOR | : | N/A |



Design A Configuration:
(ST-WS12-150)*1
(ST-WS12-200)*1
(ST-WS12-250)*1



Design B Configuration:
(ST-WS12-150)*2
(ST-WS12-200)*3
(ST-WS12-250)*1



Design C Configuration:
(ST-WS12-150)*2
(ST-WS12-200)*2
(ST-WS12-250)*2



Design D Configuration:
(ST-WS12-150)*2
(ST-WS12-200)*2
(ST-WS12-250)*2



Design E Configuration:
(ST-WS12-100)*2
(ST-WS12-150)*1
(ST-WS12-200)*1
(ST-WS12-250)*1



Design F Configuration:
(ST-WS12-100)*4
(ST-WS12-150)*2
(ST-WS12-200)*2
(ST-WS12-250)*2



Head office 299/1 (Ekamai) Klongton-Nua, Wattana, Bangkok Thailand 10110

Tel (02) 392 6371-5 Fax (02) 392 1839 Email info@lampitude.net www.lampitude.net

PROJECT : _____
 SALE : _____



Product **Dimension**



Specification


- ITEM CODE : ST-WS12-150-WH
- SERIES : ST-WS12
- BRAND : LAMPTITUDE
- LAMP TYPE : LED
- LAMP BASE : LED 9W 3000K BEAM ANGLE 120°
- DESCRIPTION : WALL LAMP
- INSTALLATION : SURFACE MOUNTED WALL
- MATERIAL : POWDER COATED ALUMINUM, POLYCARBONATE DIFFUSER
- COLOR : WHITE
- CONTROL GEAR : LED DRIVER INCLUDED
- REFLECTOR : N/A




Design A Configuration:
 (ST-WS12-150)*1
 (ST-WS12-200)*1
 (ST-WS12-250)*1



Design B Configuration:
 (ST-WS12-150)*2
 (ST-WS12-200)*3
 (ST-WS12-250)*1




Design C Configuration:
 (ST-WS12-150)*2
 (ST-WS12-200)*2
 (ST-WS12-250)*2



Design D Configuration:
 (ST-WS12-150)*2
 (ST-WS12-200)*2
 (ST-WS12-250)*2



Design E Configuration:
 (ST-WS12-150)*2
 (ST-WS12-200)*1
 (ST-WS12-250)*1





Design F Configuration:
 (ST-WS12-150)*4
 (ST-WS12-200)*2
 (ST-WS12-250)*2

PROJECT : _____
 SALE : _____



Product **Dimension**



Specification

ITEM CODE : ST-WS12-200-WH
 SERIES : ST-WS12
 BRAND : LAMPTITUDE
 LAMP TYPE : LED
 LAMP BASE : LED 12W 3000K BEAM ANGLE 120°
 DESCRIPTION : WALL LAMP
 INSTALLATION : SURFACE MOUNTED WALL
 MATERIAL : POWDER COATED ALUMINUM, POLYCARBONATE DIFFUSER
 COLOR : WHITE
 CONTROL GEAR : LED DRIVER INCLUDED
 REFLECTOR : N/A



Design A Configuration:
 (ST-WS12-250)*1
 (ST-WS12-200)*1
 (ST-WS12-250)*1



Design B Configuration:
 (ST-WS12-150)*2
 (ST-WS12-200)*3
 (ST-WS12-250)*1



Design C Configuration:
 (ST-WS12-150)*2
 (ST-WS12-200)*2
 (ST-WS12-250)*2



Design D Configuration:
 (ST-WS12-150)*2
 (ST-WS12-200)*2
 (ST-WS12-250)*2



Design E Configuration:
 (ST-WS12-300)*2
 (ST-WS12-250)*1
 (ST-WS12-200)*1
 (ST-WS12-250)*1



Design F Configuration:
 (ST-WS12-100)*4
 (ST-WS12-150)*2
 (ST-WS12-200)*2
 (ST-WS12-250)*2



PROJECT : _____

SALE : _____



Product

Dimension



Specification

| | | |
|--------------|---|--|
| ITEM CODE | : | ST-WS12-250-WH |
| SERIES | : | ST-WS12 |
| BRAND | : | LAMPTITUDE |
| LAMP TYPE | : | LED |
| LAMP BASE | : | LED 15W 3000K BEAM ANGLE 120° |
| DESCRIPTION | : | WALL LAMP |
| INSTALLATION | : | SURFACE MOUNTED WALL |
| MATERIAL | : | POWDER COATED ALUMINUM, POLYCARBONATE DIFFUSER |
| COLOR | : | WHITE |
| CONTROL GEAR | : | LED DRIVER INCLUDED |
| REFLECTOR | : | N/A |



Design A Configuration:
(ST-WS12-250)*1
(ST-WS12-200)*1
(ST-WS12-250)*1



Design B Configuration:
(ST-WS12-150)*2
(ST-WS12-200)*3
(ST-WS12-250)*1



Design C Configuration:
(ST-WS12-150)*2
(ST-WS12-200)*2
(ST-WS12-250)*2



Design D Configuration:
(ST-WS12-150)*2
(ST-WS12-200)*2
(ST-WS12-250)*2



Design E Configuration:
(ST-WS12-100)*2
(ST-WS12-150)*1
(ST-WS12-200)*1
(ST-WS12-250)*1



Design F Configuration:
(ST-WS12-100)*4
(ST-WS12-150)*2
(ST-WS12-200)*2
(ST-WS12-250)*2