

PROFESSIONAL

GYMWAY



16-17

MADE IN TAIWAN



WARRANTY


We, at Gymway Barbell Co., Ltd, work hard to be your professional free weight equipment supplier.

We strive to work closely with leading companies in the field around the world.

We insist on selecting Taiwanese premium steel for all our products. Each of them has been through strict testing and inspection to ensure its highest quality standard.

Delivering perfect free weight equipment is our ultimate goal.

陳日明
Jason Chen



Gymway is one of the few barbell manufacturers who are still stationed in Taiwan.

We specialize in manufacturing free weight equipment. The quality of our products and services has been qualified by many famous brands. Through years of hard work and dedication, we are now the largest free weight manufacturer in Taiwan.

With your support, we will continue to provide the best quality and service for return.



Since 1981

35 years of excellence

1985

Worked with famous brands in the United States to design and develop Pressure Ring Collar.

2010

Designed and developed the Swingwhale Dumbbell. Received multi-nation patent.

1990

Designed and developed one of the strongest Triceps Rope on the market.

2011

Introduced ERP system. The Sales Department was set up to deal with growing demand.

2007

Designed and developed the new generation of Gymway Barbell Weightlifting Bar.

2014

Received Structural Patent Of the United States for the Olympic Bar.

2008

Received Structural Patent Of Taiwan for the Olympic Bar.

2015

Designed and developed the Competition Elite Bumper Plate, locking screw free.

2009

Designed and developed the new generation competition Bumper Plate, locking screw free. Received multi-nation patent.

2016

Designed and developed the Competition Premium Bar, Cross-Training Bar 2.0 and innovated Fixed Barbell, Dumbbell.



GYMWAY

PRODUCTS INDEX

OLYMPIC	08 - 11
FUNCTIONAL	12 - 15
BUMPER PLATE	16 - 21
DUMBBELL	22 - 23
BARBELL	24 - 25
CABLE ATTACHMENT	26 - 27



WeightLifting **OLYMPIC PREMIUM BARBELL** 



MEN



- Tensile strength : 216,200 psi
- Yield strength : 206,900 psi
- Rotation system : Needle Bearing

- Shaft material : Alloy Steel
- Overall length : 220cm
- Total weight : 20kg

- Shaft diameter : 28mm
- Sleeve diameter : Ø50mm
- Specification : IWF Compliant

- Shaft coating : Hard chrome/chrome
- Sleeve coating : Chrome
- Capacity : 1,500 lb

- Inspection : MPI machine
- Private labeling is available



WOMEN



- Tensile strength : 216,200 psi
- Yield strength : 206,900 psi
- Rotation system : Needle Bearing

- Shaft material : Alloy Steel
- Overall length : 201cm
- Total weight : 15kg

- Shaft diameter : 25mm
- Sleeve diameter : Ø50mm
- Specification : IWF Compliant

- Shaft coating : Hard chrome/chrome
- Sleeve coating : Chrome
- Capacity : 1,200 lb

- Inspection : MPI machine
- Private labeling is available

WeightLifting **COMPETITION BARBELL** 



MEN



- Tensile strength : 216,200 psi
- Yield strength : 206,900 psi
- Rotation system : Needle Bearing

- Shaft material : Alloy Steel
- Overall length : 220cm
- Total weight : 20kg

- Shaft diameter : 28mm
- Sleeve diameter : Ø50mm
- Specification : IWF Compliant

- Shaft coating : Hard chrome/chrome
- Sleeve coating : Chrome
- Capacity : 1,500 lb

- Inspection : MPI machine
- Private labeling is available



WOMEN



- Tensile strength : 216,200 psi
- Yield strength : 206,900 psi
- Rotation system : Needle Bearing

- Shaft material : Alloy Steel
- Overall length : 201cm
- Total weight : 15kg

- Shaft diameter : 25mm
- Sleeve diameter : Ø50mm
- Specification : IWF Compliant

- Shaft coating : Hard chrome/chrome
- Sleeve coating : Chrome
- Capacity : 1,200 lb

- Inspection : MPI machine
- Private labeling is available

Accessories



Competition Collars

- Inner diameter : Ø50 mm
- Coating : chrome
- Weight : 2.5 kg/each
- Private labeling is available



Training Collars

- Inner diameter : Ø50 mm
- Coating : chrome
- Weight : 1.0 kg/each
- Private labeling is available



Fractional Plate
P16 ~ P17



Competition Bumper Plate
P18 ~ P19

WeightLifting **ELITE BARBELL** 



MEN



- Tensile strength : 216,200 psi
- Yield strength : 206,900 psi
- Rotation system : Copper bushing

- Shaft material : Alloy Steel
- Overall length : 220cm
- Total weight : 20kg

- Shaft diameter : 28mm
- Sleeve diameter : Ø50mm
- Specification : IWF Compliant

- Shaft coating : Matt chrome/chrome
- Sleeve coating : Chrome
- Capacity : 1,500 lb

- Inspection : MPI machine
- Private labeling is available



WOMEN



- Tensile strength : 216,200 psi
- Yield strength : 206,900 psi
- Rotation system : Copper bushing

- Shaft material : Alloy Steel
- Overall length : 201cm
- Total weight : 15kg

- Shaft diameter : 25mm
- Sleeve diameter : Ø50mm
- Specification : IWF Compliant

- Shaft coating : Matt chrome/chrome
- Sleeve coating : Chrome
- Capacity : 1,200 lb

- Inspection : MPI machine
- Private labeling is available

WeightLifting **TECHNICAL BARBELL** 



- Rotation system : Copper bushing
- Shaft material : Special Carbon Steel
- Overall length : 168cm

- Total weight : 10kg
- Shaft diameter : 25mm
- Sleeve diameter : Ø50mm

- Knurl pattern : IWF / Dual(IWF+IPF)
- Shaft coating : Manganese phosphate/Chrome/Black oxide

- Sleeve coating : Chrome
- Capacity : 400 lb
- Private labeling is available

PowerLifting **POWER BARBELL** 



- Tensile strength : 216,200 psi
- Yield strength : 206,900 psi
- Rotation system : Copper bushing

- Shaft material : Alloy Steel
- Overall length : 220cm
- Total weight : 20kg

- Shaft diameter : 29mm
- Sleeve diameter : Ø50mm
- Specification : IPF Compliant

- Shaft coating : Chrome
- Sleeve coating : Chrome
- Capacity : 1,500 lb

- Inspection : MPI machine
- Private labeling is available

Accessories

10



Competition Collars

- Inner diameter : Ø50 mm
- Coating : chrome
- Weight : 2.5 kg/each
- Private labeling is available



Training Collars

- Inner diameter : Ø50 mm
- Coating : chrome
- Weight : 1.0 kg/each
- Private labeling is available




Fractional Plate
P16 ~ P17



Competition Bumper Plate
P18 ~ P19

11

Cross-Training CORSS-TRAINING BARBELL 1.0 



MEN




- Tensile strength : 216,200 psi
- Yield strength : 206,900 psi
- Rotation system : Copper bushing

- Shaft material : Alloy Steel
- Overall length : 220cm
- Total weight : 20kg

- Shaft diameter : 28mm
- Sleeve diameter : Ø50mm
- Knurl pattern : Dual(WF+IPF)

- Shaft coating : Manganese phosphate/Chrome/Black oxide
- Sleeve coating : Chrome

- Capacity : 1,500 lb
- Inspection : MPI machine
- Private labeling is available



WOMEN



- Tensile strength : 216,200 psi
- Yield strength : 206,900 psi
- Rotation system : Copper bushing


- Shaft material : Alloy Steel
- Overall length : 201cm
- Total weight : 15kg

- Shaft diameter : 25mm
- Sleeve diameter : Ø50mm
- Knurl pattern : Dual(WF+IPF)

- Shaft coating : Manganese phosphate/Chrome/Black oxide
- Sleeve coating : Chrome

- Capacity : 1,200 lb
- Inspection : MPI machine
- Private labeling is available

Cross-Training CORSS-TRAINING BARBELL 2.0 



- Tensile strength : 216,200 psi
- Yield strength : 206,900 psi
- Rotation system : Copper bushing

- Shaft material : Alloy Steel
- Overall length : 220cm
- Total weight : 20kg

- ★ Shaft diameter : 28.5mm
- Sleeve diameter : Ø50mm
- Knurl pattern : Dual(WF+IPF)

- Shaft coating : Manganese phosphate/Chrome/Black oxide
- Sleeve coating : Chrome

- Capacity : 1,500 lb
- Inspection : MPI machine
- Private labeling is available

Accessories

12



Competition Collars

- Inner diameter : Ø50 mm
- Coating : chrome
- Weight : 2.5 kg/each
- Private labeling is available



Training Collars

- Inner diameter : Ø50 mm
- Coating : chrome
- Weight : 1.0 kg/each
- Private labeling is available



Competition Elite Bumper Plate
P20 ~ P21



Competition Bumper Plate
P18 ~ P19

13

Cross-Training TRAINING BARBELL 



MEN



- Rotation system : Copper bushing
- Shaft material : Special carbon steel
- Overall length : 220cm

- Total weight : 20kg
- Shaft diameter : 28mm
- Sleeve diameter : Ø50mm

- Knurl pattern : Dual(WF+IPF)
- Shaft coating : Manganese phosphate/Chrome/Black oxide

- Sleeve coating : Chrome
- Capacity : 700 lb
- Private labeling is available



WOMEN



- Rotation system : Copper bushing
- Shaft material : Special carbon steel
- Overall length : 201cm

- Total weight : 15kg
- Shaft diameter : 25mm
- Sleeve diameter : Ø50mm

- Knurl pattern : Dual(WF+IPF)
- Shaft coating : Manganese phosphate/Chrome/Black oxide

- Sleeve coating : Chrome
- Capacity : 400 lb
- Private labeling is available

Cross-Training EZ CURL BAR 



- Rotation system : Copper bushing
- Shaft material : Special carbon steel
- Overall length : 120cm

- Total weight : 10kg
- Shaft diameter : 28mm
- Sleeve diameter : Ø50mm

- Knurl pattern : Gymway
- Shaft coating : Chrome
- Sleeve coating : Chrome

- Capacity : 400 lb
- Private labeling is available

Accessories

14



Competition Collars

- Inner diameter : Ø50 mm
- Coating : chrome
- Weight : 2.5 kg/each
- Private labeling is available



Training Collars

- Inner diameter : Ø50 mm
- Coating : chrome
- Weight : 1.0 kg/each
- Private labeling is available



Competition Elite Bumper Plate
P20 ~ P21



Competition Bumper Plate
P18 ~ P19

15

PROFESSIONAL GYMWAY

GYMWAY FUNCTIONAL

Olympic Series COMPETITION BUMPER PLATE

- Dropping test : 30,000 drops
- Odor : low
- Material : Virgin rubber contained
- Weight available : 5/10/15/20/25 kg
- Diameter of plate : 450 mm
- Diameter of center hub : Ø50 mm
- Weight tolerance : +/- 5 g
- Labeling : Embossed logo available



Olympic Series FRACTIONAL PLATE

- Material : Special carbon steel
- Weight available : 0.5/1.0 /1.5/2.0/2.5 kg
- Diameter of center hub : Ø50 mm
- Finish : Powder coating / Chrome / Black oxide
- Private labeling is available



Cross-Training Series COMPETITION ELITE BUMPER PLATE

- Dropping Test : 5,000 drops.
- Odor : low
- Material : Composed rubber contained
- Colour : Matt black.
- Weight available : 5/10/15/20/25 kg
- Diameter of plate : 450 mm
- Diameter of center hub : Ø50 mm
- Weight tolerance : +/- 50g
- Labeling : Embossed logo available



PROFESSIONAL GYMWAY

GYMWAY BUMPER PLATE

ROTATION HANDLE CHROME DUMBBELLS

- **Material** : Solid steel (not cast iron)
- **Weight display** : Available in kilos and lbs.
- **Weight available** : 1~20 kg
- **Surface treatment** : Highly polished, triple chrome plated
- **Handle type** : Rotated handle
- **Private Labeling** available




FOAM GRIP CHROME DUMBBELLS

- **Material** : Solid steel (not cast iron)
- **Weight display** : Available in kilos and lbs
- **Weight available** : 1~10 kg
- **Surface treatment** : Highly polished, triple chrome plated
- **Handle type** : Fixed handle with foam Grip
- **Private Labeling** available



FIXED DUMBBELLS

- **Material** : Solid steel
- **Weight range** : 5/7.5/10/...../30 kg
- **Handle type** : Rotated / Fixed
- **Diameter of center hub** : Ø32 mm
- **Finish** : Chrome / Black oxide



STANDARD DUMBBELL HANDLES 1~9

- **Method** : Forge
- **Material** : Solid steel (not cast iron)
- **Plates** : see attachment below
- **Finish** : Chrome
- **Knurling pattern** : Gymway knurling



Metal Plates

Weight of Plate	kg	1.25	2.5	3.75	5
Diameter of Plate	mm	128	168	188	208
Diameter of Center	mm	27.5	27.5	27.5	27.5

ACCESSORY REGULAR COLLARS

- **Inner diameter** : Ø30 mm
- **Surface Treatment** : Chrome

Fixed **FIXED BARBELL**

- Finish : Chrome / Black oxide
- Bar Diameter : Ø30 mm
- Weight range : 10/12.5/15/...../60 kg
- Handle type : Rotated / Fixed
- Private labeling available



Regular **REGULAR BARBELL**



- Method : Forge
- Surface Treatment : Chrome & black Oxide
- Knurling Pattern : Gymway knurling
- Material : Solid steel

- Overall Length : 152/182/211 cm
- Bar Diameter : Ø28 mm
- Sleeve Diameter : Ø28 mm

Metal Plates

Weight of Plate	kg	1.25	2.5	3.75	5
Diameter of Plate	mm	128	168	188	208
Diameter of Center	mm	27.5	27.5	27.5	27.5

ACCESSORY

REGULAR COLLARS

- Inner diameter : Ø28 mm
- Surface Treatment : Chrome
- Weight : 0.15 kg each



Accessory

REVOLVING BEND LAT BAR 48"

- Method : Forge
- User friendly : Safety rubber ends
- Knurling : Gymway knurling
- Material : Solid steel



REVOLVING CURL BAR 28"

- Method : Forge
- User friendly : Safety rubber ends
- Knurling : Gymway knurling
- Material : Solid steel



REVOLVING STRAIGHT BAR 34"

- Method : Forge
- User friendly : Safety rubber ends
- Knurling : Gymway knurling
- Material : Solid steel



MULTI - EXERCISE BAR 11"

- Method : Forge
- User friendly : Safety rubber ends
- Knurling : Gymway knurling
- Material : Solid steel



REVOLVING STRAIGHT BAR 18"

- Method : Forge
- User friendly : Safety rubber ends
- Knurling : Gymway knurling
- Material : Solid steel



TRICEP V BAR 12"

- Method : Forge
- User friendly : Safety rubber ends
- Knurling : Gymway knurling
- Material : Solid steel



TRICEP ROPE

The strongest cable attachments design in the market today.


Static tested with 400kg on rubber end and will not be pull apart.

Nylon insert protects the rope from the swivel.

Commercial grade and cable for heavy duty use.



HOW DO I ORDER MY EQUIPMENT?



1. Click "catalogue" to be amazed by the equipment and accessories on offer.



2. Browse to your heart's content, from the comfort of your office or home.



3. Chill, have a smoothie, note the item number and buy responsibly.



4. Contact us and we'll take you to the finish line.



5. You pay, we send, you enjoy!