






FOCAL LENGTH (EFL): 120 ±1,2
 BACK FOCAL LENGTH (BFL): 111

SURFACE A			SURFACE B		SURFACE C	
Øe 39			Øe 39		Øe 39	
			CEMENT: NOA 61 OR EQUIVALENT			
PROTECTIVE CHAMFERS AS NEEDED			FIRST ANGLE PROJECTION 	Fiber Optics For Sale Co. www.fo4sale.com 40mm Dia, x 120mm FL, VIS 0 Coated, Achromatic Lens E-47739		
ROHS: COMPLIANT	SCALE: NONE	λ = 587,6nm				
SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE. DIMENSIONS ARE FOR REFERENCE ONLY						
FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING						
INDICATIONS IN ACCORDANCE WITH ISO 10110						
ALL DIMS IN:			mm	DWG NO	SHEET SIZE A4	SHEET 1 OF 3




Fiber Optics For Sale Co.
www.fo4sale.com
40mm Dia, x 120mm FL, VIS 0 Coated,
Achromatic Lens
E-47739

SHEET SIZE A4	SHEET 2 OF
------------------	---------------



- 1 AR COATING: VIS 0°
R(AVG) ≤ 0,4% FROM 425-675nm @ 0° AOI

LEFT SURFACE	MATERIAL	RIGHT SURFACE
R 62,03±0,062 CV Øe 39 3/ 3 (0,5) λ=632,8 nm 4/ - 5/ 40 - 20 (MIL-PRF-13830B) 6/ -	GLASS N-SF10 728/284	R 1240,67±1,241 CX Øe 39 3/ 3 (0,5) λ=632,8 nm 4/ - 5/ 40 - 20 (MIL-PRF-13830B) 6/ -

PROTECTIVE CHAMFERS AS NEEDED			FIRST ANGLE PROJECTION	Fiber Optics For Sale Co.				
ROHS: COMPLIANT	SCALE: NONE	$\lambda = 587,6\text{nm}$		www.fo4sale.com				
SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE. DIMENSIONS ARE FOR REFERENCE ONLY				TITLE	40mm Dia, x 120mm FL, VIS 0 Coated, Achromatic Lens			
FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING					ALL DIMS IN: mm	DWG NO	E-47739	
INDICATIONS IN ACCORDANCE WITH ISO 10110								