

# **BESTOLIFE No. 270**®

Versio 17.0	on	Revision Date: 10/20/2020		DS Number: 04371-00023	Date of last issue: 05/04/2020 Date of first issue: 04/29/2015			
SECT	SECTION 1. IDENTIFICATION							
Product name		:	BESTOLIFE No. 270®					
S	SDS-Identcode		:	034G				
N	Manufa	acturer or supplier's	deta	ails				
	Company name of supplier Address		:	Bestolife Corporation 2126 Vanco Drive Irving TX 75061,				
Г	Telephone		:	855-243-9164/972-865-8961				
	Telefax		:	214-631-3047				
E	Emergency telephone		:	CHEMTREC U.S.: 800-424-9300, International 703-527-3887 (24-hours/7 days)				
E	E-mail a	address	:	www.bestolife.com				
F	Recom	mended use of the c	her	nical and restriction	ons on use			
F	Recommended use		:	Industrial use Thread Compound (Pipe Dope) and Jacking grease for us Offshore industries Mining, (without offshore industries)				
F	Restrictions on use		:		ygen lines or in oxygen enriched atmos-			

## SECTION 2. HAZARDS IDENTIFICATION

GHS classification in a	ccordance with the OSHA Hazard Communication Standard (29 CFR
1910.1200)	

Carcinogenicity		Category 2
Reproductive toxicity		Category 1A
Effects on or via lactation		
Specific target organ toxicity - repeated exposure		Category 1 (Kidney, Central nervous system, Blood)
GHS label elements		
Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	<ul> <li>H351 Suspected of causing cancer.</li> <li>H360FD May damage fertility. May damage the unborn child.</li> <li>H362 May cause harm to breast-fed children.</li> <li>H372 Causes damage to organs (Kidney, Central nervous system, Blood) through prolonged or repeated exposure.</li> </ul>



# **BESTOLIFE No. 270**®

Version 17.0	Revision Date: 10/20/2020	SDS Number: 104371-00023	Date of last issue: 05/04/2020 Date of first issue: 04/29/2015
Precautionary Statements		P202 Do not ha and understood P260 Do not br P263 Avoid cor P264 Wash ski P270 Do not ea	eathe dust, fume, gas, mist, vapors or spray. htact during pregnancy and while nursing. n thoroughly after handling. at, drink or smoke when using this product. tective gloves, protective clothing, eye protection
		<b>Response:</b> P308 + P313 If	exposed or concerned: Get medical attention.
		<b>Storage:</b> P405 Store loc	ked up.
		Disposal:	
		P501 Dispose disposal plant.	of contents and container to an approved waste
•	<b>r hazards</b> known.		

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
---------------------	---	---------

Components	
------------	--

Chemical name	CAS-No.	Concentration (% w/w)
Lead	7439-92-1	>= 50 - < 70
Distillates (petroleum), hydrotreated	64742-52-5	>= 20 - < 30
heavy naphthenic		
Talc	14807-96-6	>= 5 - < 10
Graphite	7782-42-5	>= 1 - < 5
Dolomite	16389-88-1	>= 1 - < 5
12-Hydroxy lithium stearate	7620-77-1	>= 1 - < 5
Quartz	14808-60-7	>= 0.1 - < 1
A . 4 1	for a la service for	

Actual concentration is withheld as a trade secret

### **SECTION 4. FIRST AID MEASURES**

General advice	In the case of accident or if you feel unwell, seek m advice immediately. When symptoms persist or in all cases of doubt se advice.	
If inhaled	If inhaled, remove to fresh air. Get medical attention.	
In case of skin contact	In case of contact, immediately flush skin with soap of water. Remove contaminated clothing and shoes. Get medical attention.	and plenty



# **BESTOLIFE No. 270®**

Version 17.0	Revision Date: 10/20/2020		Number: 71-00023	Date of last issue: 05/04/2020 Date of first issue: 04/29/2015					
		V	Vash clothing	before reuse.					
				an shoes before reuse.					
In cas	se of eye contact	: Flush eyes with water as a precaution.							
				tention if irritation develops and persists.					
lf swa	allowed	: If swallowed, DO NOT induce vomiting.							
			Get medical attention.						
				noroughly with water.					
	Most important symptoms and effects, both acute and delayed			ausing cancer.					
				ertility. May damage the unborn child. m to breast-fed children.					
			•	ge to organs through prolonged or repeated					
Prote	ction of first-aiders	: F a	irst Aid respo nd use the re	nders should pay attention to self-protection, commended personal protective equipment ntial for exposure exists (see section 8).					
Notes	s to physician	: T	reat symptom	natically and supportively.					

#### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Lead compounds Carbon oxides Metal oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Sweep up or vacuum up spillage and collect in suitable container for disposal. Local or national regulations may apply to releases and



# **BESTOLIFE No. 270®**

Version 17.0	Revision Date: 10/20/2020	SDS Number: 104371-00023	Date of last issue: 05/04/2020 Date of first issue: 04/29/2015
		employed in determine w Sections 13	his material, as well as those materials and items the cleanup of releases. You will need to hich regulations are applicable. and 15 of this SDS provide information regarding or national requirements.
SECTION	7. HANDLING AND ST	ORAGE	
Tech	nical measures		ering measures under EXPOSURE /PERSONAL PROTECTION section.
Advic	e on safe handling	: For outdoor Avoid contac Do not get o Do not breat Do not swall Avoid contac Wash skin th Handle in ac practice, bas assessment Keep contain Do not eat, o	use only ct during pregnancy and while nursing. n skin or clothing. he dust, fume, gas, mist, vapors or spray. ow. ct with eyes. horoughly after handling. ccordance with good industrial hygiene and safety sed on the results of the workplace exposure her tightly closed. drink or smoke when using this product. prevent spills, waste and minimize release to the
Cond	itions for safe storage	Store locked Keep tightly	
Mater	ials to avoid		with the following product types: zing agents

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Lead	7439-92-1	TWA	0.05 mg/m³ (Lead)	ACGIH
		PEL	0.05 mg/m³ (Lead)	OSHA CARC
		TWA	0.05 mg/m³ (Lead)	NIOSH REL
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	TWA (Mist)	5 mg/m³	OSHA Z-1
		TWA (Inhal- able particu- late matter)	5 mg/m³	ACGIH
		TWA (Mist)	5 mg/m³	NIOSH REL

### Ingredients with workplace control parameters



# **BESTOLIFE No. 270**®

sion 0	Revision Date: 10/20/2020	SDS Number: 104371-00023		t issue: 05/04/2020 t issue: 04/29/2015	
			ST (Mist)	10 mg/m³	NIOSH R
Talc		14807-96-6	TWA (Dust)	20 Million particles per cubic foot	OSHA Z-3
			TWA (Res- pirable)	2 mg/m³	NIOSH R
			TWA (Res- pirable par- ticulate mat- ter)	2 mg/m³	ACGIH
Graph	ite	7782-42-5	TWA (Res- pirable)	2.5 mg/m <sup>3</sup>	NIOSH R
			TWA (Res- pirable par- ticulate mat- ter)	2 mg/m <sup>3</sup>	ACGIH
			TWA (Dust)	15 Million particles per cubic foot	OSHA Z-3
Dolom	ite	16389-88-1	TWA (Res- pirable)	5 mg/m³ (Calcium car- bonate)	NIOSH R
			TWA (total)	10 mg/m³ (Calcium car- bonate)	NIOSH R
12-Hyo	droxy lithium stearate	7620-77-1	TWA (Inhal- able particu- late matter)	10 mg/m <sup>3</sup>	ACGIH
			TWA (Res- pirable par- ticulate mat- ter)	3 mg/m³	ACGIH
Quartz	2	14808-60-7	TWA (Res- pirable dust)	0.05 mg/m <sup>3</sup>	OSHA Z-
			TWA (respir- able)	10 mg/m3 / %SiO2+2	OSHA Z-:
			TWA (respir- able)	250 mppcf / %SiO2+5	OSHA Z-:
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m³ (Silica)	ACGIH
			TWA (Res- pirable dust)	0.05 mg/m³ (Silica)	NIOSH R
			PEL (respir- able)	0.05 mg/m <sup>3</sup>	OSHA CA

These substance(s) are inextricably bound in the product and therefore do not contribute to a dust inhalation hazard.

Ш

Quartz



sion D	Revision Date: 10/20/2020	te: SDS Number: 104371-00023			t issue: 05/ t issue: 04/		
Biolo	gical occupational	exposure	e limits				
Comp	onents	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
Lead		7439-92-	1 Lead (Lead)	In blood	Not criti- cal	200 µg/l	ACGII BEI
Engin	eering measures	E F Ii F C S	Ainimize workpla Dust formation m product. In additi mitations of con vorkplaces have particulates Not Particulates Not Particles (insolut Specified of 3 mg nhalable particle	hay be relevand on to substand centrations of to be considerevant limits in Otherwise References espirable frational of the ole or poorly so g/m3 - respiration	nt in the pro- nce-specific of particulate lered in wor- nclude: OS egulated of ction; and <i>l</i> soluble) No	ocessing of thi c OELs, generates in the air at kplace risk HA PEL for 15 mg/m3 - to ACGIH TWA for t Otherwise	al Ital Dr
	nal protective equ ratory protection	-	General and loca				
		c F L F r s r c	naintain vapor e concentrations a inknown, approp follow OSHA res ise NIOSH/MSH by air purifying re azardous chem supplied respirat elease, exposur ircumstance wh idequate protect	re above rec priate respira spirator regul A approved espirators ag- ical is limited or if there is a e levels are u ere air purify	ommended tory protect ations (29 ( respirators. ainst expos . Use a pos any potentia unknown, o	limits or are ion should be CFR 1910.134 Protection pro- ure to any sitive pressure al for uncontro r any other	worn. ) and ovided air lled
Hand	protection						
Ма	iterial	: 0	Chemical-resista	nt gloves			
Re	marks	c ti F r g	Choose gloves to on the concentra ime is not deterr for special appli- esistance to che ploves with the g preaks and at the	tion specific nined for the cations, we n micals of the love manufa	to place of product. C ecommend aforement cturer. Was	work. Breakthi hange gloves clarifying the ioned protectiv	rough often! ve
Eye pi	rotection	: V	breaks and at the end of workday. Wear the following personal protective equipment: Safety glasses				
Skin a	nd body protection	: S r P S	<ul> <li>Salety glasses</li> <li>Select appropriate protective clothing based on che resistance data and an assessment of the local exp potential.</li> <li>Skin contact must be avoided by using impervious clothing (gloves, aprons, boots, etc).</li> </ul>				ıre
Hygiei	ne measures	: l' e v V	f exposure to ch eye flushing syst vorking place. Vhen using do n Vash contamina	emical is like ems and safe ot eat, drink	ly during ty ety showers or smoke.	s close to the	vide



Version 17.0	Revision Date: 10/20/2020		S Number: I371-00023	Date of last issue: 05/04/2020 Date of first issue: 04/29/2015
			See 29 CFR 1910 to lead exposure.	0.1025 for additional requirements relating
SECTIO	N 9. PHYSICAL AND CH	ЕМІС		S
Арр	pearance	:	Viscous semi-sol	lid
Col	or	:	black	
Ode	or	:	Petroleum	
Ode	or Threshold	:	No data available	9
pН		:	Not applicable (n	ot an aqueous solution)
Mel	ting point/freezing point	:	No data available	e
Initi ran	al boiling point and boiling ge	:	No data available	9
Flas	sh point	:	>= 392 °F / >= 20	0° 00
				0 92, Cleveland open cup eum), hydrotreated heavy naphthenic
Eva	poration rate	:	Not applicable	
Flai	mmability (solid, gas)	:	Not classified as	a flammability hazard
	per explosion limit / Upper nmability limit	:	No data available	9
	ver explosion limit / Lower nmability limit	:	No data available	9
Vap	oor pressure	:	Not applicable	
Rel	ative vapor density	:	Not applicable	
Rel	ative density	:	2.3	
Der	nsity	:	No data available	9
	ubility(ies) Water solubility	:	negligible	
	tition coefficient: n-	:	Not applicable	
	anol/water oignition temperature	:	No data available	9
Dec	composition temperature	:	No data available	e
	cosity Viscosity, dynamic	:	No data available	e



# **BESTOLIFE No. 270®**

Version 17.0	Revision Date: 10/20/2020		S Number: 4371-00023	Date of last issue: 05/04/2020 Date of first issue: 04/29/2015	
Vi	scosity, kinematic	:	Not applicable		
Flow	time	:	No data availabl	e	
Explo	sive properties	:	Not explosive		
Oxidiz	zing properties	: The substance or mixture is not classified as oxidizing.			
Moleo	cular weight	: No data available			
Partic	le size	: No data available			

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	Can react with strong oxidizing agents.
tions		
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition	:	No hazardous decomposition products are known.
products		

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Skin contact Ingestion Eye contact

#### Acute toxicity

Not classified based on available information.

### **Components:**

I	Lead:	
	Acute oral toxicity :	LD50 (Rat): > 2,000 mg/kg Remarks: Based on data from similar materials
	Acute dermal toxicity :	LD50 (Rat): > 2,000 mg/kg Remarks: Based on data from similar materials
Í	Distillates (petroleum), hydrot	reated heavy naphthenic:
	Acute oral toxicity :	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
	Acute inhalation toxicity :	LC50 (Rat): > 5.53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhala tion toxicity



ersion 7.0	Revision Date: 10/20/2020	SDS Number: 104371-00023	Date of last issue: 05/04/2020 Date of first issue: 04/29/2015
Ш		Remarks: Bas	ed on data from similar materials
Acute	e dermal toxicity		n: > 5,000 mg/kg D Test Guideline 402 sed on data from similar materials
Talc:	e oral toxicity	: LD50 (Rat): > Remarks: Bas	5,000 mg/kg ed on data from similar materials
∬Grap	hite:		
Acute	e oral toxicity		2,000 mg/kg D Test Guideline 423 The substance or mixture has no acute oral tox-
Acute	e inhalation toxicity	: LC50 (Rat): > Exposure time Test atmosph Method: OEC	
	mite:		
Acute	e oral toxicity	Assessment: icity	2,000 mg/kg D Test Guideline 420 The substance or mixture has no acute oral tox sed on data from similar materials
Acute	inhalation toxicity	Assessment: tion toxicity	
Acute	e dermal toxicity	Assessment: toxicity	2,000 mg/kg D Test Guideline 402 The substance or mixture has no acute dermal sed on data from similar materials
П 12-Ну	ydroxy lithium steara	ite:	
Acute	e oral toxicity	: LD50 (Rat): > Assessment: icity	2,000 mg/kg The substance or mixture has no acute oral tox
Quar	tz:		
Acute	e oral toxicity	: LD50 (Rat): >	5,000 mg/kg



Version 17.0	Revision Date: 10/20/2020	SDS Number:Date of last issue: 05/04/2020104371-00023Date of first issue: 04/29/2015
-	corrosion/irritation	
Not c	lassified based on ava	ailable information.
<u>Com</u>	ponents:	
Lead		
Speci		: Rabbit
Meth		: OECD Test Guideline 404
Resu		: No skin irritation
Rema	arks	: Based on data from similar materials
Distil	llates (petroleum), h	ydrotreated heavy naphthenic:
Spec	ies	: Rabbit
Resu	lt	: No skin irritation
Rema	arks	: Based on data from similar materials
Talc:		
Spec		: Rabbit
Resu	It	: No skin irritation
Grap	hite:	
Spec		: Rabbit
Meth		: OECD Test Guideline 404
Resu	It	: No skin irritation
Dolo	mite:	
Spec		: Rabbit
Meth		: OECD Test Guideline 404
Resu		: No skin irritation
Rema	aiks	: Based on data from similar materials
	ydroxy lithium stear	
Spec		: Rabbit
Resu		: No skin irritation
Rema	aiks	: Based on data from similar materials
	ous eye damage/eye	
	lassified based on ava	ailable information.
11	ponents:	
Lead		<b>D</b> 111
Spec		: Rabbit
Resu Meth		: No eye irritation : OECD Test Guideline 405
Rema		: Based on data from similar materials
	llatas (natroloum) b	ydrotreated heavy naphthenic:
Speci		: Rabbit
Resu		: No eye irritation



ersion 7.0	Revision Date: 10/20/2020	SDS Number:Date of last issue: 05/04/2020104371-00023Date of first issue: 04/29/2015
Rema	rks	: Based on data from similar materials
Talc:		
Specie Result		: Rabbit : No eye irritation
Graph	nite:	
Specie		: Rabbit
Result Metho		<ul><li>No eye irritation</li><li>OECD Test Guideline 405</li></ul>
Dolon	nite:	
Specie	es	: Rabbit
Result		: No eye irritation
Metho Rema		<ul><li>OECD Test Guideline 405</li><li>Based on data from similar materials</li></ul>
12-Hy	droxy lithium steara	ate:
Specie		: Rabbit
Result Rema		: No eye irritation : Based on data from similar materials
Respi Skin s	iratory or skin sensi sensitization assified based on ava	itization
Respi Skin s Not cla Respi Not cla	iratory or skin sensi sensitization assified based on ava iratory sensitization assified based on ava	itization ailable information.
Respi Skin s Not cla Respi Not cla <u>Comp</u>	iratory or skin sensi sensitization assified based on ava iratory sensitization assified based on ava ponents:	itization ailable information.
Respi Skin s Not cla Respi Not cla <u>Comp</u> Lead:	iratory or skin sensi sensitization assified based on ava iratory sensitization assified based on ava conents:	itization ailable information. ailable information.
Respi Skin s Not cla Respi Not cla <u>Comp</u> Lead: Test T Route	iratory or skin sensi sensitization assified based on ava iratory sensitization assified based on ava oonents: - ype s of exposure	itization ailable information. ailable information. : Maximization Test : Skin contact
Respi Skin s Not cla Respi Not cla <u>Comp</u> Lead: Test T Route Specie	iratory or skin sensi sensitization assified based on ava iratory sensitization assified based on ava oonents: - ype s of exposure es	itization ailable information. ailable information. : Maximization Test : Skin contact : Guinea pig
Respi Skin s Not cla Respi Not cla <u>Comp</u> Lead: Test T Route Specia Metho	iratory or skin sensi sensitization assified based on ava iratory sensitization assified based on ava <u>conents:</u> - ype s of exposure es	itization ailable information. ailable information. : Maximization Test : Skin contact : Guinea pig : OECD Test Guideline 406
Respi Skin s Not cla Respi Not cla <u>Comp</u> Lead: Test T Route Specie	iratory or skin sensi sensitization assified based on ava iratory sensitization assified based on ava <u>conents:</u> - ype s of exposure es od	itization ailable information. ailable information. : Maximization Test : Skin contact : Guinea pig
Respi Skin s Not cla Respi Not cla Comp Lead: Test T Route Specia Metho Result Rema	iratory or skin sensi sensitization assified based on ava iratory sensitization assified based on ava <u>conents:</u> Type s of exposure es od t rks	itization ailable information. ailable information. : Maximization Test : Skin contact : Guinea pig : OECD Test Guideline 406 : negative : Based on data from similar materials ydrotreated heavy naphthenic:
Respi Skin s Not cla Respi Not cla Comp Lead: Test T Route Specia Metho Result Rema	iratory or skin sensi sensitization assified based on ava iratory sensitization assified based on ava <u>ponents:</u> - - ype s of exposure es od t rks - rks	itization ailable information. ailable information. : Maximization Test : Skin contact : Guinea pig : OECD Test Guideline 406 : negative : Based on data from similar materials ydrotreated heavy naphthenic: : Buehler Test
Respi Skin s Not cla Respi Not cla Comp Lead: Test T Route Specia Metho Result Rema	iratory or skin sensi sensitization assified based on ava iratory sensitization assified based on ava <u>ponents:</u> - Type s of exposure es od t rks lates (petroleum), hy Type s of exposure	itization ailable information. ailable information.
Respi Skin s Not cla Respi Not cla Comp Lead: Test T Route Specia Metho Result Rema	iratory or skin sensi sensitization assified based on ava iratory sensitization assified based on ava <u>bonents:</u> Type s of exposure es od t rks lates (petroleum), hy Type s of exposure es	itization ailable information. ailable information.
Respi Skin s Not cla Respi Not cla Comp Lead: Test T Route Specie Metho Result Rema	iratory or skin sensi sensitization assified based on ava iratory sensitization assified based on ava <u>bonents:</u> - - - ype s of exposure es od t rks lates (petroleum), hy - ype s of exposure es s of exposure es	itization ailable information. ailable information.
Respi Skin s Not cla Respi Not cla Comp Lead: Test T Route Specia Metho Result Rema Distill Test T Route Specia Result Rema	iratory or skin sensi sensitization assified based on ava iratory sensitization assified based on ava <u>bonents:</u> Type s of exposure es ad t rks lates (petroleum), hy Type s of exposure es t rks	itization ailable information. ailable information.
Respi Skin s Not cla Respi Not cla Comp Lead: Test T Route Specia Metho Result Rema Distill Test T Route Specia Result Rema	iratory or skin sensi sensitization assified based on ava iratory sensitization assified based on ava <u>bonents:</u> Type s of exposure es t t rks lates (petroleum), hy Type s of exposure es t rks	itization ailable information. ailable information.
Respi Skin s Not cla Respi Not cla Comp Lead: Test T Route Specia Metho Result Rema Distill Test T Route Specia Result Rema	iratory or skin sensi sensitization assified based on ava iratory sensitization assified based on ava <u>bonents:</u> Type s of exposure es t t rks lates (petroleum), hy Type s of exposure es t rks	itization ailable information. ailable information.



Version 17.0	Revision Date: 10/20/2020	SDS Number: 104371-00023	Date of last issue: 05/04/2020 Date of first issue: 04/29/2015
Grap Test Route Speci Resu	Гуре s of exposure es	: Local lymph i : Skin contact : Mouse : negative	node assay (LLNA)
Dolor Test Route Speci Metho Resul Rema	Гуре es of exposure es od t	: Skin contact : Mouse : OECD Test C : negative	node assay (LLNA) Guideline 429 ta from similar materials
Test	es of exposure es od		node assay (LLNA) Guideline 429
Not c	a <b>cell mutagenicity</b> lassified based on ava ponents:	ailable information.	
Lead Geno	toxicity in vitro	malian cells Result: negat	vitro sister chromatid exchange assay in mam- tive sed on data from similar materials
Geno	toxicity in vivo	cytogenetic a Species: Rat Application R Result: positi	oute: Ingestion
	lates (petroleum), h	/drotreated heavy n	anhthenic:
- U.	toxicity in vitro	: Test Type: B	acterial reverse mutation assay (AMES) CD Test Guideline 471
Geno	toxicity in vivo	cytogenetic a Species: Mou Application R Method: OEC Result: negative	use coute: Intraperitoneal injection CD Test Guideline 474



rsion .0	Revision Date: 10/20/2020		umber: 1-00023	Date of last issue: 05/04/2020 Date of first issue: 04/29/2015
μ.				
Talc: Genot	toxicity in vitro	the		A damage and repair, unscheduled DNA syn nalian cells (in vitro) e
Genot	toxicity in vivo	Sp Ap	ecies: Rat	omosome aberration test in vitro ute: Ingestion e
   Grapi	nite:			
u ·	toxicity in vitro	Me		terial reverse mutation assay (AMES) 9 Test Guideline 471 e
		Me		itro mammalian cell gene mutation test Test Guideline 476 e
		Me		omosome aberration test in vitro PTest Guideline 473 e
II    Dolor	nite:			
u	toxicity in vitro	Me Re	thod: OECD sult: negativ	terial reverse mutation assay (AMES) Test Guideline 471 e ed on data from similar materials
II Carci	nogenicity			
	ected of causing cance	er.		
<u>Produ</u>				
Carcir ment	ogenicity - Assess-	bas	sed on DMS	llates have been classified as not carcinogen O extract content < 3% (Regulation (EC) nex VI, Part 3, Note L).
<u>Comp</u>	oonents:			
Lead:				
Speci		: Ra		
	ation Route sure time		estion ′ears	
Resul	t	: pos	sitive	<b>.</b>
Rema	ITKS	: Ba	sed on data	from similar materials
Carcir ment	nogenicity - Assess-	: Lin	nited eviden	ce of carcinogenicity in animal studies
n –	lates (petroleum), hy	drotreate	d heavy na	ohthenic:
Speci			use	· · · · · · · · ·



# **BESTOLIFE No. 270**®

	evision Date: //20/2020	SDS Number: 104371-00023	Date of last issue: 05/04/2020 Date of first issue: 04/29/2015
Application Route Exposure time Method Result		: Skin contact : 78 weeks : OECD Test Gu : negative	ideline 451
Talc: Species Applicatior Exposure t Result		: Mouse : inhalation (dust : 2 Years : negative	/mist/fume)
<b>Quartz:</b> Species Applicatior Result Remarks	n Route		/mist/fume) ce(s) are inextricably bound in the product ar t contribute to a dust inhalation hazard.
Carcinoge ment	nicity - Assess-	: Positive eviden tion)	ce from human epidemiological studies (inha
IARC	Quartz (Silica dust, Group 2B: F	arcinogenic to humans crystalline) Possibly carcinogenic f	14808-60-7
	Lead		7439-92-1
OSHA	Lead (Lead and i	ifically regulated carci norganic lead compou	7439-92-1 nds)
	OSHA spec Quartz (crystalline s	ifically regulated carci silica)	nogen 14808-60-7
NTP	Lead	์ anticipated to be a hเ e human carcinogen	uman carcinogen 7439-92-1
Quartz		stalline (Respirable Siz	14808-60-7 (e))

May damage fertility. May damage the unborn child. May cause harm to breast-fed children.

### **Components:**

Lead:	
Effects on fertility :	Test Type: Two-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Result: positive Remarks: Based on data from similar materials



ersion 7.0	Revision Date: 10/20/2020		S Number: 4371-00023	Date of last issue: 05/04/2020 Date of first issue: 04/29/2015
Effect	s on fetal development	:	Species: Rat Application Route Result: positive	ro-fetal development : Ingestion on data from similar materials
Repro sessn	oductive toxicity - As- nent	:	fertility from huma evidence of adver	of adverse effects on sexual function and in epidemiological studies., Positive se effects on development from human tudies., Studies indicating a hazard to babie in period
Effect	s on fetal development	:	Test Type: Embry Species: Rat Application Route Result: negative	o-fetal development : Ingestion
Grap	hite:			
	s on fertility	:		
Effect	s on fetal development	:		
	nite:			
W	s on fertility	:	reproduction/deve Species: Rat Application Route Method: OECD To Result: negative	
Effect	s on fetal development	:	reproduction/deve Species: Rat Application Route Method: OECD To Result: negative	



7.0	Revision Date: 10/20/2020		S Number: 371-00023	Date of last issue: 05/04/2020 Date of first issue: 04/29/2015
STOT	ſ-single exposure			
Not cl	lassified based on av	ailable i	nformation.	
STOT	-repeated exposure	e		
	es damage to organs posure.	(Kidne	/, Central nervo	us system, Blood) through prolonged or repea
Comp	ponents:			
Lead	:			
	et Organs ssment			nervous system, Blood e to organs through prolonged or repeated
12-Hy	/droxy lithium stear	ate:		
<b>UL</b> -	es of exposure		Ingestion	
Asses	ssment	:	No significant h tions of 100 mg	ealth effects observed in animals at concentra /kg bw or less.
Quart	tz:			
	es of exposure		inhalation (dust	/mist/fume)
	et Organs	:	Lungs	uce significant health effects in animals at con-
A3563	ssment	•		.02 mg/l/6h/d or less.
Repe	ated dose toxicity			
nopo				
-	ponents:			
Comp Lead	:			
Comp Lead	: ies	:	Rat 0.0015 mg/kg	
Comp Lead	ies EL		0.0015 mg/kg	
Comp Lead Speci NOAE LOAE Applic	: ies EL EL cation Route	:		
Com Lead Speci NOAE LOAE Applic Expos	: EL EL cation Route sure time	:	0.0015 mg/kg 0.005 mg/kg Ingestion 6 - 12 Months	
Comp Lead Speci NOAE LOAE Applic	: EL EL cation Route sure time	:	0.0015 mg/kg 0.005 mg/kg Ingestion 6 - 12 Months	from similar materials
Com Lead Speci NOAE LOAE Applic Expos Rema	: EL EL cation Route sure time arks <b>lates (petroleum), h</b>	:	0.0015 mg/kg 0.005 mg/kg Ingestion 6 - 12 Months Based on data ated heavy naj	
Com Lead Speci NOAE LOAE Applic Expos Rema Distil	: EL EL cation Route sure time arks <b>lates (petroleum), h</b> ies	:	0.0015 mg/kg 0.005 mg/kg Ingestion 6 - 12 Months Based on data ated heavy nag Rat	
Com Lead Speci NOAE LOAE Applic Expos Rema Distil	: EL EL cation Route sure time arks <b>lates (petroleum), h</b> ies EL	ydrotre	0.0015 mg/kg 0.005 mg/kg Ingestion 6 - 12 Months Based on data ated heavy naj Rat > 0.98 mg/l	ohthenic:
Com Lead Speci NOAE LOAE Applic Expos Rema Distil	: EL EL cation Route sure time arks <b>lates (petroleum), h</b> ies	: ydrotre : :	0.0015 mg/kg 0.005 mg/kg Ingestion 6 - 12 Months Based on data ated heavy nag Rat	ohthenic:
Com Lead Speci NOAE LOAE Applic Expos Rema Distil	: EL EL cation Route sure time arks Iates (petroleum), h ies EL EL cation Route sure time	: ydrotre : :	0.0015 mg/kg 0.005 mg/kg Ingestion 6 - 12 Months Based on data ated heavy naj Rat > 0.98 mg/l inhalation (dust 28 Days	ohthenic:
Comu Lead Speci NOAE LOAE Applic Expos Rema Distil Speci NOAE Applic Expos Rema	: ies EL cation Route sure time arks <b>lates (petroleum), h</b> ies EL cation Route sure time arks <b>mite:</b>	: ydrotre : :	0.0015 mg/kg 0.005 mg/kg Ingestion 6 - 12 Months Based on data ated heavy naj Rat > 0.98 mg/l inhalation (dust 28 Days	o <b>hthenic:</b> /mist/fume)
Comu Lead Speci NOAE LOAE Applic Expos Rema Distil Speci NOAE Applic Expos Rema	: ies EL cation Route sure time arks Iates (petroleum), h ies EL cation Route sure time arks mite: ies	: ydrotre : :	0.0015 mg/kg 0.005 mg/kg Ingestion 6 - 12 Months Based on data ated heavy naj Rat > 0.98 mg/l inhalation (dust 28 Days Based on data Mouse	o <b>hthenic:</b> /mist/fume)
Comu Lead Speci NOAE LOAE Applic Expos Rema Distil Speci NOAE Applic Expos Rema	: ies EL cation Route sure time arks ilates (petroleum), h ies EL cation Route sure time arks mite: ies	ydrotre	0.0015 mg/kg 0.005 mg/kg Ingestion 6 - 12 Months Based on data ated heavy naj Rat > 0.98 mg/l inhalation (dust 28 Days Based on data Mouse 1,300 mg/kg	o <b>hthenic:</b> /mist/fume)
Comu Lead Speci NOAE LOAE Applic Expos Rema Distil Speci NOAE Applic Expos Rema	: ies EL cation Route sure time arks Iates (petroleum), h ies EL cation Route sure time arks mite: ies	ydrotre	0.0015 mg/kg 0.005 mg/kg Ingestion 6 - 12 Months Based on data ated heavy naj Rat > 0.98 mg/l inhalation (dust 28 Days Based on data Mouse	o <b>hthenic:</b> /mist/fume)



# **BESTOLIFE No. 270**®

Version 17.0	Revision Date: 10/20/2020	SDS Number: 104371-00023	Date of last issue: 05/04/2020 Date of first issue: 04/29/2015
12-H	ydroxy lithium stear	ate:	
		: Rat : > 88 mg/kg : Ingestion : 90 Days	
Quar	tz:		
Spec LOAE Applie Rema	EL cation Route	: These subst	ust/mist/fume) ance(s) are inextricably bound in the product and not contribute to a dust inhalation hazard.

### Aspiration toxicity

Not classified based on available information.

### SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

### Components:

Lead:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.107 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): 0.029 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.025 mg/l Exposure time: 72 h
		EC10 (Pseudokirchneriella subcapitata (green algae)): 6.1 μg/l Exposure time: 72 h
Toxicity to fish (Chronic tox- icity)	:	EC10 (Pimephales promelas (fathead minnow)): 20 μg/l Exposure time: 30 d
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	EC10 (Ceriodaphnia dubia (water flea)): 1.7 μg/l Exposure time: 7 d
Distillates (petroleum), hydro	otre	eated heavy naphthenic:
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 48 h Remarks: Based on data from similar materials



/ersion 7.0	Revision Date: 10/20/2020		9S Number: 4371-00023	Date of last issue: 05/04/2020 Date of first issue: 04/29/2015
Toxic plants	ity to algae/aquatic s	:	mg/l Exposure time: 7 Method: OECD T	chneriella subcapitata (green algae)): > 100 2 h ēst Guideline 201 on data from similar materials
	ity to daphnia and other tic invertebrates (Chron- icity)	:	Exposure time: 2	magna (Water flea)): 10 mg/l 1 d on data from similar materials
Toxic	ity to microorganisms	:	NOEC: > 1.93 mg Exposure time: 1 Remarks: Based	
UL I	ity to fish	:	LC50 (Brachydar Exposure time: 2-	nio rerio (zebrafish)): > 100,000 mg/l 4 h
∬ Grap	hite:			
UL Č	ity to fish	:	Exposure time: 9 Test substance: \	o (zebra fish)): > 100 mg/l 6 h Water Accommodated Fraction Test Guideline 203
	ity to daphnia and other tic invertebrates	:	Exposure time: 4 Test substance: \	nagna (Water flea)): > 100 mg/l 8 h Water Accommodated Fraction Fest Guideline 202
Toxic plants	ity to algae/aquatic s	:	mg/l Exposure time: 7 Test substance: \	chneriella subcapitata (green algae)): > 100 2 h Water Accommodated Fraction rest Guideline 201
			100 mg/l Exposure time: 7 Test substance: \	kirchneriella subcapitata (green algae)): > 2 h Water Accommodated Fraction rest Guideline 201
Toxic	ity to microorganisms	:	Exposure time: 3	
	mite:			
11	ity to fish	:	Exposure time: 9 Method: OECD T Remarks: No toxi	chus mykiss (rainbow trout)): > 16.6 mg/l 6 h Test Guideline 203 icity at the limit of solubility. Iom similar materials



# **BESTOLIFE No. 270**®

0	Revision Date: 10/20/2020		DS Number: Date of last issue: 05/04/2020 04371-00023 Date of first issue: 04/29/2015
	ity to daphnia and other ic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 16.6 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility. Based on data from similar materials
Toxici plants	ity to algae/aquatic	:	NOEC (Desmodesmus subspicatus (green algae)): 14 n Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
12-Hy	/droxy lithium stearate	:	
Toxici	ity to fish	:	LL50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/ Exposure time: 96 h Method: OECD Test Guideline 203
	ity to daphnia and other ic invertebrates	:	EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxici plants	ity to algae/aquatic	:	NOELR (Pseudokirchneriella subcapitata (green algae)) 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Quart	tz:		
18	tz: oxicology Assessment		
Ecoto		:	No toxicity at the limit of solubility.
Ecoto Acute	oxicology Assessment		
Ecoto Acute Chron	exicology Assessment aquatic toxicity	:	
Ecoto Acute Chron Persis	exicology Assessment aquatic toxicity nic aquatic toxicity	:	
Ecoto Acute Chron Persis	oxicology Assessment aquatic toxicity nic aquatic toxicity stence and degradabili conents:	: ty	
Ecoto Acute Chron Persis <u>Comp</u>	oxicology Assessment aquatic toxicity nic aquatic toxicity stence and degradabili conents:	: ty	No toxicity at the limit of solubility.
Ecoto Acute Chron Persis Comp Distill Biode	oxicology Assessment aquatic toxicity nic aquatic toxicity stence and degradabili conents: lates (petroleum), hydr	: ty otre	No toxicity at the limit of solubility. reated heavy naphthenic: Result: Not readily biodegradable. Biodegradation: 2 - 4 % Exposure time: 28 d

No data available



/ersion I7.0	Revision Date: 10/20/2020	SDS Number: 104371-00023	Date of last issue: 05/04/2020 Date of first issue: 04/29/2015
	<b>lity in soil</b> ata available		
	r adverse effects		
No da	ata available		
ECTION	13. DISPOSAL CONSI	DERATIONS	
Dispo	osal methods		
	e from residues aminated packaging	: Empty contain handling site for Empty contain Do not pressure expose such c	accordance with local regulations. ers should be taken to an approved waste or recycling or disposal. ers retain residue and can be dangerous. rize, cut, weld, braze, solder, drill, grind, or ontainers to heat, flame, sparks, or other tion. They may explode and cause injury and/o
		If not otherwise	e specified: Dispose of as unused product.
UNR	national Regulations TDG umber	: UN 3077	
Prope	er shipping name	: ENVIRONMEN N.O.S. (Lead)	NTALLY HAZARDOUS SUBSTANCE, SOLID,
Class		: 9	
Packi Label	ng group s	: III : 9	
	-DGR		
UN/IE Prope	) No. er shipping name	: UN 3077 : Environmental (Lead)	ly hazardous substance, solid, n.o.s.
Class	;	: 9	
	ng group	: 111	
Label Packi aircra	ing instruction (cargo	: Miscellaneous : 956	
Packi ger a	ing instruction (passen- ircraft)	: 956	
Envir	onmentally hazardous	: yes	
IMDO	G-Code		

IMDG-Code		
UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Lead)
Class	:	9
Packing group	:	
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes



## **BESTOLIFE No. 270**®

	sion Date: SDS Nu 0/2020 104371		last issue: 05/04/2020 first issue: 04/29/2015
--	------------------------------------	--	---

#### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable for product as supplied.

#### Domestic regulation

#### 49 CFR

UN/ID/NA number	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Lead)
Class	:	9
Packing group	:	
Labels	:	CLASS 9
ERG Code	:	171
Marine pollutant	:	yes(Lead)
Remarks	:	THE ABOVE INFORMATION ONLY APPLIES TO PACKAGE
		SIZES WHERE THE HAZARDOUS SUBSTANCE MEETS THE REPORTABLE QUANTITY.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### SECTION 15. REGULATORY INFORMATION

#### **CERCLA Reportable Quantity**

Graphite

Components	CAS-No.	Component RQ Calculated produc	
		(lbs)	(lbs)
Lead	7439-92-1	10	16

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	: Carcinogenio Reproductive Specific targ	e toxicity	e or repeated exposure)
SARA 313	•	The following components are subject to reporting levels established by SARA Title III, Section 313:	
	Lead	7439-92-1	>= 50 - < 70 %
US State Regulations			
Pennsylvania Right To Know	v		
Lead			7439-92-1
Distillates (petroleum), hydrotreated heavy naphthenic 64742-52-5			64742-52-5
Talc			14807-96-6

7782-42-5



# **BESTOLIFE No. 270**®


Version 17.0	Revision Date: 10/20/2020	SDS Number: 104371-00023	Date of last issu Date of first issu	
WAR State		e cancer and birth defe		, which is/are known to the tive harm. For more infor-
Calif	ornia List of Hazardo	ous Substances		
	Lead Distillates (petro Talc Graphite	leum), hydrotreated he	avy naphthenic	7439-92-1 64742-52-5 14807-96-6 7782-42-5
Calif	ornia Permissible Ex	posure Limits for Ch	emical Contaminar	its
	Lead Distillates (petro Talc Graphite	leum), hydrotreated he	avy naphthenic	7439-92-1 64742-52-5 14807-96-6 7782-42-5
Calif	ornia Regulated Car	cinogens		
	Lead Quartz	-		7439-92-1 14808-60-7
The i	ngredients of this p	roduct are reported in	the following inve	ntories:
DSL	-	: All components	s of this product are	on the Canadian DSL
TSCA	A		All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.	
AICS		•	listed or exempt.	

#### **SECTION 16. OTHER INFORMATION**

**Further information** 



## **BESTOLIFE No. 270®**



ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA CARC	:	OSHA Specifically Regulated Chemicals/Carcinogens
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA CARC / PEL	:	Permissible exposure limit (PEL)
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-3 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk: IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to



## **BESTOLIFE No. 270®**

Version	Revision Date:	SDS Number:	Date of last issue: 05/04/2020
17.0	10/20/2020	104371-00023	Date of first issue: 04/29/2015

50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory: TSCA - Toxic Substances Control Act (United States): UN - United Nations: UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Verv Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date	:	10/20/2020

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8