



Issuing Date 25-Apr-2013

Revision Date 21 Oct 2019

Revision Number 3

4

The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier				
Product Name	Jet-Lube Extreme®			
Other means of identification				
Product Code(s)	114			
(M)SDS Number	WPS-JLI-009NA			
Recommended use of the chemica	l and restrictions on use			
Recommended Use	Lubricants, Greases and Release Products			
Uses advised against	No information available			
Details of the supplier of the safety	/ data sheet			
Supplier Identification Address	Whitmore Manufacturing 930 Whitmore Drive Rockwall, Texas USA 75087			
Telephone	US Office: Phone:+1-972-771-1000 Fax:+1-972-722-2108			
E-mail	Sales@jetlube.com			
Emergency telephone number				
Company Emergency Phone Number	1.800.699.6318			
Emergency Telephone Number	CHEMTREC: +1-703-527-3887 (INTERNATIONAL) 1-800-424-9300 (NORTH AMERICA)			

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation

Category 2



Serious eye damage/eye irritation		Category 2A
	·	
Appearance Copper Bronze	Physical state Paste / Gel	Odor Petroleum

GHS Label elements, including precautionary statements

Warning

Hazard statements Causes skin irritation Causes serious eye irritation



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling **Precautionary Statements - Response** IF exposed or concerned: Get medical advice/attention **Eyes** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention **Skin** IF ON SKIN: Wash with plenty of water and soap If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Hazardous Material	Date HMIRA filed and



			Information Review Act registry number (HMIRA registry #)	date exemption granted (if applicable)
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.	74869-21-9	65-70	-	-
Graphite	7782-42-5	8-13	-	-
Copper (flake)	7440-50-8	8-13	-	-
Talc	14807-96-6	1-5	-	-
Limestone	1317-65-3	1-5	-	-

4. FIRST AID MEASURES

First aid measures			
General advice	IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.		
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.		
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.		
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.		
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.		
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).		
Most important symptoms and effe	cts, both acute and delayed		
Symptoms	Burning sensation.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically.		

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	CAUTION: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	No information available.



Hazardous Combustion Products	Carbon oxides.
Explosion Data Sensitivity to Mechanical Impac Sensitivity to Static Discharge	t None. None.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures			
Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.		
Other Information	Refer to protective measures listed in Sections 7 and 8.		
Environmental precautions			
Environmental precautions	Prevent further leakage or spillage if safe to do so.		
Methods and material for containment and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

	Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
--	---------------	-----------	----------	------------



Craphita	$T \wedge (A + 2) = \pi \pi / m^3$	raanirahla		ma/m ³ total duat			n m / m 3
Graphite 7782-42-5				ng/m ³ total dust	T\A/A	IDLH: 1250 n	0
1102-42-5		particulate matter all forms synthetic except graphite fibers TWA: 5 mg/m ³ respirable		TWA: 2.5 mg/m ³ respira		respirable	
	except graphi	lie libers		on synthetic		uusi	
				TWA: 2.5 mg/m ³			
				le dust natural			
				A: 10 mg/m ³ total			
				synthetic			
) TWA: 5 mg/m ³			
				raction synthetic			
				5 mppcf natural			
Copper (flake)	TWA: 0.2 mg/m ³	fume TWA: 1		1 mg/m ³ fume	IDLH	l: 100 mg/m ³	dust. fume
7440-50-8	mg/m ³ Cu dust			ng/m ³ dust and mist		and mist	
	3.		Ŭ	WA: 0.1 mg/m ³ Cu	TWA:	1 mg/m ³ du	ust and mist
				dust, fume, mist		TWA: 0.1 mg/m ³ fume	
Talc	TWA: 2 mg/m ³	TWA: 2 mg/m ³ particulate		(vacated) TWA: 2 mg/m ³		IDLH: 1000 mg/m ³	
14807-96-6	matter containing	matter containing no asbestos		respirable dust <1%		TWA: 2 mg/m ³ containing no	
	and <1% crysta	lline silica,	Crystalline s	ilica, containing no	Ast	pestos and <1	% Quartz
	respirable particu	ulate matter	-	sbestos		respirable o	lust
				pcf if 1% Quartz or			
				se Quartz limit			
Limestone	-	-		15 mg/m ³		: 5 mg/m ³ resp	
1317-65-3				A: 5 mg/m ³	TΜ	/A: 10 mg/m ³ 1	total dust
				TWA: 15 mg/m ³			
) TWA: 5 mg/m ³			
Chemical name	Alberta		Columbia Ontario TWAE			Quel	
Graphite	TWA: 2 mg/m ³	WA: 2 mg/m ³ TWA: 2		TWA: 2 mg/m ³		TWA: 2	mg/m ³
7782-42-5							
Copper (flake)	TWA: 0.2 mg/m ³		1 mg/m ³ TWA: 0.2 mg/			TWA: 0.2	
7440-50-8	TWA: 1 mg/m ³		2 mg/m ³	TWA: 1 mg/m		TWA: 1	
Talc	TWA: 2 mg/m ³	TWA: 2	2 mg/m ³	TWA: 2 mg/m	3	TWA: 3	mg/m ³
14807-96-6							
Limestone	TWA: 10 mg/m ³		0 mg/m ³			TWA: 10) mg/m³
1317-65-3			3 mg/m ³				
		STEL: 2	0 mg/m ³				

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering controls	Showers
	Eyewash stations
	Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	If splashes are likely to occur, wear safety glasses with side-shields.
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling

the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

<u>Physical and Chemical Properties</u> Physical state Appearance Odor	– Paste / Gel Copper Bronze Petroleum	
Color	No information available	
Odor Threshold	No data available	
Property	Values	Remarks Method
pH	Neutral	Kemarks Method
Melting / freezing point	> 315 °C	None known
Boiling point / boiling range	< 316 °C	
Flash Point	> 221 °C	
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit	7%	
Lower flammability limit	0.9%	
Vapor pressure	<0.01 kPa @ 20°C	None known
Vapor density	>5 (air = 1)	None known
Relative density	1.17	
Water Solubility	Insoluble	
Solubility(ies)	No data available	None known
Partition coefficient: n-octanol/water	Not Available	
Autoignition temperature	>315 °C / >500 °F	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Explosive properties	No information available	
Oxidizing properties	No information available	
Other Information		
Softening Point	No information available	
Molecular Weight	No information available	
VOC Content (%)	None No information available	
Liquid Density Bulk Density	No information available	
Particle Size	No information available	
Particle Size Distribution	No information available	
	10. STABILITY AND REA	
	IU. STADILITT AND REP	

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous Polymerization	Hazardous polymerization does not occur.
Conditions to avoid	None known based on information supplied.
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.



Hazardous Decomposition Products Carbon oxides.

	11. TOXICOLOGIC	AL INFORMATION			
Information on likely routes of					
Product Information					
Inhalation	None known.				
Eye contact		Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). Irritating to eyes.			
Skin contact	Specific test data for the s (based on components).	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).			
Ingestion		Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.			
Information on toxicological eff	fects				
Symptoms	Redness. May cause redr	ess and tearing of the eyes.			
Numerical measures of toxicity	<u>, </u>				
Acute Toxicity					
The following values are calcul ATEmix (oral)	ated based on chapter 3.1 of t 2,280.00 mg/kg	he GHS document			
Unknown acute toxicity Component Information	No information available				
Chemical name	Oral LD50	Dermal LD50	Inhalation LC50		
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.	= 2280 mg/kg (Rat)	-	-		
Delayed and immediate effects as well as chronic effects from short and long-term exposure					
Skin corrosion/irritation Irritating to skin.					
Serious eye damage/eye irritation Irritating to eyes.					
Respiratory or skin sensitizatio	espiratory or skin sensitization Not classified				
Germ cell mutagenicity	ty Not classified				
Carcinogenicity Legend	Not classified .				



Reproductive toxicity	Not classified
STOT - single exposure	Not classified
STOT - repeated exposure	Not classified .
Aspiration hazard	Not classified

12. ECOLOGICAL INFORMATION

Marine Pollutant

This product contains a chemical which is listed as a marine pollutant according to DOT

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.		96h LC50: > 2000 mg/L (Salmo gairdneri)	-	-
Copper (flake)	96h EC50: 0.031 - 0.054 mg/L (Pseudokirchneriella subcapitata) 72h EC50: 0.0426 - 0.0535 mg/L (Pseudokirchneriella subcapitata)	96h LC50: 0.0068 - 0.0156 mg/L (Pimephales promelas) 96h LC50: < 0.3 mg/L (Pimephales promelas) 96h LC50: = 0.2 mg/L (Pimephales promelas) 96h LC50: = 0.3 mg/L (Cyprinus carpio) 96h LC50: = 0.052 mg/L (Oncorhynchus mykiss) 96h LC50: = 1.25 mg/L (Lepomis macrochirus) 96h LC50: = 0.112 mg/L (Poecilia reticulata) 96h LC50: = 0.8 mg/L (Cyprinus carpio)	-	48h EC50: = 0.03 mg/L
Talc	EC50 72 h: > 1000 mg/L (Skeletonema costatum)	96h LC50: > 100 g/L (Brachydanio rerio)	10-day LC50 = > 12194mg/kg (Corophium volutator)	48h EC50: = >1000mg/L (Acartia tonsa)

Persistence and Degradability	No information available.
Bioaccumulation	There is no data for this product.
Mobility	No information available.
Other adverse effects	No information available.



13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Copper (flake)	Toxic
7440-50-8	

14. TRANSPORT INFORMATION

Notes:

DOT exception: Special Permit CA2006100003

DOT

UN-No. Not Regulated Proper Shipping Name Hazard Class Packing Group Marine Pollutant Description

ΙΑΤΑ	
UN-No.	Not Regulated
Proper Shipping Name	
Hazard Class	
Packing Group	
Description	

IMDG/IMO

Not Regulated

UN-No. Proper Shipping Name Hazard Class Packing Group Marine Pollutant Description

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories	
TSCA	Complies.
DSL/NDSL	Complies.
EINECS/ELINCS	Complies.
ENCS	Not determined.
KECL	Not determined.
PICCS	Not determined.
AICS	Not determined.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Copper (flake) - 7440-50-8	7440-50-8	8-13	1.0
Acute Health Hazard	Yes		
Chronic Health Hazard	No		
Fire Hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)



Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Copper (flake) 7440-50-8		Х	Х	

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Copper (flake) 7440-50-8	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
		S			
Graphite 7782-42-5	Х	Х	Х		
Copper (flake) 7440-50-8	Х	Х	Х	Х	Х
Talc 14807-96-6	Х	Х	Х		Х
Limestone 1317-65-3	Х	Х	Х		

16. OTHER INFORMATION

Issuing Date	25-Apr-2013
Revision Date	21 Oct 2019
Revision Note	Revision 3

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



